



STAFF REPORT

Report To: Board of Supervisors

Meeting Date: April 19, 2018

Staff Contact: Zach Good

Agenda Title: For Possible Action: To approve the purchase of a new Type 1 Fire truck from the HGAC buy program (Houston-Galveston Area Council) cooperative purchasing agreement for the Carson City Fire Department for a not to exceed amount of \$613,230.48 to be funded from the Capital Vehicle Replacement account. (Zach Good, zgood@carson.org)

Staff Summary: The Carson City Fire Department is looking to purchase a new Type 1 Fire truck from the HGAC buy program (Houston-Galveston Area Council) cooperative purchasing agreement.

Agenda Action: Formal Action/Motion

Time Requested: 5 Minutes

Proposed Motion

I move to approve the purchase of a new Type 1 Fire truck from the HGAC buy program (Houston-Galveston Area Council) cooperative purchasing agreement for the Carson City Fire Department for a not to exceed amount of \$613,230.48 to be funded from the Capital Vehicle Replacement account.

Board's Strategic Goal

Safety

Previous Action

N/A

Background/Issues & Analysis

This new Type 1 Fire truck will replace Unit 7008 a (1994) 3D Type 1 Fire truck with 133,900 miles.

Applicable Statute, Code, Policy, Rule or Regulation

Financial Information

Is there a fiscal impact? Yes No

If yes, account name/number: Capital Vehicle replacement 210-0000-413.77-05

Is it currently budgeted? Yes No

Explanation of Fiscal Impact: Account will be reduced by \$613,230.48. The purchase of this fire truck is included in the City's FY18 Capital Improvement Program.

Alternatives

Do not purchase

Board Action Taken:

Motion: _____

1) _____

2) _____

Aye/Nay

(Vote Recorded By)



This Purchase Agreement (together with all attachments referenced herein, the “Agreement”), made and entered into by and between Icarus Fire and Equipment Company LLC d/b/a Superior Equipment (“Superior”), and Carson City, a City of Nevada (“Customer”) is effective as of the date specified in Section 3 hereof.

1. Definitions.

- a. **“Product”** means the fire apparatus and any associated equipment manufactured or furnished for Customer by Superior pursuant to the Specifications.
- b. **“Specifications”** means the general specifications, technical specifications, training, and testing requirements for the Product contained in the Superior Proposal for the Product prepared in response to Customer’s request for proposal.
- c. **“Superior Proposal”** means the proposal provided by Superior attached as Exhibit C prepared in response to Customer’s request for proposal.
- d. **“Delivery”** means the date Superior is prepared to make physical possession of the Product available to Customer.
- e. **“Acceptance”** Customer shall have ten (10) business days of Delivery to inspect the Product for substantial conformance with the material Specifications; unless Superior receives a Notice of Defect within ten (10) business days of Delivery, the Product will be deemed to be in conformance with the Specifications and accepted by Customer.

2. Purpose. This Agreement sets forth the terms and conditions of Superior’s sale of the Product to Customer.

3. Term of Agreement. This Agreement will become effective on the date it is signed and approved by Superior’s authorized representative pursuant to Section 22 hereof (“Effective Date”) and, unless earlier terminated pursuant to the terms of this Agreement, it will terminate upon Customer’s Acceptance and payment in full of the Purchase Price.

4. Purchase and Payment. Customer agrees to purchase the Product specified on Exhibit A for the total purchase price of \$613,230.48 Six Hundred Thirteen Thousand two hundred and thirty dollars and forty eight cents. (“Purchase Price”). Prices are in U.S. funds and include sales and/or use taxes. If Customer shall fail for any reason to make any such payment(s) in a timely manner, Superior may: (i) demand full or partial payment in advance as a condition to further business; (ii) modify payment terms on outstanding orders; (iii) withhold delivery of Product until payment is made in full; (iv) demand additional security; and/or (v) terminate this Agreement in accordance with Section 7 of this Agreement.

5. Future Changes. Various state or federal regulatory agencies (e.g. NFPA, DOT, EPA) may require changes to the Specifications and/or the Product and in any such event any resulting cost increases incurred to comply therewith will be added to the Purchase Price and will be paid by Customer. In addition, any future drive train upgrades (engine, transmission, axles, etc.), or any other specification changes have not been calculated into our annual increases and will be provided at additional cost. To the extent practicable, Superior will document and itemize any such price increases for Customer.

6. Agreement Changes. Customer may request that Superior incorporate a change to the Products or the Specifications for the Products by delivering a change order to Superior; provided, however, that any such change order must be in writing and include a description of the proposed change sufficient to permit Superior to evaluate the feasibility of such change (“Change Order”). Within seven (7) business days of receipt of a Change Order, Superior will inform Customer in writing of the feasibility of the Change Order, the earliest possible implementation date for the Change Order, of any increase or decrease in the Purchase Price resulting from such Change Order, and of any effect on production scheduling or Delivery resulting from such Change Order. Superior shall not be liable to Customer for any delay in performance or Delivery arising from any such Change Order. A Change Order is only effective when counter-signed by Superior’s authorized representative.

7. Cancellation/Termination. In the event this Agreement is cancelled or terminated by a party before completion, Superior may charge a cancellation fee. The following charge schedule based on costs incurred may be applied: (a) 10% of the Purchase Price after order is accepted and entered by Superior; (b) 20% of the Purchase Price after completion of approval drawings, and; (c) 30% of the Purchase Price upon any material requisition. The cancellation fee will increase accordingly as costs are incurred as the order progresses through engineering and into manufacturing. Superior endeavors to mitigate any such costs through the sale of such Product to another purchaser; however Customer shall remain liable for the difference between the Purchase Price and, if applicable, the sale price obtained by Superior upon sale of the Product to another purchaser, plus any costs incurred by Superior to conduct any such sale.

8. Delivery, Inspection and Acceptance. (a) Delivery. Delivery of the Product is scheduled to be within 10.5-11.5 months of the Effective Date of this Agreement, F.O.B. Superior's plant, Appleton, Wisconsin. Risk of loss shall pass to Customer upon Delivery. (b) Inspection and Acceptance. Upon Delivery, Customer shall have ten (10) business days within which to inspect the Product for substantial conformance to the material Specifications, and in the event of substantial non-conformance to the material Specifications to furnish Superior with written notice sufficient to permit Superior to evaluate such non-conformance ("Notice of Defect"). Any Product not in substantial conformance to material Specifications shall be remedied by Superior within thirty (30) days from the Notice of Defect. In the event Superior does not receive a Notice of Defect within ten (10) business days of Delivery, Product will be deemed to be in conformance with Specifications and Accepted by Customer. Superior will not be responsible for failure to deliver goods on time, or to fill orders where prevented by causes outlined in Section 13, below.

9. Notice. Any required or permitted notices hereunder must be given in writing at the address of each party set forth below, or to such other address as either party may substitute by written notice to the other in the manner contemplated herein, by one of the following methods: hand delivery; registered, express, or certified mail, return receipt requested, postage prepaid; or nationally-recognized private express courier:

Superior Manufacturing
Director of Order Management
7285 South 700 West
P.O. Box 399
Midvale, UT 84047
Fax (801) 565-0671

Customer
Carson City Fire Department

10. Standard Warranty. Any applicable Superior warranties are attached hereto as Exhibit B and made a part hereof. Any additional warranties must be expressly approved in writing by Superior's authorized representative.

a. Disclaimer. OTHER THAN AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER SUPERIOR NOR ITS AFFILIATES, SUBSIDIARIES, LICENSORS OR SUPPLIERS, THEIR RESPECTIVE OFFICERS, DIRECTORS, EMPLOYEES, SHAREHOLDERS, AGENTS OR REPRESENTATIVES, MAKE ANY EXPRESS OR IMPLIED WARRANTIES WITH RESPECT TO THE PRODUCTS PROVIDED HEREUNDER OR OTHERWISE REGARDING THIS AGREEMENT, WHETHER ORAL OR WRITTEN, EXPRESS, IMPLIED OR STATUTORY. WITHOUT LIMITING THE FOREGOING, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, THE IMPLIED WARRANTY AGAINST INFRINGEMENT, AND THE IMPLIED WARRANTY OR CONDITION OF FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED AND DISCLAIMED. STATEMENTS MADE BY SALES REPRESENTATIVES OR IN PROMOTIONAL MATERIALS DO NOT CONSTITUTE WARRANTIES. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF.

b. Exclusions of Incidental and Consequential Damages. In no event shall Superior be liable for consequential, incidental or punitive damages incurred by Customer or any third party in connection with any matter arising out of or relating to this Agreement, or the breach thereof, regardless of whether such damages arise out of breach of warranty, tort, contract, strict liability, statutory liability, indemnity, whether resulting from non-delivery or from Superior's own negligence, or otherwise.

11. Insurance. Superior maintains the following limits of insurance with a carrier(s) rated A- or better by A.M. Best:

Commercial General Liability Insurance:

Products/Completed Operations Aggregate: \$1,000,000
Each Occurrence: \$1,000,000

Umbrella/Excess Liability Insurance:

Aggregate: \$2,000,000
Each Occurrence: \$2,000,000

Customer may request: (x) Superior to provide Customer with a copy of a current Certificate of Insurance with the coverages listed above; (y) to be included as an additional insured for Commercial General Liability (subject to the terms and conditions of the applicable Superior insurance policy); and (z) all policies to provide a 30 day notice of cancellation to the named insured

12. Indemnity. Customer shall indemnify, defend, and hold harmless Superior, its officers, employees, dealers, agents or subcontractors, from any and all claims, costs, judgments, liability, loss, damage, attorneys' fees or expenses of any kind or nature whatsoever (including, but without limitation, personal injury and death) to all property and persons caused by, resulting

from, arising out of or occurring in connection with Customer's purchase, installation, or use of goods sold or supplied by Superior.

13. Force Majeure. Superior shall not be responsible nor deemed to be in default on account of delays in performance due to causes which are beyond Superior's control which make Superior's performance impracticable, including but not limited to civil wars, insurrections, strikes, riots, fires, storms, floods, other acts of nature, explosions, earthquakes, accidents, any act of government, delays in transportation, inability to obtain necessary labor supplies or manufacturing facilities, allocation regulations or orders affecting materials, equipment, facilities or completed products, failure to obtain any required license or certificates, acts of God or the public enemy or terrorism, failure of transportation, epidemics, quarantine restrictions, failure of vendors (due to causes similar to those within the scope of this clause) to perform their contracts or labor troubles causing cessation, slowdown, or interruption of work.

14. Default. The occurrence of one or more of the following shall constitute a default under this Agreement: (a) Customer fails to pay when due any amounts under this Agreement or to perform any of its obligations under this Agreement; (b) Superior fails to perform any of its obligations under this Agreement; (c) either party becomes insolvent or become subject to a bankruptcy or insolvency proceedings; (d) any representation made by either party to induce the other to enter into this Agreement is false in any material respect; (e) Customer dissolves, merges, consolidates or transfers a substantial portion of its property to another entity; or (f) Customer is in default or has breached any other contract or agreement with Superior.

15. Manufacturer's Statement of Origin. It is agreed that the manufacturer's statement of origin ("MSO") for the Product covered by this Agreement shall remain in the possession of Superior until the entire Purchase Price has been paid. If more than one Product is covered by this Agreement, then the MSO for each individual Product shall remain in the possession of Superior until the Purchase Price for that Product has been paid in full. In case of any default in payment, Superior may take full possession of the Product, and any payments that have been made shall be applied as payment for the use of the Product up to the date of taking possession.

16. Independent Contractors. The relationship of the parties established under this Agreement is that of independent contractors and neither party is a partner, employee, agent, or joint venturer of or with the other.

17. Assignment. Neither party may assign its rights and obligations under this Agreement unless it has obtained the prior written approval of the other party.

18. Governing Law; Jurisdiction. Without regard to any conflict of laws provisions, this Agreement is to be governed by and under the laws of the state of Utah.

19. Facsimile Signatures. The delivery of signatures to this Agreement by facsimile transmission shall be binding as original signatures.

20. Entire Agreement. This Agreement shall be the exclusive agreement between the parties for the Product. Additional or different terms proposed by Customer shall not be applicable, unless accepted in writing by Superior's authorized representative. No change in, modification of, or revision of this Agreement shall be valid unless in writing and signed by Superior's authorized representative.

21. Conflict. In the event of a conflict between Customer Specifications and the Superior Proposal, the Superior Proposal shall control. In the event there is a conflict between the Superior Proposal and this Agreement, the Superior Proposal shall control.

22. Signatures. This Agreement is not effective unless and until it is approved, signed and dated by Superior's authorized representative.

Accepted and agreed to:

SUPERIOR EQUIPMENT

CUSTOMER: _____

Name: _____

Name: _____

Title: _____

Title: _____

Date: _____

Date: _____

EXHIBIT A

PURCHASE DETAIL FORM

Superior Equipment
Director of Order Management
7285 South 700 West
Midvale, Utah 84047
Fax (801) 565-0671

Date: 11/10/2017

Customer Name: Carson City Fire Department

Quantity	Chassis Type	Body Type	Price per Unit
1	Quantum	Pumper	613,230.48
			\$
			\$
			\$

Warranty Period: See Proposal for all warranties

Training Requirements: 1 day of training for each shift with Superior Equipment Salesman

Other Matters: Performance bond included.

This contract is available for inter-local and other municipal corporations to utilize with the option of adding or deleting any Superior available options, including chassis models. Any addition or deletion may affect the unit price.

Payment Terms: Pre-pay discounts available upon request. Estimated total prepay discounts is \$14,688. For detailed quote please request. Prepay discount requires 100% of funds within 15 calendar days of signed contract
If you choose to not prepay full payment must be made within 10 calendar days of delivery.

[NOTE: If deferred payment arrangements are required, Customer must make such financial arrangements through a financial institution acceptable to Superior.] All taxes, excises and levies that Superior may be required to pay or collect by reason of any present or future law or by any governmental authority based upon the sale, purchase, delivery, storage, processing, use, consumption, or transportation of the Product sold by Superior to Customer shall be for the account of Customer and shall be added to the Purchase Price. All delivery prices or prices with freight allowance are based upon prevailing freight rates and, in the event of any increase or decrease in such rates, the prices on all unshipped Product will be increased or decreased accordingly. Delinquent payments shall be subject to a carrying charge of 1.5 percent per month or such lesser amount permitted by law. Superior will not be required to accept payment other than as set forth in this Agreement. However, to avoid a late charge assessment in the event of a dispute caused by a substantial nonconformance with material Specifications (other than freight), Customer may withhold up to five percent (5%) of the Purchase Price until such time that Superior substantially remedies the nonconformance with material Specifications, but no longer than sixty (60) days after Delivery. If the disputed amount is the freight charge, Customer may withhold only the amount of the freight charge until the dispute is settled, but no longer than sixty (60) days after Delivery. Superior shall have and retain a purchase money security interest in all goods and products now or hereafter sold to Customer by Superior or any of its affiliated companies to secure payment of the Purchase Price for all such goods and products. In the event of nonpayment by Customer of any debt, obligation or liability now or hereafter incurred or owing by Customer to Superior, Superior shall have and may exercise all rights and remedies of a secured party under Article 9 of the Uniform Commercial Code (UCC) as adopted by the state of Utah.

THIS PURCHASE DETAIL FORM IS EXPRESSLY SUBJECT TO THE PURCHASE AGREEMENT TERMS AND CONDITIONS DATED AS April OF 9th, 2018 BETWEEN SUPERIOR MANUFACTURING AND Carson City Fire Department WHICH TERMS AND CONDITIONS ARE HEREBY INCORPORATED IN, AND MADE PART OF, THIS PURCHASE DETAIL FORM AS THOUGH EACH PROVISION WERE SEPARATELY SET FORTH HEREIN, EXCEPT TO THE EXTENT OTHERWISE STATED OR SUPPLEMENTED BY SUPERIOR MANUFACTURING HEREIN.

EXHIBIT B
WARRANTY

EXHIBIT C

SUPERIOR PROPOSAL



Fire and Rescue Apparatus

Ten (10) Year Structural Integrity Custom Cab

Limited Warranty

1. LIMITED WARRANTY

Subject to the limitations and exclusions set forth below, Pierce Manufacturing provides the following warranty to the Buyer:

Coverage:	The Pierce Custom Cab shall be free from structural failures caused by defects in material and workmanship
Warranty Begins:	The date of the original purchase invoice (issued when the product ships from the factory).
Warranty Period Ends After:	Ten (10) Years - or - 100,000 Miles
Conditions and Exclusions: See Also Paragraphs 2 thru 4	This warranty applies only to the cab tubular support and mounting structures and other structural components of the cab of the vehicle model, as identified in the Pierce specifications for the Fire and Rescue Apparatus. This warranty does not apply to damage caused by corrosion.

This limited warranty shall apply only if the product is properly maintained in accordance with Pierce's maintenance instructions and manuals and is used in service which is normal to the particular model. Normal service means service which does not subject the product to stresses or impacts greater than normally result from careful use. If the Buyer discovers a defect or nonconformity, it must notify Pierce in writing within thirty (30) days after the date of discovery, but in any event prior to the expiration of the warranty period. THIS LIMITED WARRANTY MAY NOT BE ASSIGNED OR OTHERWISE TRANSFERRED BY THE BUYER TO ANY SUBSEQUENT USER OR PURCHASER OR TO ANY OTHER PERSON OR ENTITY.

Notwithstanding anything to the contrary herein, Pierce makes no warranty whatsoever as to:

(a) any integral parts, components, attachments or trade accessories of or to the product that are not manufactured by Pierce, including but not limited to engines, transmissions, drivelines, axles, water pumps and generators; with respect to all such parts, components, attachments and accessories, Pierce shall assign to Buyer the applicable warranties, if any, made by the respective manufacturers thereof;

(b) any vehicle, chassis, or component, part, attachment or accessory damaged by misuse, neglect, fire, exposure to severe environmental or chemical conditions, acidic environment, improper maintenance, accident, crash, or force majeure such as natural disaster, lightning, earthquake, windstorm, hail, flood, war or riot;

(c) any vehicle, chassis or component, part, attachment or accessory that has been repaired, altered or assembled in any way by any person or entity other than Pierce which, in the sole judgment of Pierce, adversely affects the performance, stability or purpose for which it was manufactured; or

(d) products or parts which may in the ordinary course wear out and have to be replaced during the warranty period, including, but not limited to, tires, fluids, gaskets and light bulbs. Pierce assumes no responsibility for the assembly of its parts or subassemblies into finishing products or vehicles unless the assembly is performed by Pierce.

The original purchaser may void this warranty in part or in its entirety if the product is repaired or replaced (a) without prior written approval of the Pierce Customer Service Department; or (b) at a facility which has not been approved by Pierce as to technical capability. Any repairs, modifications, alterations or aftermarket parts added after manufacture without the authorization of Pierce may void this warranty.

2. DISCLAIMERS OF WARRANTIES

THE WARRANTY SET FORTH IN PARAGRAPH 1 IS THE SOLE AND EXCLUSIVE WARRANTY GIVEN BY PIERCE. PIERCE HEREBY DISCLAIMS AND EXCLUDES ALL OTHER WARRANTIES, WHETHER EXPRESS, IMPLIED OR STATUTORY, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY, ANY WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.

3. BUYER'S EXCLUSIVE REMEDY

If the product fails to conform to the warranty set forth in paragraph 1 during the warranty period, and such nonconformity is not due to misuse, neglect, accident or improper maintenance, Buyer must notify Pierce within the time period specified in paragraph 1, and shall make the product available for inspection by Pierce or its designated agent. At the request of Pierce, any allegedly defective product shall be returned to Pierce by Buyer for examination and/or repair. Buyer shall be responsible for the cost of such transportation, and for risk of loss of or damage to the product during transportation. Within a reasonable time, Pierce shall repair or replace (at Pierce's option and expense) any nonconforming or defective parts. Repair or replacement shall be made only by a facility approved in advance in writing by Pierce. THIS REMEDY SHALL BE THE EXCLUSIVE AND SOLE REMEDY FOR ANY BREACH OF WARRANTY.

4. EXCLUSION OF CONSEQUENTIAL AND INCIDENTAL DAMAGES

Notwithstanding anything to the contrary herein or in any agreement between Pierce and Buyer, IN NO EVENT SHALL PIERCE BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, SPECIAL, INDIRECT, OR PUNITIVE DAMAGES WHATSOEVER, WHETHER ARISING OUT OF BREACH OF CONTRACT, WARRANTY, TORT (INCLUDING NEGLIGENCE AND STRICT LIABILITY) OR OTHER THEORY OF LAW OR EQUITY, WITH RESPECT TO VEHICLES OR OTHER PRODUCTS SOLD BY PIERCE, OR THEIR OPERATION OR FAILURE TO OPERATE, OR ANY DEFECTS THEREIN, OR ANY UNDERTAKINGS, ACTS OR OMISSIONS RELATED THERETO, REGARDLESS OF WHETHER PIERCE HAS BEEN INFORMED OF THE POSSIBILITY OF ANY SUCH DAMAGES. Without limiting the generality of the foregoing, Pierce specifically disclaims any liability for property or personal injury damages, penalties, damages for lost profits or revenues, loss of vehicles or products or any associated equipment, cost of substitute vehicles or products, down-time, delay damages, any other types of economic loss, or for any claims by any third party for any such damages.

Note: Any Surety Bond, if a part of the sale of the vehicle as to which this limited warranty is provided, applies only to this Pierce Basic One Year Limited Warranty for such vehicle, and not to other warranties made by Pierce in a separate document (if any) or to the warranties (if any) made by any manufacturer (other than Pierce) of any part, component, attachment or accessory that is incorporated into or attached to the vehicle.



Fire and Rescue Apparatus

One (1) Year Material and Workmanship Basic Apparatus

Limited Warranty

1. LIMITED WARRANTY

Subject to the limitations and exclusions set forth below, Pierce Manufacturing provides the following warranty to the Buyer:

Coverage:	Portions of the apparatus manufactured by Pierce shall be free from defects in material and workmanship
Warranty Begins:	The date the apparatus is placed in service, or 60 days from the original buyer invoice date, whichever comes first.
Warranty Period Ends After:	Twelve (12) months.
Conditions and Exclusions: See Also Paragraphs 2 thru 4	No specific exclusions apply

This limited warranty shall apply only if the product is properly maintained in accordance with Pierce's maintenance instructions and manuals and is used in service which is normal to the particular model. Normal service means service which does not subject the product to stresses or impacts greater than normally result from careful use. If the Buyer discovers a defect or nonconformity, it must notify Pierce in writing within thirty (30) days after the date of discovery, but in any event prior to the expiration of the warranty period. THIS LIMITED WARRANTY MAY NOT BE ASSIGNED OR OTHERWISE TRANSFERRED BY THE BUYER TO ANY SUBSEQUENT USER OR PURCHASER OR TO ANY OTHER PERSON OR ENTITY.

Notwithstanding anything to the contrary herein, Pierce makes no warranty whatsoever as to:

(a) any integral parts, components, attachments or trade accessories of or to the product that are not manufactured by Pierce, including but not limited to engines, transmissions, drivelines, axles, water pumps and generators; with respect to all such parts, components, attachments and accessories, Pierce shall assign to Buyer the applicable warranties, if any, made by the respective manufacturers thereof;

(b) any vehicle, chassis, or component, part, attachment or accessory damaged by misuse, neglect, fire, exposure to severe environmental or chemical conditions, acidic environment, improper maintenance, accident, crash, or force majeure such as natural disaster, lightning, earthquake, windstorm, hail, flood, war or riot;

(c) any vehicle, chassis or component, part, attachment or accessory that has been repaired, altered or assembled in any way by any person or entity other than Pierce which, in the sole judgment of Pierce, adversely affects the performance, stability or purpose for which it was manufactured; or

(d) products or parts which may in the ordinary course wear out and have to be replaced during the warranty period, including, but not limited to, tires, fluids, gaskets and light bulbs. Pierce assumes no responsibility for the assembly of its parts or subassemblies into finishing products or vehicles unless the assembly is performed by Pierce.

The original purchaser may void this warranty in part or in its entirety if the product is repaired or replaced (a) without prior written approval of the Pierce Customer Service Department; or (b) at a facility which has not been approved by Pierce as to technical capability. Any repairs, modifications, alterations or aftermarket parts added after manufacture without the authorization of Pierce may void this warranty.

2. DISCLAIMERS OF WARRANTIES

THE WARRANTY SET FORTH IN PARAGRAPH 1 IS THE SOLE AND EXCLUSIVE WARRANTY GIVEN BY PIERCE. PIERCE HEREBY DISCLAIMS AND EXCLUDES ALL OTHER WARRANTIES, WHETHER EXPRESS, IMPLIED OR STATUTORY, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY, ANY WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.

3. BUYER'S EXCLUSIVE REMEDY

If the product fails to conform to the warranty set forth in paragraph 1 during the warranty period, and such nonconformity is not due to misuse, neglect, accident or improper maintenance, Buyer must notify Pierce within the time period specified in paragraph 1, and shall make the product available for inspection by Pierce or its designated agent. At the request of Pierce, any allegedly defective product shall be returned to Pierce by Buyer for examination and/or repair. Buyer shall be responsible for the cost of such transportation, and for risk of loss of or damage to the product during transportation. Within a reasonable time, Pierce shall repair or replace (at Pierce's option and expense) any nonconforming or defective parts. Repair or replacement shall be made only by a facility approved in advance in writing by Pierce. THIS REMEDY SHALL BE THE EXCLUSIVE AND SOLE REMEDY FOR ANY BREACH OF WARRANTY.

4. EXCLUSION OF CONSEQUENTIAL AND INCIDENTAL DAMAGES

Notwithstanding anything to the contrary herein or in any agreement between Pierce and Buyer, IN NO EVENT SHALL PIERCE BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, SPECIAL, INDIRECT, OR PUNITIVE DAMAGES WHATSOEVER, WHETHER ARISING OUT OF BREACH OF CONTRACT, WARRANTY, TORT (INCLUDING NEGLIGENCE AND STRICT LIABILITY) OR OTHER THEORY OF LAW OR EQUITY, WITH RESPECT TO VEHICLES OR OTHER PRODUCTS SOLD BY PIERCE, OR THEIR OPERATION OR FAILURE TO OPERATE, OR ANY DEFECTS THEREIN, OR ANY UNDERTAKINGS, ACTS OR OMISSIONS RELATED THERETO, REGARDLESS OF WHETHER PIERCE HAS BEEN INFORMED OF THE POSSIBILITY OF ANY SUCH DAMAGES. Without limiting the generality of the foregoing, Pierce specifically disclaims any liability for property or personal injury damages, penalties, damages for lost profits or revenues, loss of vehicles or products or any associated equipment, cost of substitute vehicles or products, down-time, delay damages, any other types of economic loss, or for any claims by any third party for any such damages.

Note: Any Surety Bond, if a part of the sale of the vehicle as to which this limited warranty is provided, applies only to this Pierce Basic One Year Limited Warranty for such vehicle, and not to other warranties made by Pierce in a separate document (if any) or to the warranties (if any) made by any manufacturer (other than Pierce) of any part, component, attachment or accessory that is incorporated into or attached to the vehicle.

NEW PRODUCT WARRANTY



**PARTICIPATING OEM SALES
DISTRIBUTOR SALES**

LIMITED WARRANTY ON NEW ALLISON AUTOMATIC TRANSMISSIONS USED IN EMERGENCY VEHICLE APPLICATIONS

Allison Transmission will provide for repairs or replacement, at its option, during the warranty period of each new Allison transmission listed below that is installed in an Emergency Vehicle in accordance with the following terms, conditions, and limitations.

WHAT IS COVERED

- **WARRANTY APPLIES** — This warranty is for new Allison transmission models listed below installed in an Emergency Vehicle and is provided to the original and any subsequent owner(s) of the vehicle during the warranty period.
- **REPAIRS COVERED** — The warranty covers repairs or replacement, at Allison Transmission’s option, to correct any transmission malfunction resulting from defects in material or workmanship occurring during the warranty period. Needed repairs or replacements will be performed using the method Allison Transmission determines most appropriate under the circumstances.
- **TOWING** — Towing is covered to the nearest Allison Transmission Distributor or authorized Dealer only when necessary to prevent further damage to your transmission.
- **PAYMENT TERMS** — Warranty repairs, including parts and labor, will be covered per the schedule shown in the chart contained in section “APPLICABLE MODELS, WARRANTY LIMITATIONS, AND ADJUSTMENT SCHEDULE.”
- **OBTAINING REPAIRS** — To obtain warranty repairs, take the vehicle to any Allison Transmission Distributor or authorized Dealer within a reasonable amount of time and request the needed repairs. A reasonable amount of time must be allowed for the Distributor or Dealer to perform necessary repairs.
- **TRANSMISSION REMOVAL AND REINSTALLATION** — Labor costs for the removal and re-installation of the transmission, when necessary to make a warranty repair, are covered by this warranty.
- **WARRANTY PERIOD** — The warranty period for all coverages shall begin on the date the transmission is delivered to the first retail purchaser, with the following exception:

Demonstration Service - A transmission in a new truck or bus may be demonstrated to a total of 5000 miles (8000 kilometers). If the vehicle is within this limit when sold to a retail purchaser, the warranty start date is the date of purchase. Normal warranty services are applicable to the demonstrating Dealer. Should the truck or bus be sold to a retail purchaser after these limits are reached, the warranty period will begin on the date the vehicle was first placed in demonstration service and the purchaser will be entitled to the remaining warranty.

APPLICABLE MODELS, WARRANTY LIMITATIONS, AND ADJUSTMENT SCHEDULE

APPLICABLE MODELS	WARRANTY LIMITATIONS (Whichever occurs first)		ADJUSTMENT CHARGE TO BE PAID BY THE CUSTOMER	
	Months	Transmission Miles Or Kilometers	Parts	Labor
MT, MD 3000, 3200, 3500, 3700	0-24	No Limit	No Charge	No Charge
HT with Hydraulic Controls	0-24	No Limit	No Charge	No Charge
AT, 1000 Series™, 2000 Series™, 2400 Series™	0-36	No Limit	No Charge	No Charge
HT with Electronic Controls	0-60	No Limit	No Charge	No Charge
HD 1000 EVS, 2100 EVS, 2200 EVS 2350 EVS, 2500 EVS, 2550 EVS, 3000 EVS, 3500 EVS, 4000, 4000 EVS, 4500, 4500 EVS, 4700, 4700 EVS, 4800, 4800 EVS	0-60	No Limit	No Charge	No Charge

WHAT IS NOT COVERED

- **DAMAGE DUE TO ACCIDENT, MISUSE, or ALTERATION** — Defects and damage caused as the result of any of the following are not covered:
 - Flood, collision, fire, theft, freezing, vandalism, riot, explosion, or objects striking the vehicle;
 - Misuse of the vehicle;
 - Installation into unapproved applications and installations;
 - Alterations or modification of the transmission or the vehicle, and
 - Damage resulting from improper storage (refer to long-term storage procedure outlined in the applicable Allison Service Manual)
 - Anything other than defects in Allison Transmission material or workmanship

NOTE: This warranty is void on transmissions used in vehicles currently or previously titled as salvaged, scrapped, junked, or totaled.

- **CHASSIS, BODY, and COMPONENTS** — The chassis and body company (assemblers) and other component and equipment manufacturers are solely responsible for warranties on the chassis, body, component(s), and equipment they provide. Any transmission repair caused by an alteration(s) made to the Allison transmission or the vehicle which allows the transmission to be installed or operated outside of the limits defined in the appropriate Allison Installation Guideline is solely the responsibility of the entity making the alteration(s).
- **DAMAGE CAUSED by LACK of MAINTENANCE or by the USE of TRANSMISSION FLUIDS NOT RECOMMENDED in the OPERATOR'S MANUAL** — Defects and damage caused by any of the following are not covered:
 - Failure to follow the recommendations of the maintenance schedule intervals applicable to the transmission;
 - Failure to use transmission fluids or maintain transmission fluid levels recommended in the Operator's Manual.
- **MAINTENANCE** — Normal maintenance (such as replacement of filters, screens, and transmission fluid) is not covered and is the owner's responsibility.
- **REPAIRS by UNAUTHORIZED DEALERS** — Defects and damage caused by a service outlet that is not an authorized Allison Transmission Distributor or Dealer are not covered.
- **USE of OTHER THAN GENUINE ALLISON TRANSMISSION PARTS** — Defects and damage caused by the use of parts that are not genuine Allison Transmission parts are not covered.
- **EXTRA EXPENSES** — Economic loss and extra expenses are not covered. Examples include but are not limited to: loss of vehicle use; inconvenience; storage; payment for loss of time or pay; vehicle rental expense; lodging; meals; or other travel costs.
- **"DENIED PARTY" OWNERSHIP** — Warranty repair parts and labor costs are not reimbursed to any participating or non-participating OEMs, dealers or distributors who perform warranty work for, or on behalf of, end users identified by the United States as being a "denied party" or who are citizens of sanctioned or embargoed countries as defined by the U.S. Department of Treasury Office of Foreign Assets Control. Furthermore, warranty reimbursements are not guaranteed if the reimbursement would be contrary to any United States export control laws or regulations as defined by the U.S. Department of Commerce, the U.S. Department of State, or the U.S. Department of Treasury.

OTHER TERMS APPLICABLE TO CONSUMERS AS DEFINED by the MAGNUSON-MOSS WARRANTY ACT

This warranty gives you specific legal rights and you may also have other rights which vary from state to state.

Allison Transmission does not authorize any person to create for it any other obligation or liability in connection with these transmissions.

ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE APPLICABLE TO THESE TRANSMISSIONS IS LIMITED IN DURATION TO THE DURATION OF THIS WRITTEN WARRANTY. PERFORMANCE OF REPAIRS AND NEEDED ADJUSTMENTS IS THE EXCLUSIVE REMEDY UNDER THIS WRITTEN WARRANTY OR ANY IMPLIED WARRANTY. ALLISON TRANSMISSION SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES (SUCH AS, BUT NOT LIMITED TO, LOST WAGES OR VEHICLE RENTAL EXPENSES) RESULTING FROM BREACH OF THIS WRITTEN WARRANTY OR ANY IMPLIED WARRANTY.**

** Some states do not allow limitations on how long an implied warranty will last or the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you.

OTHER TERMS APPLICABLE TO OTHER END-USERS

THIS WARRANTY IS THE ONLY WARRANTY APPLICABLE TO THE ALLISON TRANSMISSION MODELS LISTED ABOVE AND IS EXPRESSLY IN LIEU OF ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ALLISON TRANSMISSION DOES NOT AUTHORIZE ANY PERSON TO CREATE FOR IT ANY OTHER OBLIGATION OR LIABILITY IN CONNECTION WITH SUCH TRANSMISSIONS. ALLISON TRANSMISSION SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM BREACH OF THIS WARRANTY OR ANY IMPLIED WARRANTY.

QUESTIONS

If you have any questions regarding this warranty or the performance of warranty obligations, you may contact any Allison Transmission Distributor or Dealer or write to:

Allison Transmission, Inc.
P.O. Box 894
Indianapolis, IN 46206-0894
Attention: Warranty Administration PF-9

Waterous Five-Year Limited Warranty

WATEROUS warrants, to the original Buyer only, that products manufactured by WATEROUS will be free from defects in material and workmanship under normal use and service for a period of five (5) years from the date the product is first placed in service, or five and one-half (5-1/2) years from the date of shipment by WATEROUS, whichever period shall be the first to expire; provided the Buyer notifies WATEROUS, in writing, of the defect in said product within the warranty period, and said product is found by WATEROUS to be nonconforming with the aforesaid warranty. When required in writing by WATEROUS, defective products must be promptly returned by Buyer to WATEROUS at WATEROUS' plant at South St. Paul, Minnesota, or at such other place as may be specified by WATEROUS, with transportation and other charges prepaid. A Returned Material Authorization (RMA) is required for all products and parts and may be requested by phone, fax, email, or mail. The aforesaid warranty excludes any responsibility or liability of WATEROUS for:

- (a) damages or defects due to accident, abuse, misuse, abnormal operating conditions, negligence, accidental causes, use in non-firefighting applications, or improper maintenance, or attributable to written specifications or instructions furnished by Buyer;
- (b) defects in products manufactured by others and furnished by WATEROUS hereunder, it being understood and agreed by the parties that the only warranty provided for such products shall be the warranty provided by the manufacturer thereof which, if assignable, WATEROUS will assign to Buyer, if requested by Buyer;
- (c) any product or part, altered, modified, serviced or repaired other than by WATEROUS, without its prior written consent;
- (d) the cost of dismantling, removing, transporting, storing, or insuring the defective product or part and the cost of reinstallation; and
- (e) normal wear items (packing, strainers, filters, light bulbs, anodes, intake screens, mechanical seals, etc.).

ALL OTHER WARRANTIES ARE EXCLUDED, WHETHER EXPRESS OR IMPLIED BY OPERATION OF LAW OR OTHERWISE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT, WHETHER AS A RESULT OF BREACH OF CONTRACT, WARRANTY, TORT (INCLUDING NEGLIGENCE), STRICT LIABILITY, OR ANY OTHER CAUSE OF ACTION, SHALL WATEROUS BE LIABLE FOR ANY PUNITIVE, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, OR FOR PERSONAL INJURY OR PROPERTY DAMAGES.

The exclusive remedy of Buyer and the sole liability of WATEROUS, whether based on contract, warranty, tort or any other basis of recovery whatsoever, is expressly limited at the election of WATEROUS to:

- (a) the replacement at the agreed point of delivery of any product or part, which upon inspection by WATEROUS or its duly authorized representative, is found not to conform to the limited warranty set forth above, or
- (b) the repair of such product or part, or
- (c) the refund or crediting to Buyer of the net sales price of the defective product or part.

BUYER'S REMEDIES CONTAINED HEREIN ARE EXCLUSIVE OF ANY OTHER REMEDY OTHERWISE AVAILABLE TO BUYER.

Waterous Company
125 Hardman Avenue South
South St. Paul, MN 55075 USA
www.waterousco.com



F-2113 (07/17/12)



Fire and Rescue Apparatus

Five (5) Year Material and Workmanship

Command Zone Electronics

Limited Warranty

1. LIMITED WARRANTY

Subject to the limitations and exclusions set forth below, Pierce Manufacturing provides the following warranty to the Buyer:

Coverage:	Command Zone control modules shall be free from failures caused by defects in material and workmanship
Warranty Begins:	The date of the original purchase invoice (issued when the product ships from the factory).
Warranty Period Ends After:	Five (5) Years
Conditions and Exclusions: See Also Paragraphs 2 thru 4	This limited warranty applies to all of the control modules for the Command Zone system, including the full color graphic displays. Related wire harnesses, cables and connectors are not covered under this limited warranty and are instead covered under the Pierce One Year Basic Apparatus Limited Warranty.

This limited warranty shall apply only if the product is properly maintained in accordance with Pierce's maintenance instructions and manuals and is used in service which is normal to the particular model. Normal service means service which does not subject the product to stresses or impacts greater than normally result from careful use. If the Buyer discovers a defect or nonconformity, it must notify Pierce in writing within thirty (30) days after the date of discovery, but in any event prior to the expiration of the warranty period. THIS LIMITED WARRANTY MAY NOT BE ASSIGNED OR OTHERWISE TRANSFERRED BY THE BUYER TO ANY SUBSEQUENT USER OR PURCHASER OR TO ANY OTHER PERSON OR ENTITY.

Notwithstanding anything to the contrary herein, Pierce makes no warranty whatsoever as to:

(a) any integral parts, components, attachments or trade accessories of or to the product that are not manufactured by Pierce, including but not limited to engines, transmissions, drivelines, axles, water pumps and generators; with respect to all such parts, components, attachments and accessories, Pierce shall assign to Buyer the applicable warranties, if any, made by the respective manufacturers thereof;

(b) any vehicle, chassis, or component, part, attachment or accessory damaged by misuse, neglect, fire, exposure to severe environmental or chemical conditions, acidic environment, improper maintenance, accident, crash, or force majeure such as natural disaster, lightning, earthquake, windstorm, hail, flood, war or riot;

(c) any vehicle, chassis or component, part, attachment or accessory that has been repaired, altered or assembled in any way by any person or entity other than Pierce which, in the sole judgment of Pierce, adversely affects the performance, stability or purpose for which it was manufactured; or

(d) products or parts which may in the ordinary course wear out and have to be replaced during the warranty period, including, but not limited to, tires, fluids, gaskets and light bulbs. Pierce assumes no responsibility for the assembly of its parts or subassemblies into finishing products or vehicles unless the assembly is performed by Pierce.

The original purchaser may void this warranty in part or in its entirety if the product is repaired or replaced (a) without prior written approval of the Pierce Customer Service Department; or (b) at a facility which has not been approved by Pierce as to technical capability. Any repairs, modifications, alterations or aftermarket parts added after manufacture without the authorization of Pierce may void this warranty.

2. DISCLAIMERS OF WARRANTIES

THE WARRANTY SET FORTH IN PARAGRAPH 1 IS THE SOLE AND EXCLUSIVE WARRANTY GIVEN BY PIERCE. PIERCE HEREBY DISCLAIMS AND EXCLUDES ALL OTHER WARRANTIES, WHETHER EXPRESS, IMPLIED OR STATUTORY, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY, ANY WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.

3. BUYER'S EXCLUSIVE REMEDY

If the product fails to conform to the warranty set forth in paragraph 1 during the warranty period, and such nonconformity is not due to misuse, neglect, accident or improper maintenance, Buyer must notify Pierce within the time period specified in paragraph 1, and shall make the product available for inspection by Pierce or its designated agent. At the request of Pierce, any allegedly defective product shall be returned to Pierce by Buyer for examination and/or repair. Buyer shall be responsible for the cost of such transportation, and for risk of loss of or damage to the product during transportation. Within a reasonable time, Pierce shall repair or replace (at Pierce's option and expense) any nonconforming or defective parts. Repair or replacement shall be made only by a facility approved in advance in writing by Pierce. THIS REMEDY SHALL BE THE EXCLUSIVE AND SOLE REMEDY FOR ANY BREACH OF WARRANTY.

4. EXCLUSION OF CONSEQUENTIAL AND INCIDENTAL DAMAGES

Notwithstanding anything to the contrary herein or in any agreement between Pierce and Buyer, IN NO EVENT SHALL PIERCE BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, SPECIAL, INDIRECT, OR PUNITIVE DAMAGES WHATSOEVER, WHETHER ARISING OUT OF BREACH OF CONTRACT, WARRANTY, TORT (INCLUDING NEGLIGENCE AND STRICT LIABILITY) OR OTHER THEORY OF LAW OR EQUITY, WITH RESPECT TO VEHICLES OR OTHER PRODUCTS SOLD BY PIERCE, OR THEIR OPERATION OR FAILURE TO OPERATE, OR ANY DEFECTS THEREIN, OR ANY UNDERTAKINGS, ACTS OR OMISSIONS RELATED THERETO, REGARDLESS OF WHETHER PIERCE HAS BEEN INFORMED OF THE POSSIBILITY OF ANY SUCH DAMAGES. Without limiting the generality of the foregoing, Pierce specifically disclaims any liability for property or personal injury damages, penalties, damages for lost profits or revenues, loss of vehicles or products or any associated equipment, cost of substitute vehicles or products, down-time, delay damages, any other types of economic loss, or for any claims by any third party for any such damages.

Note: Any Surety Bond, if a part of the sale of the vehicle as to which this limited warranty is provided, applies only to this Pierce Basic One Year Limited Warranty for such vehicle, and not to other warranties made by Pierce in a separate document (if any) or to the warranties (if any) made by any manufacturer (other than Pierce) of any part, component, attachment or accessory that is incorporated into or attached to the vehicle.



Certification Document CD0010 Quantum® Cab Integrity Certification

Pierce Manufacturing certifies the integrity of the Quantum cab relative to occupant protection.

A specimen representing the substantial structural configuration of the Quantum cab model has been successfully tested in accordance with the following standards.

- SAE J2422 Cab Roof Strength Evaluation – Quasi-Static Loading Heavy Trucks.
- European Occupant Protection Standard ECE Regulation No. 29.
- SAE J2420 COE Frontal Strength Evaluation – Dynamic Loading Heavy Trucks.

Side Impact: The test cab was subjected to dynamic preload where a 14,000 lb moving barrier was slammed into the side of the cab at 5.9 mph, striking with an impact of 16,000 ft-lbs of energy. This test is not required to meet the ECE 29 standard, but is part of the SAE J2422 test procedure and more closely represents the forces a cab will see in a roll-over incident.



Roof Crush: This same test cab was then subjected to a roof crush force of 24,000 lbs. This value meets the ECE 29 criteria, which must be equivalent to the front axle rating up to a maximum of 10 metric tons.



Additional Roof Crush: The same cab was then loaded with 60,000 lbs on the roof, exceeding the ECE test by 2.5 times!



Frontal Impact: The test cab was struck by the 14,000 lb moving barrier at a speed sufficient to impart the required 36,325 ft-lbs of energy.

The cab survived this second blow without compromising the survival space of any occupant area.



Additional Frontal Impact: The same cab was then struck a third time at a higher speed to impart 71,000 ft-lbs of energy into the cab (twice the ECE 29 level of energy).

The cab survived this third blow, again without compromising the survival space of any occupant area.

Pass-Fail criteria of the SAE tests and the ECE 29 test is a measure of whether the “survival space” inside the cab is compromised during any of the test loads. The Pierce cab withstood all integrity tests on the same cab without any measurable intrusion into the survival space of the occupant area.

Witnessed and Certified by:

Pierce Manufacturing, Inc.

A handwritten signature in black ink, appearing to read "James R. Lackore".



James Roger Lackore, PE
October 4, 2002



Fire and Rescue Apparatus

Ten (10) Year Pro-Rated Paint and Corrosion

Cab

Limited Warranty

1. LIMITED WARRANTY

Subject to the limitations and exclusions set forth below, Pierce Manufacturing provides the following warranty to the Buyer:

Coverage:	Exterior surfaces of the cab painted by Pierce shall be free from blistering, peeling, corrosion or any other adhesion defect caused by defective manufacturing methods or paint material selection.
Warranty Begins:	The date of the original purchase invoice (issued when the product ships from the factory).
Warranty Period Ends After:	Ten (10) Years
Conditions and Exclusions: See Also Paragraphs 2 thru 4	<p>This limited warranty is applicable to the vehicle in the following percentage costs of warranty repair, if any:</p> <p>Topcoat Durability & Appearance: Gloss, Color Retention & Cracking 0-72 months 100% 73-96 months 50% 97-120 months 25%</p> <p>Integrity of Coating System: Adhesion, Blistering/Bubbling 0-36 months 100% 37-84 months 50% 85-120 months 25%</p> <p>Corrosion: Dissimilar Metal and Crevice 0-36 months 100% 37-48 months 50% 49-72 months 25% 73-120 months 10%</p> <p>Corrosion Perforation 0-120 months 100%</p> <p>This limited warranty applies only to exterior paint. Paint on the vehicle's interior is warranted only under the Pierce Basic One Year Limited Warranty.</p> <p>Items not covered by this warranty include: (a) Damage from lack of maintenance and cleaning (proper cleaning and maintenance procedures are detailed in the Pierce operation and maintenance manual). (b) UV paint fade. (c) Any cab not manufactured by Pierce.</p>

This limited warranty shall apply only if the product is properly maintained in accordance with Pierce's maintenance instructions and manuals and is used in service which is normal to the particular model. Normal service means service which does not subject the product to stresses or impacts greater than normally result from careful use. If the Buyer discovers a defect or nonconformity, it must notify Pierce in writing within thirty (30) days after the date of discovery, but in any event prior to the expiration of the warranty period. THIS LIMITED WARRANTY MAY NOT BE ASSIGNED OR OTHERWISE TRANSFERRED BY THE BUYER TO ANY SUBSEQUENT USER OR PURCHASER OR TO ANY OTHER PERSON OR ENTITY.

Notwithstanding anything to the contrary herein, Pierce makes no warranty whatsoever as to:

(a) any integral parts, components, attachments or trade accessories of or to the product that are not manufactured by Pierce, including but not limited to engines, transmissions, drivelines, axles, water pumps and generators; with respect to all such parts, components, attachments and accessories, Pierce shall assign to Buyer the applicable warranties, if any, made by the respective manufacturers thereof;

(b) any vehicle, chassis, or component, part, attachment or accessory damaged by misuse, neglect, fire, exposure to severe environmental or chemical conditions, acidic environment, improper maintenance, accident, crash, or force majeure such as natural disaster, lightning, earthquake, windstorm, hail, flood, war or riot;

(c) any vehicle, chassis or component, part, attachment or accessory that has been repaired, altered or assembled in any way by any person or entity other than Pierce which, in the sole judgment of Pierce, adversely affects the performance, stability or purpose for which it was manufactured; or

(d) products or parts which may in the ordinary course wear out and have to be replaced during the warranty period, including, but not limited to, tires, fluids, gaskets and light bulbs. Pierce assumes no responsibility for the assembly of its parts or subassemblies into finishing products or vehicles unless the assembly is performed by Pierce.

The original purchaser may void this warranty in part or in its entirety if the product is repaired or replaced (a) without prior written approval of the Pierce Customer Service Department; or (b) at a facility which has not been approved by Pierce as to technical capability. Any repairs, modifications, alterations or aftermarket parts added after manufacture without the authorization of Pierce may void this warranty.

2. DISCLAIMERS OF WARRANTIES

THE WARRANTY SET FORTH IN PARAGRAPH 1 IS THE SOLE AND EXCLUSIVE WARRANTY GIVEN BY PIERCE. PIERCE HEREBY DISCLAIMS AND EXCLUDES ALL OTHER WARRANTIES, WHETHER EXPRESS, IMPLIED OR STATUTORY, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY, ANY WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.

3. BUYER'S EXCLUSIVE REMEDY

If the product fails to conform to the warranty set forth in paragraph 1 during the warranty period, and such nonconformity is not due to misuse, neglect, accident or improper maintenance, Buyer must notify Pierce within the time period specified in paragraph 1, and shall make the product available for inspection by Pierce or its designated agent. At the request of Pierce, any allegedly defective product shall be returned to Pierce by Buyer for examination and/or repair. Buyer shall be responsible for the cost of such transportation, and for risk of loss of or damage to the product during transportation. Within a reasonable time, Pierce shall repair or replace (at Pierce's option and expense) any nonconforming or defective parts. Repair or replacement shall be made only by a facility approved in advance in writing by Pierce. THIS REMEDY SHALL BE THE EXCLUSIVE AND SOLE REMEDY FOR ANY BREACH OF WARRANTY.

4. EXCLUSION OF CONSEQUENTIAL AND INCIDENTAL DAMAGES

Notwithstanding anything to the contrary herein or in any agreement between Pierce and Buyer, IN NO EVENT SHALL PIERCE BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, SPECIAL, INDIRECT, OR PUNITIVE DAMAGES WHATSOEVER, WHETHER ARISING OUT OF BREACH OF CONTRACT, WARRANTY, TORT (INCLUDING NEGLIGENCE AND STRICT LIABILITY) OR OTHER THEORY OF LAW OR EQUITY, WITH RESPECT TO VEHICLES OR OTHER PRODUCTS SOLD BY PIERCE, OR THEIR OPERATION OR FAILURE TO OPERATE, OR ANY DEFECTS THEREIN, OR ANY UNDERTAKINGS, ACTS OR OMISSIONS RELATED THERETO, REGARDLESS OF WHETHER PIERCE HAS BEEN INFORMED OF THE POSSIBILITY OF ANY SUCH DAMAGES. Without limiting the generality of the foregoing, Pierce specifically disclaims any liability for property or personal injury damages, penalties, damages for lost profits or revenues, loss of vehicles or products or any associated equipment, cost of substitute vehicles or products, down-time, delay damages, any other types of economic loss, or for any claims by any third party for any such damages.

Note: Any Surety Bond, if a part of the sale of the vehicle as to which this limited warranty is provided, applies only to this Pierce Basic One Year Limited Warranty for such vehicle, and not to other warranties made by Pierce in a separate document (if any) or to the warranties (if any) made by any manufacturer (other than Pierce) of any part, component, attachment or accessory that is incorporated into or attached to the vehicle.



Fire and Rescue Apparatus

Ten (10) Year Pro-Rated Paint and Corrosion

Custom Body

Limited Warranty

1. LIMITED WARRANTY

Subject to the limitations and exclusions set forth below, Pierce Manufacturing provides the following warranty to the Buyer:

Coverage:	Exterior surfaces of the body shall be free from blistering, peeling, corrosion or any other adhesion defect caused by defective manufacturing methods or paint material selection.
Warranty Begins:	The date of the original purchase invoice (issued when the product ships from the factory).
Warranty Period Ends After:	Ten (10) Years
Conditions and Exclusions: See Also Paragraphs 2 thru 4	<p>This limited warranty is applicable to the vehicle in the following percentage costs of warranty repair, if any:</p> <p>Topcoat Durability & Appearance: Gloss, Color Retention & Cracking 0-72 months 100% 73-96 months 50% 97-120 months 25%</p> <p>Integrity of Coating System: Adhesion, Blistering/Bubbling 0-36 months 100% 37-84 months 50% 85-120 months 25%</p> <p>Corrosion: Dissimilar Metal and Crevice 0-36 months 100% 37-48 months 50% 49-72 months 25% 73-120 months 10%</p> <p>Corrosion Perforation 0-120 months 100%</p> <p>This limited warranty applies only to exterior paint. Paint on the vehicle's interior is warranted only under the Pierce Basic One Year Limited Warranty.</p> <p>Items not covered by this warranty include: (a) Damage from lack of maintenance and cleaning (proper cleaning and maintenance procedures are detailed in the Pierce operation and maintenance manual). (b) UV paint fade. (c) Any cab not manufactured by Pierce.</p>

This limited warranty shall apply only if the product is properly maintained in accordance with Pierce's maintenance instructions and manuals and is used in service which is normal to the particular model. Normal service means service which does not subject the product to stresses or impacts greater than normally result from careful use. If the Buyer discovers a defect or nonconformity, it must notify Pierce in writing within thirty (30) days after the date of discovery, but in any event prior to the expiration of the warranty period. THIS LIMITED WARRANTY MAY NOT BE ASSIGNED OR OTHERWISE TRANSFERRED BY THE BUYER TO ANY SUBSEQUENT USER OR PURCHASER OR TO ANY OTHER PERSON OR ENTITY.

Notwithstanding anything to the contrary herein, Pierce makes no warranty whatsoever as to:

(a) any integral parts, components, attachments or trade accessories of or to the product that are not manufactured by Pierce, including but not limited to engines, transmissions, drivelines, axles, water pumps and generators; with respect to all such parts, components, attachments and accessories, Pierce shall assign to Buyer the applicable warranties, if any, made by the respective manufacturers thereof;

(b) any vehicle, chassis, or component, part, attachment or accessory damaged by misuse, neglect, fire, exposure to severe environmental or chemical conditions, acidic environment, improper maintenance, accident, crash, or force majeure such as natural disaster, lightning, earthquake, windstorm, hail, flood, war or riot;

(c) any vehicle, chassis or component, part, attachment or accessory that has been repaired, altered or assembled in any way by any person or entity other than Pierce which, in the sole judgment of Pierce, adversely affects the performance, stability or purpose for which it was manufactured; or

(d) products or parts which may in the ordinary course wear out and have to be replaced during the warranty period, including, but not limited to, tires, fluids, gaskets and light bulbs. Pierce assumes no responsibility for the assembly of its parts or subassemblies into finishing products or vehicles unless the assembly is performed by Pierce.

The original purchaser may void this warranty in part or in its entirety if the product is repaired or replaced (a) without prior written approval of the Pierce Customer Service Department; or (b) at a facility which has not been approved by Pierce as to technical capability. Any repairs, modifications, alterations or aftermarket parts added after manufacture without the authorization of Pierce may void this warranty.

2. DISCLAIMERS OF WARRANTIES

THE WARRANTY SET FORTH IN PARAGRAPH 1 IS THE SOLE AND EXCLUSIVE WARRANTY GIVEN BY PIERCE. PIERCE HEREBY DISCLAIMS AND EXCLUDES ALL OTHER WARRANTIES, WHETHER EXPRESS, IMPLIED OR STATUTORY, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY, ANY WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.

3. BUYER'S EXCLUSIVE REMEDY

If the product fails to conform to the warranty set forth in paragraph 1 during the warranty period, and such nonconformity is not due to misuse, neglect, accident or improper maintenance, Buyer must notify Pierce within the time period specified in paragraph 1, and shall make the product available for inspection by Pierce or its designated agent. At the request of Pierce, any allegedly defective product shall be returned to Pierce by Buyer for examination and/or repair. Buyer shall be responsible for the cost of such transportation, and for risk of loss of or damage to the product during transportation. Within a reasonable time, Pierce shall repair or replace (at Pierce's option and expense) any nonconforming or defective parts. Repair or replacement shall be made only by a facility approved in advance in writing by Pierce. THIS REMEDY SHALL BE THE EXCLUSIVE AND SOLE REMEDY FOR ANY BREACH OF WARRANTY.

4. EXCLUSION OF CONSEQUENTIAL AND INCIDENTAL DAMAGES

Notwithstanding anything to the contrary herein or in any agreement between Pierce and Buyer, IN NO EVENT SHALL PIERCE BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, SPECIAL, INDIRECT, OR PUNITIVE DAMAGES WHATSOEVER, WHETHER ARISING OUT OF BREACH OF CONTRACT, WARRANTY, TORT (INCLUDING NEGLIGENCE AND STRICT LIABILITY) OR OTHER THEORY OF LAW OR EQUITY, WITH RESPECT TO VEHICLES OR OTHER PRODUCTS SOLD BY PIERCE, OR THEIR OPERATION OR FAILURE TO OPERATE, OR ANY DEFECTS THEREIN, OR ANY UNDERTAKINGS, ACTS OR OMISSIONS RELATED THERETO, REGARDLESS OF WHETHER PIERCE HAS BEEN INFORMED OF THE POSSIBILITY OF ANY SUCH DAMAGES. Without limiting the generality of the foregoing, Pierce specifically disclaims any liability for property or personal injury damages, penalties, damages for lost profits or revenues, loss of vehicles or products or any associated equipment, cost of substitute vehicles or products, down-time, delay damages, any other types of economic loss, or for any claims by any third party for any such damages.

Note: Any Surety Bond, if a part of the sale of the vehicle as to which this limited warranty is provided, applies only to this Pierce Basic One Year Limited Warranty for such vehicle, and not to other warranties made by Pierce in a separate document (if any) or to the warranties (if any) made by any manufacturer (other than Pierce) of any part, component, attachment or accessory that is incorporated into or attached to the vehicle.



Fire and Rescue Apparatus

Lifetime Fifty (50) Year Structural Integrity Custom Chassis Frame Limited Warranty

1. LIMITED WARRANTY

Subject to the limitations and exclusions set forth below, Pierce Manufacturing provides the following warranty to the Buyer:

Coverage:	Custom chassis frame rail manufactured by Pierce shall be free from defects in material and workmanship
Warranty Begins:	The date of the original purchase invoice (issued when the product ships from the factory).
Warranty Period Ends After:	Fifty (50) Years (Expected Life of Apparatus)
Conditions and Exclusions: See Also Paragraphs 2 thru 4	This warranty does not apply to damage caused by corrosion.

This limited warranty shall apply only if the product is properly maintained in accordance with Pierce's maintenance instructions and manuals and is used in service which is normal to the particular model. Normal service means service which does not subject the product to stresses or impacts greater than normally result from careful use. If the Buyer discovers a defect or nonconformity, it must notify Pierce in writing within thirty (30) days after the date of discovery, but in any event prior to the expiration of the warranty period. THIS LIMITED WARRANTY MAY NOT BE ASSIGNED OR OTHERWISE TRANSFERRED BY THE BUYER TO ANY SUBSEQUENT USER OR PURCHASER OR TO ANY OTHER PERSON OR ENTITY.

Notwithstanding anything to the contrary herein, Pierce makes no warranty whatsoever as to:

(a) any integral parts, components, attachments or trade accessories of or to the product that are not manufactured by Pierce, including but not limited to engines, transmissions, drivelines, axles, water pumps and generators; with respect to all such parts, components, attachments and accessories, Pierce shall assign to Buyer the applicable warranties, if any, made by the respective manufacturers thereof;

(b) any vehicle, chassis, or component, part, attachment or accessory damaged by misuse, neglect, fire, exposure to severe environmental or chemical conditions, acidic environment, improper maintenance, accident, crash, or force majeure such as natural disaster, lightning, earthquake, windstorm, hail, flood, war or riot;

(c) any vehicle, chassis or component, part, attachment or accessory that has been repaired, altered or assembled in any way by any person or entity other than Pierce which, in the sole judgment of Pierce, adversely affects the performance, stability or purpose for which it was manufactured; or

(d) products or parts which may in the ordinary course wear out and have to be replaced during the warranty period, including, but not limited to, tires, fluids, gaskets and light bulbs. Pierce assumes no responsibility for the assembly of its parts or subassemblies into finishing products or vehicles unless the assembly is performed by Pierce.

The original purchaser may void this warranty in part or in its entirety if the product is repaired or replaced (a) without prior written approval of the Pierce Customer Service Department; or (b) at a facility which has not been approved by Pierce as to technical capability. Any repairs, modifications, alterations or aftermarket parts added after manufacture without the authorization of Pierce may void this warranty.

2. DISCLAIMERS OF WARRANTIES

THE WARRANTY SET FORTH IN PARAGRAPH 1 IS THE SOLE AND EXCLUSIVE WARRANTY GIVEN BY PIERCE. PIERCE HEREBY DISCLAIMS AND EXCLUDES ALL OTHER WARRANTIES, WHETHER EXPRESS, IMPLIED OR STATUTORY, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY, ANY WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.

3. BUYER'S EXCLUSIVE REMEDY

If the product fails to conform to the warranty set forth in paragraph 1 during the warranty period, and such nonconformity is not due to misuse, neglect, accident or improper maintenance, Buyer must notify Pierce within the time period specified in paragraph 1, and shall make the product available for inspection by Pierce or its designated agent. At the request of Pierce, any allegedly defective product shall be returned to Pierce by Buyer for examination and/or repair. Buyer shall be responsible for the cost of such transportation, and for risk of loss of or damage to the product during transportation. Within a reasonable time, Pierce shall repair or replace (at Pierce's option and expense) any nonconforming or defective parts. Repair or replacement shall be made only by a facility approved in advance in writing by Pierce. THIS REMEDY SHALL BE THE EXCLUSIVE AND SOLE REMEDY FOR ANY BREACH OF WARRANTY.

4. EXCLUSION OF CONSEQUENTIAL AND INCIDENTAL DAMAGES

Notwithstanding anything to the contrary herein or in any agreement between Pierce and Buyer, IN NO EVENT SHALL PIERCE BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, SPECIAL, INDIRECT, OR PUNITIVE DAMAGES WHATSOEVER, WHETHER ARISING OUT OF BREACH OF CONTRACT, WARRANTY, TORT (INCLUDING NEGLIGENCE AND STRICT LIABILITY) OR OTHER THEORY OF LAW OR EQUITY, WITH RESPECT TO VEHICLES OR OTHER PRODUCTS SOLD BY PIERCE, OR THEIR OPERATION OR FAILURE TO OPERATE, OR ANY DEFECTS THEREIN, OR ANY UNDERTAKINGS, ACTS OR OMISSIONS RELATED THERETO, REGARDLESS OF WHETHER PIERCE HAS BEEN INFORMED OF THE POSSIBILITY OF ANY SUCH DAMAGES. Without limiting the generality of the foregoing, Pierce specifically disclaims any liability for property or personal injury damages, penalties, damages for lost profits or revenues, loss of vehicles or products or any associated equipment, cost of substitute vehicles or products, down-time, delay damages, any other types of economic loss, or for any claims by any third party for any such damages.

Note: Any Surety Bond, if a part of the sale of the vehicle as to which this limited warranty is provided, applies only to this Pierce Basic One Year Limited Warranty for such vehicle, and not to other warranties made by Pierce in a separate document (if any) or to the warranties (if any) made by any manufacturer (other than Pierce) of any part, component, attachment or accessory that is incorporated into or attached to the vehicle.



Fire and Rescue Apparatus

Ten (10) Year Structural Integrity Apparatus Body

Limited Warranty

1. LIMITED WARRANTY

Subject to the limitations and exclusions set forth below, Pierce Manufacturing provides the following warranty to the Buyer:

Coverage:	The apparatus body shall be free from structural failures caused by defects in material and workmanship
Warranty Begins:	The date of the original purchase invoice (issued when the product ships from the factory).
Warranty Period Ends After:	Ten (10) Years - or - 100,000 Miles
Conditions and Exclusions: See Also Paragraphs 2 thru 4	This warranty applies only to the body tubular support and mounting structures and other structural components of the body of the vehicle model, as identified in the Pierce specifications for the Fire and Rescue Apparatus. This warranty does not apply to damage caused by corrosion.

This limited warranty shall apply only if the product is properly maintained in accordance with Pierce's maintenance instructions and manuals and is used in service which is normal to the particular model. Normal service means service which does not subject the product to stresses or impacts greater than normally result from careful use. If the Buyer discovers a defect or nonconformity, it must notify Pierce in writing within thirty (30) days after the date of discovery, but in any event prior to the expiration of the warranty period. THIS LIMITED WARRANTY MAY NOT BE ASSIGNED OR OTHERWISE TRANSFERRED BY THE BUYER TO ANY SUBSEQUENT USER OR PURCHASER OR TO ANY OTHER PERSON OR ENTITY.

Notwithstanding anything to the contrary herein, Pierce makes no warranty whatsoever as to:

(a) any integral parts, components, attachments or trade accessories of or to the product that are not manufactured by Pierce, including but not limited to engines, transmissions, drivelines, axles, water pumps and generators; with respect to all such parts, components, attachments and accessories, Pierce shall assign to Buyer the applicable warranties, if any, made by the respective manufacturers thereof;

(b) any vehicle, chassis, or component, part, attachment or accessory damaged by misuse, neglect, fire, exposure to severe environmental or chemical conditions, acidic environment, improper maintenance, accident, crash, or force majeure such as natural disaster, lightning, earthquake, windstorm, hail, flood, war or riot;

(c) any vehicle, chassis or component, part, attachment or accessory that has been repaired, altered or assembled in any way by any person or entity other than Pierce which, in the sole judgment of Pierce, adversely affects the performance, stability or purpose for which it was manufactured; or

(d) products or parts which may in the ordinary course wear out and have to be replaced during the warranty period, including, but not limited to, tires, fluids, gaskets and light bulbs. Pierce assumes no responsibility for the assembly of its parts or subassemblies into finishing products or vehicles unless the assembly is performed by Pierce.

The original purchaser may void this warranty in part or in its entirety if the product is repaired or replaced (a) without prior written approval of the Pierce Customer Service Department; or (b) at a facility which has not been approved by Pierce as to technical capability. Any repairs, modifications, alterations or aftermarket parts added after manufacture without the authorization of Pierce may void this warranty.

2. DISCLAIMERS OF WARRANTIES

THE WARRANTY SET FORTH IN PARAGRAPH 1 IS THE SOLE AND EXCLUSIVE WARRANTY GIVEN BY PIERCE. PIERCE HEREBY DISCLAIMS AND EXCLUDES ALL OTHER WARRANTIES, WHETHER EXPRESS, IMPLIED OR STATUTORY, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY, ANY WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.

3. BUYER'S EXCLUSIVE REMEDY

If the product fails to conform to the warranty set forth in paragraph 1 during the warranty period, and such nonconformity is not due to misuse, neglect, accident or improper maintenance, Buyer must notify Pierce within the time period specified in paragraph 1, and shall make the product available for inspection by Pierce or its designated agent. At the request of Pierce, any allegedly defective product shall be returned to Pierce by Buyer for examination and/or repair. Buyer shall be responsible for the cost of such transportation, and for risk of loss of or damage to the product during transportation. Within a reasonable time, Pierce shall repair or replace (at Pierce's option and expense) any nonconforming or defective parts. Repair or replacement shall be made only by a facility approved in advance in writing by Pierce. THIS REMEDY SHALL BE THE EXCLUSIVE AND SOLE REMEDY FOR ANY BREACH OF WARRANTY.

4. EXCLUSION OF CONSEQUENTIAL AND INCIDENTAL DAMAGES

Notwithstanding anything to the contrary herein or in any agreement between Pierce and Buyer, IN NO EVENT SHALL PIERCE BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, SPECIAL, INDIRECT, OR PUNITIVE DAMAGES WHATSOEVER, WHETHER ARISING OUT OF BREACH OF CONTRACT, WARRANTY, TORT (INCLUDING NEGLIGENCE AND STRICT LIABILITY) OR OTHER THEORY OF LAW OR EQUITY, WITH RESPECT TO VEHICLES OR OTHER PRODUCTS SOLD BY PIERCE, OR THEIR OPERATION OR FAILURE TO OPERATE, OR ANY DEFECTS THEREIN, OR ANY UNDERTAKINGS, ACTS OR OMISSIONS RELATED THERETO, REGARDLESS OF WHETHER PIERCE HAS BEEN INFORMED OF THE POSSIBILITY OF ANY SUCH DAMAGES. Without limiting the generality of the foregoing, Pierce specifically disclaims any liability for property or personal injury damages, penalties, damages for lost profits or revenues, loss of vehicles or products or any associated equipment, cost of substitute vehicles or products, down-time, delay damages, any other types of economic loss, or for any claims by any third party for any such damages.

Note: Any Surety Bond, if a part of the sale of the vehicle as to which this limited warranty is provided, applies only to this Pierce Basic One Year Limited Warranty for such vehicle, and not to other warranties made by Pierce in a separate document (if any) or to the warranties (if any) made by any manufacturer (other than Pierce) of any part, component, attachment or accessory that is incorporated into or attached to the vehicle.



Certification Document CD0138 Quantum Seats and Seat Belts

Pierce Manufacturing certifies the conformance of the Quantum cab seats and seat belts to Federal Motor Vehicle Safety Standards. Representative Quantum Seat and Seat Belt designs have been tested successfully in accordance with FMVSS 207.

Physical testing was performed to qualify passenger seats to meet Federal Motor Vehicle Safety Standards (FMVSS) 207 and 210. This requires that a minimum of 3,000 lbf be applied to both the lap and shoulder belts via appropriate body blocks. A third force of twenty times the mass of the seat must be applied at the center-of-gravity (CG) of the seat. All three forces are applied at the same time, reached within thirty seconds of the start of the test, and be held for a minimum of ten seconds.


A force equal to twenty times the mass of the seat was applied to each seat in the direction opposite to the combination pull. A moment of 275 lb-ft was applied to the seat with reference to the H-point.

This testing ensures that the seat mounting and seat belt anchors are adequate to retain the seats and occupants in a crash. The Federal requirements are based on the high deceleration rates of passenger vehicles, so the design requirements are significantly more conservative considering the slower crash speeds of heavy trucks.

VALIDATION TESTS: RD0539, RD1328, RD1500, RD1511, RD1943

Pierce Manufacturing, Inc.

David Archer
Vice President of Engineering





Certification Document CD0045 Quantum® Air Conditioning

Pierce Manufacturing certifies the performance of the Quantum® cab air conditioning system.


The air conditioning system was tested successfully in an environmental chamber.

Air conditioning performance testing was conducted at an ambient of 100°F and 50 percent relative humidity. Engine speed was maintained at high idle rpm with the controls set to maximum cooling.

The vehicle was heat soaked in the environmental chamber. All temperature probes were monitored to confirm temperature stabilization. The transient test began when all the vehicle doors were closed and the air conditioning turned on.

The average cab temperature dropped to 73° F within 30 minutes.

CHART 1: PIERCE "QUANTUM" A/C PERFORMANCE



VALIDATION TEST: RD1041

Pierce Manufacturing, Inc.



James Roger Lackore, PE
March 31, 2009



Certification Document CD0110 Engine Installation – Quantum 2013 ISX12 Engine

Pierce Manufacturing, Inc. certifies that the 2013 Cummins ISX13 Engine as installed in a Quantum chassis meets the engine installation requirements of the engine manufacturer, the NFPA 1901 and NFPA 1906 guidelines as applicable, and Pierce engine design standards.

Validation testing was conducted in the Pierce wind tunnel chassis dynamometer and cooling test laboratory. Test results have been reviewed and accepted by representatives of the engine supplier.



VALIDATION TEST: RD2201

Pierce Manufacturing, Inc.

David W. Archer
Vice President of Engineering
May 3, 2013



January 16, 2013

Mr. Neil Bjornstad
Pierce Manufacturing Inc.
2600 American Drive
Appleton, WI 54913

Dear Neil:

We have reviewed the installation of the Cummins EPA13 ISX12 engine in the Pierce Quantum chassis and have found that the engine models listed below are installed in concurrence with our installation recommendations. Please notify us if there are any changes to the installation of these engines. If any changes are made, they must be reviewed and a new statement will be issued regarding concurrence.

Engine Models Reviewed: ISX12 500
ISX12 450
ISX12 400

Please let me know if you need any additional information.

Sincerely,



Michael Bartkowski
OEM Account Manager

cc: Lisa Barwick, Jon Stege

Cummins NPower LLC
800 W. Ryan Road
Oak Creek, WI 53154
Phone 414 789 7400
www.npower.cummins.com



Fire and Rescue Apparatus

Ten (10) Year Material and Workmanship

Pierce 12V LED Strip Light

Limited Warranty

1. LIMITED WARRANTY

Subject to the limitations and exclusions set forth below, Pierce Manufacturing provides the following warranty to the Buyer:

Coverage:	This limited warranty covers repairs to correct any defect related to materials or workmanship of the Pierce 12V LED strip lights installed on the apparatus occurring during the warranty period.
Warranty Begins:	The date of the original purchase invoice (issued when the product ships from the factory).
Warranty Period Ends After:	Ten (10) Year
Conditions and Exclusions: See Also Paragraphs 2 thru 4	This limited warranty does not apply to related wire harnesses, cables, and connectors, which are covered by the Pierce one (1) year basic apparatus limited warranty.

This limited warranty shall apply only if the product is properly maintained in accordance with Pierce's maintenance instructions and manuals and is used in service which is normal to the particular model. Normal service means service which does not subject the product to stresses or impacts greater than normally result from careful use. If the Buyer discovers a defect or nonconformity, it must notify Pierce in writing within thirty (30) days after the date of discovery, but in any event prior to the expiration of the warranty period. THIS LIMITED WARRANTY MAY NOT BE ASSIGNED OR OTHERWISE TRANSFERRED BY THE BUYER TO ANY SUBSEQUENT USER OR PURCHASER OR TO ANY OTHER PERSON OR ENTITY.

Notwithstanding anything to the contrary herein, Pierce makes no warranty whatsoever as to:

(a) any integral parts, components, attachments or trade accessories of or to the product that are not manufactured by Pierce, including but not limited to engines, transmissions, drivelines, axles, water pumps and generators; with respect to all such parts, components, attachments and accessories, Pierce shall assign to Buyer the applicable warranties, if any, made by the respective manufacturers thereof;

(b) any vehicle, chassis, or component, part, attachment or accessory damaged by misuse, neglect, fire, exposure to severe environmental or chemical conditions, acidic environment, improper maintenance, accident, crash, or force majeure such as natural disaster, lightning, earthquake, windstorm, hail, flood, war or riot;

(c) any vehicle, chassis or component, part, attachment or accessory that has been repaired, altered or assembled in any way by any person or entity other than Pierce which, in the sole judgment of Pierce, adversely affects the performance, stability or purpose for which it was manufactured; or

(d) products or parts which may in the ordinary course wear out and have to be replaced during the warranty period, including, but not limited to, tires, fluids, gaskets and light bulbs. Pierce assumes no responsibility for the assembly of its parts or subassemblies into finishing products or vehicles unless the assembly is performed by Pierce.

The original purchaser may void this warranty in part or in its entirety if the product is repaired or replaced (a) without prior written approval of the Pierce Customer Service Department; or (b) at a facility which has not been approved by Pierce as to technical capability. Any repairs, modifications, alterations or aftermarket parts added after manufacture without the authorization of Pierce may void this warranty.

2. DISCLAIMERS OF WARRANTIES

THE WARRANTY SET FORTH IN PARAGRAPH 1 IS THE SOLE AND EXCLUSIVE WARRANTY GIVEN BY PIERCE. PIERCE HEREBY DISCLAIMS AND EXCLUDES ALL OTHER WARRANTIES, WHETHER EXPRESS, IMPLIED OR STATUTORY, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY, ANY WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.

3. BUYER'S EXCLUSIVE REMEDY.

If the product fails to conform to the warranty set forth in paragraph 1 during the warranty period, and such nonconformity is not due to misuse, neglect, accident or improper maintenance, Buyer must notify Pierce within the time period specified in paragraph 1, and shall make the product available for inspection by Pierce or its designated agent. At the request of Pierce, any allegedly defective product shall be returned to Pierce by Buyer for examination and/or repair. Buyer shall be responsible for the cost of such transportation, and for risk of loss of or damage to the product during transportation. Within a reasonable time, Pierce shall repair or replace (at Pierce's option and expense) any nonconforming or defective parts. Repair or replacement shall be made only by a facility approved in advance in writing by Pierce. THIS REMEDY SHALL BE THE EXCLUSIVE AND SOLE REMEDY FOR ANY BREACH OF WARRANTY.

4. EXCLUSION OF CONSEQUENTIAL AND INCIDENTAL DAMAGES.

Notwithstanding anything to the contrary herein or in any agreement between Pierce and Buyer, IN NO EVENT SHALL PIERCE BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, SPECIAL, INDIRECT, OR PUNITIVE DAMAGES WHATSOEVER, WHETHER ARISING OUT OF BREACH OF CONTRACT, WARRANTY, TORT (INCLUDING NEGLIGENCE AND STRICT LIABILITY) OR OTHER THEORY OF LAW OR EQUITY, WITH RESPECT TO VEHICLES OR OTHER PRODUCTS SOLD BY PIERCE, OR THEIR OPERATION OR FAILURE TO OPERATE, OR ANY DEFECTS THEREIN, OR ANY UNDERTAKINGS, ACTS OR OMISSIONS RELATED THERETO, REGARDLESS OF WHETHER PIERCE HAS BEEN INFORMED OF THE POSSIBILITY OF ANY SUCH DAMAGES. Without limiting the generality of the foregoing, Pierce specifically disclaims any liability for property or personal injury damages, penalties, damages for lost profits or revenues, loss of vehicles or products or any associated equipment, cost of substitute vehicles or products, down-time, delay damages, any other types of economic loss, or for any claims by any third party for any such damages.

Note: Any Surety Bond, if a part of the sale of the vehicle as to which this limited warranty is provided, applies only to this Pierce Basic One Year Limited Warranty for such vehicle, and not to other warranties made by Pierce in a separate document (if any) or to the warranties (if any) made by any manufacturer (other than Pierce) of any part, component, attachment or accessory that is incorporated into or attached to the vehicle.



Ten (10) Year Material and Workmanship
Stainless Steel Piping
Limited Warranty

1. LIMITED WARRANTY

Subject to the limitations and exclusions set forth below, Pierce Manufacturing provides the following warranty to the Buyer:

Table with 2 columns: Label (Coverage, Warranty Begins, Warranty Period Ends After, Conditions and Exclusions) and Description (Stainless steel piping shall be free from structural failures... Pierce's obligation under this warranty is limited to repairing or replacing without charge... This warranty does not cover the use of fluoroprotein (FP) type foam...)

Notwithstanding anything to the contrary herein, Pierce makes no warranty whatsoever as to:

- (a) any integral parts, components, attachments or trade accessories of or to the product that are not manufactured by Pierce...
(b) any vehicle, chassis, or component, part, attachment or accessory damaged by misuse, neglect, fire, exposure to severe environmental or chemical conditions...
(c) any vehicle, chassis or component, part, attachment or accessory that has been repaired, altered or assembled in any way by any person or entity other than Pierce...
(d) products or parts which may in the ordinary course wear out and have to be replaced during the warranty period...

The original purchaser may void this warranty in part or in its entirety if the product is repaired or replaced (a) without prior written approval of the Pierce Customer Service Department; or (b) at a facility which has not been approved by Pierce as to technical capability.

2. DISCLAIMERS OF WARRANTIES

THE WARRANTY SET FORTH IN PARAGRAPH 1 IS THE SOLE AND EXCLUSIVE WARRANTY GIVEN BY PIERCE. PIERCE HEREBY DISCLAIMS AND EXCLUDES ALL OTHER WARRANTIES, WHETHER EXPRESS, IMPLIED OR STATUTORY, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY, ANY WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.

3. BUYER'S EXCLUSIVE REMEDY

If the product fails to conform to the warranty set forth in paragraph 1 during the warranty period, and such nonconformity is not due to misuse, neglect, accident or improper maintenance, Buyer must notify Pierce within the time period specified in paragraph 1, and shall make the product available for inspection by Pierce or its designated agent.

4. EXCLUSION OF CONSEQUENTIAL AND INCIDENTAL DAMAGES

Notwithstanding anything to the contrary herein or in any agreement between Pierce and Buyer, IN NO EVENT SHALL PIERCE BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, SPECIAL, INDIRECT, OR PUNITIVE DAMAGES WHATSOEVER, WHETHER ARISING OUT OF BREACH OF CONTRACT, WARRANTY, TORT (INCLUDING NEGLIGENCE AND STRICT LIABILITY) OR OTHER THEORY OF LAW OR EQUITY, WITH RESPECT TO VEHICLES OR OTHER PRODUCTS SOLD BY PIERCE.

Note: Any Surety Bond, if a part of the sale of the vehicle as to which this limited warranty is provided, applies only to this Pierce Basic One Year Limited Warranty for such vehicle, and not to other warranties made by Pierce in a separate document (if any) or to the warranties (if any) made by any manufacturer (other than Pierce) of any part, component, attachment or accessory that is incorporated into or attached to the vehicle.

This limited warranty shall apply only if the product is properly maintained in accordance with Pierce's maintenance instructions and manuals and is used in service which is normal to the particular model. Normal service means service which does not subject the product to stresses or impacts greater than normally result from careful use.



Fire and Rescue Apparatus

Three (3) Year Material and Workmanship Meritor Wabco ABS Brake System Limited Warranty

1. LIMITED WARRANTY

Subject to the limitations and exclusions set forth below, Pierce Manufacturing provides the following warranty to the Buyer:

Coverage:	The Meritor Wabco ABS brake system shall be covered by Meritor Wabco as indicated in the attached Meritor Wabco warranty coverage description
Warranty Begins:	The date of the original purchase invoice (issued when the product ships from the factory).
Warranty Period Ends After:	Three (3) Year
Conditions and Exclusions: See Also Paragraphs 2 thru 4	The exclusions listed in the attached Meritor Wabco warranty description shall apply.

Notwithstanding anything to the contrary herein, Pierce makes no warranty whatsoever as to:

(a) any integral parts, components, attachments or trade accessories of or to the product that are not manufactured by Pierce, including but not limited to engines, transmissions, drivelines, axles, water pumps and generators; with respect to all such parts, components, attachments and accessories, Pierce shall assign to Buyer the applicable warranties, if any, made by the respective manufacturers thereof;

(b) any vehicle, chassis, or component, part, attachment or accessory damaged by misuse, neglect, fire, exposure to severe environmental or chemical conditions, acidic environment, improper maintenance, accident, crash, or force majeure such as natural disaster, lightning, earthquake, windstorm, hail, flood, war or riot;

(c) any vehicle, chassis or component, part, attachment or accessory that has been repaired, altered or assembled in any way by any person or entity other than Pierce which, in the sole judgment of Pierce, adversely affects the performance, stability or purpose for which it was manufactured; or

(d) products or parts which may in the ordinary course wear out and have to be replaced during the warranty period, including, but not limited to, tires, fluids, gaskets and light bulbs. Pierce assumes no responsibility for the assembly of its parts or subassemblies into finishing products or vehicles unless the assembly is performed by Pierce.

The original purchaser may void this warranty in part or in its entirety if the product is repaired or replaced (a) without prior written approval of the Pierce Customer Service Department; or (b) at a facility which has not been approved by Pierce as to technical capability. Any repairs, modifications, alterations or aftermarket parts added after manufacture without the authorization of Pierce may void this warranty.

2. DISCLAIMERS OF WARRANTIES

THE WARRANTY SET FORTH IN PARAGRAPH 1 IS THE SOLE AND EXCLUSIVE WARRANTY GIVEN BY PIERCE. PIERCE HEREBY DISCLAIMS AND EXCLUDES ALL OTHER WARRANTIES, WHETHER EXPRESS, IMPLIED OR STATUTORY, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY, ANY WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.

3. BUYER'S EXCLUSIVE REMEDY.

If the product fails to conform to the warranty set forth in paragraph 1 during the warranty period, and such nonconformity is not due to misuse, neglect, accident or improper maintenance, Buyer must notify Pierce within the time period specified in paragraph 1, and shall make the product available for inspection by Pierce or its designated agent. At the request of Pierce, any allegedly defective product shall be returned to Pierce by Buyer for examination and/or repair. Buyer shall be responsible for the cost of such transportation, and for risk of loss of or damage to the product during transportation. Within a reasonable time, Pierce shall repair or replace (at Pierce's option and expense) any nonconforming or defective parts. Repair or replacement shall be made only by a facility approved in advance in writing by Pierce. THIS REMEDY SHALL BE THE EXCLUSIVE AND SOLE REMEDY FOR ANY BREACH OF WARRANTY.

4. EXCLUSION OF CONSEQUENTIAL AND INCIDENTAL DAMAGES.

Notwithstanding anything to the contrary herein or in any agreement between Pierce and Buyer, IN NO EVENT SHALL PIERCE BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, SPECIAL, INDIRECT, OR PUNITIVE DAMAGES WHATSOEVER, WHETHER ARISING OUT OF BREACH OF CONTRACT, WARRANTY, TORT (INCLUDING NEGLIGENCE AND STRICT LIABILITY) OR OTHER THEORY OF LAW OR EQUITY, WITH RESPECT TO VEHICLES OR OTHER PRODUCTS SOLD BY PIERCE, OR THEIR OPERATION OR FAILURE TO OPERATE, OR ANY DEFECTS THEREIN, OR ANY UNDERTAKINGS, ACTS OR OMISSIONS RELATED THERETO, REGARDLESS OF WHETHER PIERCE HAS BEEN INFORMED OF THE POSSIBILITY OF ANY SUCH DAMAGES. Without limiting the generality of the foregoing, Pierce specifically disclaims any liability for property or personal injury damages, penalties, damages for lost profits or revenues, loss of vehicles or products or any associated equipment, cost of substitute vehicles or products, down-time, delay damages, any other types of economic loss, or for any claims by any third party for any such damages.

Note: Any Surety Bond, if a part of the sale of the vehicle as to which this limited warranty is provided, applies only to this Pierce Basic One Year Limited Warranty for such vehicle, and not to other warranties made by Pierce in a separate document (if any) or to the warranties (if any) made by any manufacturer (other than Pierce) of any part, component, attachment or accessory that is incorporated into or attached to the vehicle.

This limited warranty shall apply only if the product is properly maintained in accordance with Pierce's maintenance instructions and manuals and is used in service which is normal to the particular model. Normal service means service which does not subject the product to stresses or impacts greater than normally result from careful use. If the Buyer discovers a defect or nonconformity, it must notify Pierce in writing within thirty (30) days after the date of discovery, but in any event prior to the expiration of the warranty period. THIS LIMITED WARRANTY MAY NOT BE ASSIGNED OR OTHERWISE TRANSFERRED BY THE BUYER TO ANY SUBSEQUENT USER OR PURCHASER OR TO ANY OTHER PERSON OR ENTITY.



MERITOR WABCO

Safety Strong. Efficiency Smart.

Warranty
Model Year 2018 Vehicles

SIMPLER IS BETTER

Warranty coverage is essential to protecting your investment. But understanding the full details of your coverage can be challenging. This straightforward approach allows you, our valued customer, to better understand how your specific vehicle applications will be covered in your region. Our component warranty coverage is provided according to vocation/usage categories listed below.

- Linehaul covers high mileage operation (over 60,000 miles/year) on well maintained major highways of concrete or asphalt construction.
- General Service covers moderate mileage operations (less than 60,000 miles/year) on well maintained public roads (less than 10 percent off-road) typically with less than three (3) stops per mile.
- Heavy Service (Vocational) covers vehicles with more than 10 percent off-road OR moderate to frequent starts/stops typically with more than three (3) stops per mile.
- Off-Highway Service covers lower mileage operations. Vehicles are not typically licensed for highway use.

CONTENTS

- Linehaul Service..... 4
- General Service..... 4
- Heavy Service 5
- Industrial/Off-Highway Service 6
- Terms and Conditions 7

How to Read Warranty Coverage (Example)

Number of Years	Mileage (in thousands) Unl=Unlimited	P=Parts Only P&L=Parts & Labor
3	300	P

HEAVY SERVICE (VOCATIONAL) WARRANTY INFORMATION

Heavy Service Vehicles

- Airport Rescue Fire (ARF)
- Airport Shuttle
- Asphalt Truck
- Block Truck
- Bottom Dump Trailer Combination
- Cementing Vehicle
- City Bus
- Commercial Pick-Up
- Concrete Pumper
- Construction Material Hauler
- Crash Fire Rescue (CFR)
- Mixer
- Demolition
- Drill Rig
- Dump
- Emergency Service
- Equipment Hauling
- Flatbed Trailer Hauler
- Flatbed Truck
- Fracturing Truck
- Front Loader
- Geophysical Exploration
- Hopper Trailer Combinations
- Landscaping Truck
- Liquid Waste Hauler
- Log Hauling
- Lowboy
- Michigan Special Gravel Trains
- Michigan Special Log Hauler
- Michigan Special Steel Hauler
- Michigan Special Waste Vehicle
- Municipal Dump
- Newspaper Delivery
- Package Delivery
- Pick-up and Delivery
- Rapid Intervention Vehicle (RIV)
- Rear Loader
- Recycling Truck
- Residential Pick-Up/Waste
- Rigging Truck
- Roll-Off
- Scrap Truck
- Semi-End Dump
- Sewer/Septic Vacuum
- Shuttle Bus
- Side Loader
- Snowplow/Snowblower
- Steel Hauling
- Tanker
- Tank Truck
- Tractors with Pole Trailers
- Tractor/Trailer with Jeeps
- Transfer Dump
- Transfer Vehicle
- Transit Bus
- Trolley
- Utility Truck
- Winch Truck

Heavy Service Typically Is

- On/Off road vocations (10% or more off-road) OR
- Moderate to frequent starts/stops typically more than three (3) stops per mile

Meritor WABCO Components¹

ABS (Anti-Lock Braking System) Air	3/300/P&L
ABS (Anti-Lock Braking System) Hydraulic	2/200/P&L
Electronic Braking System (EBS)	3/300/P&L
Electronic Stability Control (ESC)	3/300/P&L
Roll Stability Control (RSC)	3/300/P&L
Air Dryers (ALL)	1/100/P&L
Leveling Valves	1/100/P&L
Air Brake Valves	1/100/P&L
Emission Valves (SCR)	2/200/P&L
Clutch Controls	2/200/P&L
Air Compressors (ALL) ²	1/100/P&L
OnGuard™	3/300/P&L
OnGuardACTIVE™	3/300/P&L
OnLane™ Lane Departure Warning	3/300/P&L
Blind Spot Detection	3/300/P&L
OptiRide™	2/200/P&L
Trailer Roll Stability Support (RSS)	3/300/P&L
Trailer Control Line Filter ³	1/100/P&L
Trailer ABS Valve ³	3/300/P&L

¹ WABCO and Meritor WABCO branded components.

² WABCO compressors installed on Cummins, Mercedes, and DDC engines are not warranted or serviced by Meritor WABCO. Please contact your respective dealer/distributor of those engines for warranty and servicing.

³ An extended warranty of 4/400/P will be applied when a Meritor WABCO Trailer Control Line Filter is used in combination with a Meritor WABCO Trailer ABS valve.



TERMS AND CONDITIONS

Coverage Exclusions

Product Description

All

The cost of any repairs, replacements or adjustments to a covered product due to the following: (1) damage to the product or its component parts caused by incorrect use, installation, maintenance or repair, including without limitation (a) improper fit of mating components or brackets, (b) damaged threads, (c) cut, broken, chafed, pinched or otherwise damaged wiring (sensors, harnesses and connectors), (d) damaged sensors from removal when seized in block, or associated with sensor adjustments/alignments, and (e) damage resulting from the use or installation of non-genuine Meritor WABCO components or materials; (2) damage to the product, its component parts, or diminished product or component part performance due to incorrect operation, deviation from approved conditions or misapplication; (3) any unauthorized disassembly of the product or its component parts including without limitation (a) obliterated, defaced or missing WABCO or Meritor WABCO name plate, serial numbers or label identifying the device as a Meritor WABCO product or WABCO component, (b) changes to sealed adjusting screws, and (c) opening or attempted repair of non-serviceable components; (4) malfunction of the component due to internal contamination out of the vehicle system including without limitation (a) water and other contamination damage that is due to the use of a non-genuine air dryer cartridge or (b) valve failures due to contamination in air system, (5) complaints associated with noise, (6) damage resulting from corrosion (including oxidation of electrical devices and connections).

Air Dryers

Mounting brackets (see vehicle OEM). Desiccant cartridge housing only.

Air System Components

Normal wear items; Gladhand seals, dash valve knobs, valve actuation handles, treadles, pedals.

ABS, Electronic Stability Control (ESC), Roll Stability Control (RSC), OptiRide™, OnGuard™ and OnLane™, collectively “Electronics”

Failure of electronic components due to overvoltage condition, improper grounding, electrostatic discharge (ESD), improper shielding, electromagnetic interference (EMI), or other wiring or installation issues.

Malfunctions and failure codes caused by other electronic subsystem failures (data bus, engine, transmission, dashboard, etc.)

Hydraulic Components

For certain components, brake fluid DOT3 or DOT4 is used as the operating medium. Use of any other fluid will void all warranties associated with that component. For hydraulic braking applications the brake fluid is considered a maintenance item. Maintenance intervals are listed in TB-1367.

Coverage Limitations

Product Description

All

Any claim beyond 60 days from date of repair will not be accepted or honored under this warranty program.

Products purchased on an incomplete vehicle (glider) are limited to one year, 1/Unl/P.

For vehicles that operate full- or part-time outside of the United States and Canada, a 1-Year/Unlimited Miles parts only (1/Unl/P) will apply.

TOOLBOX™ Software

Proper diagnostics of Meritor WABCO Electronics may require the latest version of TOOLBOX™. Additional labor due to use of an outdated version of TOOLBOX™. TOOLBOX™ software, and/or the time to purchase or install latest version of TOOLBOX™ are not covered under product warranty.

TERMS AND CONDITIONS

(1) What is Covered by this Commercial Warranty?

Meritor WABCO Vehicle Control Systems warrants to the owner ("Owner") that the components listed in this publication, which have been installed by an Original Equipment Manufacturer ("OEM") as original equipment will be free from defects in material and workmanship. This warranty coverage begins from the original in-service date to the limits provided and runs concurrently with any warranties provided by OEMs and/or any service contracts that cover the components listed in this publication, if any. If the components listed in this publication are covered by an OEM warranty and/or service contract, then the OEM's warranty and/or service contract shall supersede Meritor WABCO's warranty and Owner shall comply with all OEM's warranty and/or service contract requirements for claims under such OEM's warranty and/or service contract until those agreements expire. Once those agreements expire and provided the Meritor WABCO warranty has not expired under the terms stated above, the Meritor WABCO warranty would be in effect until its expiration date.

Warranty coverage ends at the expiration of the applicable time period from the date of vehicle purchase by the first Owner, or, the applicable mileage limitation, whichever occurs first. Duration of coverage varies by component and vocation as detailed previously in this publication. Some components are warranted for parts only and the Owner must pay any labor costs associated with the repair or replacement of the component. Other components are warranted for both parts and reasonable labor to repair or replace the subject component. Additional diagnostic time due to use of an outdated version of TOOLBOX™, time to purchase or install latest version of TOOLBOX™ are the responsibility of the authorized Meritor WABCO service location and are not covered under product warranty. Components installed as replacements under this warranty are warranted only for the remainder of the original period of time or mileage under the original warranty.

(2) Designation of Vocational Use Required.

To obtain warranty coverage, each Owner must notify Meritor WABCO through the OEM new truck and/or trailer dealer of the intended vocational use of the vehicle into which the Meritor WABCO components have been incorporated prior to the vehicle in-service date. This notification may be accomplished by registering the vehicle through your OEM new truck and/or trailer dealer or with Meritor WABCO directly. Failure to notify Meritor WABCO of (I) the intended vocational use of the vehicle or (II) a change in vocational use from that which was originally designated, will result in the application of a one year, unlimited mileage, parts only warranty (1/Unl/P) from the initial in-service date.

A second Owner and each subsequent Owner must also notify Meritor WABCO as to the intended vocational use of the vehicle. This notification can be sent directly to Meritor WABCO or through the OEM new truck and/or trailer dealer. The duration and mileage coverage of this warranty cannot exceed the coverage extended to the first Owner after his or her initial designation of vocational use.

Coverage under Meritor WABCO's warranty requires that the application of products be properly approved pursuant to OEM and Meritor WABCO, approvals.

(3) What is the Cost of this Warranty?

There is no charge to the Owner for this warranty.

(4) What is not Covered by this Warranty?

In addition to the items listed on page 7, this warranty does not cover normal wear and tear, or service items; nor does it cover a component that fails, malfunctions or is damaged as a result of

(a) improper handling, storage, installation, adjustment, repair or modification including the use of unauthorized attachments or changes or modification in the vehicle's configuration, usage, or vocation from that which was originally approved by Meritor WABCO, (b) accident, fire or other casualty, natural disaster, road debris, negligence, misuse, abuse, or improper use (including loading beyond the specified maximum vehicle weight or altering engine power settings to exceed the brake system capacity), or (c) improper or insufficient maintenance (including deviation from maintenance intervals, approved lubricants, or lube levels). This warranty does not cover any component or part that is not sold by Meritor WABCO.

(5) Remedy.

The exclusive remedy under this warranty shall be the repair or replacement of the defective component at Meritor WABCO's option. Meritor WABCO reserves the right to require that all applicable covered components are available and/or returned to Meritor WABCO for review and evaluation.

(6) DISCLAIMER OF WARRANTY.

THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES OR CONDITIONS, EXPRESS, IMPLIED OR STATUTORY INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE. SOME STATES LIMIT OR DO NOT ALLOW THE DISCLAIMER OF IMPLIED OR OTHER WARRANTIES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO THE EXTENT SUCH STATE'S LAW IS APPLICABLE TO THESE TERMS.

(7) LIMITATION OF REMEDIES.

IN NO EVENT SHALL MERITOR WABCO BE LIABLE FOR SPECIAL, INCIDENTAL, INDIRECT, OR CONSEQUENTIAL DAMAGES OF ANY KIND OR UNDER ANY LEGAL THEORY, INCLUDING, BUT NOT LIMITED TO, TOWING, DOWNTIME, LOST PRODUCTIVITY, CARGO DAMAGE, TAXES, LOST PROFITS, COSTS OF PROCUREMENT OF A SUBSTITUTE COMPONENT OR ANY OTHER LOSSES OR COSTS RESULTING FROM A COVERED COMPONENT. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF SPECIAL, INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO THE EXTENT SUCH STATE'S LAW IS APPLICABLE TO THESE TERMS.

(8) TIME LIMIT ON COMMENCING LEGAL ACTION.

ANY LEGAL ACTION OR CLAIM ARISING FROM OR RELATED TO THIS WARRANTY, IN CONTRACT OR OTHERWISE, MUST BE COMMENCED WITHIN ONE YEAR FROM THE ACCRUAL OF THAT CAUSE OF ACTION, OR BE BARRED FOREVER.

(9) To Obtain Service.

If the Owner discovers within the applicable coverage period a defect in material or workmanship, the Owner must promptly give notice to either Meritor WABCO or the dealer from which the vehicle was purchased. To obtain service, the vehicle must be taken to any participating OEM new truck and/or trailer dealer or authorized Meritor WABCO service location. The dealer will inspect the vehicle and contact Meritor WABCO for an evaluation of the claim. When authorized by Meritor WABCO, the dealer will repair or replace during the term of this warranty any defective Meritor WABCO component covered by this warranty.

(10) Entire Agreement.

This is the entire agreement between Meritor WABCO and the Owner about warranty and no Meritor, Meritor WABCO employee, or dealer is authorized to make any additional warranty on behalf of Meritor WABCO unless in writing and signed by an authorized representative of Meritor WABCO.

For more information on
Meritor WABCO Warranty, call
our OnTrac Customer Service team
at 866-OnTrac1 (866-668-7221)
or visit meritorwabco.com.



One (1) Year Material and Workmanship Foam System & Five (5) Year Material and Workmanship Control Head

Limited Warranty

1. LIMITED WARRANTY

Subject to the limitations and exclusions set forth below, Pierce Manufacturing provides the following warranty to the Buyer:

Coverage:	Limited warranty 1 year parts and labor for the foam system and 5 years parts and labor for the control head.
Warranty Begins:	The date of the original purchase invoice (issued when the product ships from the factory).
Warranty Period Ends After:	One (1) Year & Five (5) Year
Conditions and Exclusions: See Also Paragraphs 2 thru 4	<p>This warranty does not cover repair due to accidents, misuse, and excessive vibration, flying debris, storage damage (freezing), negligence or modification. This warranty is void if any modification or repairs are performed without authorization. This also voids any future warranty.</p> <p>This warranty does not cover cost of maintenance or repairs due to lack of required maintenance services as recommended. Performance of the required maintenance and use of proper fluids are the responsibility of the owner.</p>

Notwithstanding anything to the contrary herein, Pierce makes no warranty whatsoever as to:

(a) any integral parts, components, attachments or trade accessories of or to the product that are not manufactured by Pierce, including but not limited to engines, transmissions, drivelines, axles, water pumps and generators; with respect to all such parts, components, attachments and accessories, Pierce shall assign to Buyer the applicable warranties, if any, made by the respective manufacturers thereof;

(b) any vehicle, chassis, or component, part, attachment or accessory damaged by misuse, neglect, fire, exposure to severe environmental or chemical conditions, acidic environment, improper maintenance, accident, crash, or force majeure such as natural disaster, lightning, earthquake, windstorm, hail, flood, war or riot;

(c) any vehicle, chassis or component, part, attachment or accessory that has been repaired, altered or assembled in any way by any person or entity other than Pierce which, in the sole judgment of Pierce, adversely affects the performance, stability or purpose for which it was manufactured; or

(d) products or parts which may in the ordinary course wear out and have to be replaced during the warranty period, including, but not limited to, tires, fluids, gaskets and light bulbs. Pierce assumes no responsibility for the assembly of its parts or subassemblies into finishing products or vehicles unless the assembly is performed by Pierce.

The original purchaser may void this warranty in part or in its entirety if the product is repaired or replaced (a) without prior written approval of the Pierce Customer Service Department; or (b) at a facility which has not been approved by Pierce as to technical capability. Any repairs, modifications, alterations or aftermarket parts added after manufacture without the authorization of Pierce may void this warranty.

2. DISCLAIMERS OF WARRANTIES

THE WARRANTY SET FORTH IN PARAGRAPH 1 IS THE SOLE AND EXCLUSIVE WARRANTY GIVEN BY PIERCE. PIERCE HEREBY DISCLAIMS AND EXCLUDES ALL OTHER WARRANTIES, WHETHER EXPRESS, IMPLIED OR STATUTORY, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY, ANY WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.

3. BUYER'S EXCLUSIVE REMEDY.

If the product fails to conform to the warranty set forth in paragraph 1 during the warranty period, and such nonconformity is not due to misuse, neglect, accident or improper maintenance, Buyer must notify Pierce within the time period specified in paragraph 1, and shall make the product available for inspection by Pierce or its designated agent. At the request of Pierce, any allegedly defective product shall be returned to Pierce by Buyer for examination and/or repair. Buyer shall be responsible for the cost of such transportation, and for risk of loss of or damage to the product during transportation. Within a reasonable time, Pierce shall repair or replace (at Pierce's option and expense) any nonconforming or defective parts. Repair or replacement shall be made only by a facility approved in advance in writing by Pierce. THIS REMEDY SHALL BE THE EXCLUSIVE AND SOLE REMEDY FOR ANY BREACH OF WARRANTY.

4. EXCLUSION OF CONSEQUENTIAL AND INCIDENTAL DAMAGES.

Notwithstanding anything to the contrary herein or in any agreement between Pierce and Buyer, IN NO EVENT SHALL PIERCE BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, SPECIAL, INDIRECT, OR PUNITIVE DAMAGES WHATSOEVER, WHETHER ARISING OUT OF BREACH OF CONTRACT, WARRANTY, TORT (INCLUDING NEGLIGENCE AND STRICT LIABILITY) OR OTHER THEORY OF LAW OR EQUITY, WITH RESPECT TO VEHICLES OR OTHER PRODUCTS SOLD BY PIERCE, OR THEIR OPERATION OR FAILURE TO OPERATE, OR ANY DEFECTS THEREIN, OR ANY UNDERTAKINGS, ACTS OR OMISSIONS RELATED THERETO, REGARDLESS OF WHETHER PIERCE HAS BEEN INFORMED OF THE POSSIBILITY OF ANY SUCH DAMAGES. Without limiting the generality of the foregoing, Pierce specifically disclaims any liability for property or personal injury damages, penalties, damages for lost profits or revenues, loss of vehicles or products or any associated equipment, cost of substitute vehicles or products, down-time, delay damages, any other types of economic loss, or for any claims by any third party for any such damages.

Note: Any Surety Bond, if a part of the sale of the vehicle as to which this limited warranty is provided, applies only to this Pierce Basic One Year Limited Warranty for such vehicle, and not to other warranties made by Pierce in a separate document (if any) or to the warranties (if any) made by any manufacturer (other than Pierce) of any part, component, attachment or accessory that is incorporated into or attached to the vehicle.

This limited warranty shall apply only if the product is properly maintained in accordance with Pierce's maintenance instructions and manuals and is used in service which is normal to the particular model. Normal service means service which does not subject the product to stresses or impacts greater than normally result from careful use. If the Buyer discovers a defect or nonconformity, it must notify Pierce in writing within thirty (30) days after the date of discovery, but in any event prior to the expiration of the warranty period. THIS LIMITED WARRANTY MAY NOT BE ASSIGNED OR OTHERWISE TRANSFERRED BY THE BUYER TO ANY SUBSEQUENT USER OR PURCHASER OR TO ANY OTHER PERSON OR ENTITY.



Certification Document CD0156 Statement of Compliance to NFPA 1901-2016 Vehicle Stability

Pierce fire apparatus comply with NFPA 1901 Section 4.13 Vehicle Stability using the tilt table method. As prescribed by the standard, each apparatus is compared to a substantially similar apparatus that has been loaded as required and tested on a tilt table per the SAE J2180 test procedure. If the apparatus configuration was not expected to meet the minimum tilt table criteria, then it will be equipped with the Electronic Stability Control option. A listing of all tested apparatus is maintained by the Research and Development lab and is available for inspection at the Appleton factory.



4.13 Vehicle Stability.

4.13.1* Rollover Stability. The apparatus shall meet the criteria defined in 4.13.1.1, or it shall be equipped with a stability control system in accordance with 4.13.1.2.

4.13.1.1 The apparatus shall meet the criteria defined in either of the following:

- (1)*The apparatus shall remain stable to 26.5 degrees in both directions when tested on a tilt table in accordance with SAE J2180, *A Tilt Table Procedure for Measuring the Static Rollover Threshold for Heavy Trucks*.
- (2) The calculated or measured center of gravity (CG) shall be no higher than 80 percent of the rear axle track width.

4.13.1.1.1 Compliance shall be certified by testing, calculating, or measuring the apparatus or by comparing the apparatus to a compliant, substantially similar example apparatus, and the certification shall be delivered with the fire apparatus.

4.13.1.1.2 The example apparatus shall be considered substantially similar if it includes a chassis with the same or higher CG height, the same or narrower rear axle track width, the same or greater water tank size and CG height, the same type of front and rear suspension, and the same type and size of aerial device.

4.13.1.1.3 For purposes of 4.13.1.1, the apparatus shall be loaded with fuel, fire-fighting agents, hose, ladders, a weight of 250 lb in each seating position, and weight equivalent to the miscellaneous equipment allowance as defined in Table 12.1.2.

4.13.1.1.3.1 If the apparatus is designed to meet a specified higher equipment loading or larger hose bed capacity or to carry additional ground ladders, these greater loads shall be included in the testing, calculating, or measuring.

4.13.1.1.3.2 The weight added to the fire apparatus for the purpose of test, calculation, or measurement shall be distributed to approximate typical in-service use of the fire apparatus while not exceeding the manufacturer's published individual compartment weight ratings.

4.13.1.2 If the apparatus is equipped with a stability control system, the system shall have, at a minimum, a steering wheel position sensor, a vehicle yaw sensor, a lateral accelerometer, and individual wheel brake controls.

VALIDATION TEST: Multiple Tests

Pierce Manufacturing, Inc.

David W. Archer
Vice President of Engineering
June 1, 2017

TRW COMMERCIAL STEERING SYSTEMS
800 HEATH STREET
LAFAYETTE, INDIANA 47904



PRODUCT WARRANTY

- I. WARRANTY:** The Commercial Steering Systems group of TRW, Inc., hereinafter referred to as "CSS", warrants that each new product supplied by CSS to its customer, when properly installed, used and maintained, shall be free from defect in material and workmanship for the period specified below:
- (A) CSS Product installed in **New On-highway Motor Vehicle:**
- Within twelve (12) months after date of delivery of such vehicle to the original retail purchaser, or before such vehicle has been driven one hundred thousand (100,000) miles, whichever event shall first occur.
- (B) CSS Product installed in **New Agricultural, Turf, Industrial, or Construction Vehicles and Related Equipment**
- Within twelve (12) months after date of delivery of such vehicle/equipment to the original retail purchaser or before such vehicle/equipment has been operated for two thousand (2000) hours or fifty thousand (50,000) miles, whichever occurs first.
- (C) CSS Product installed in **New End Product, Not Specifically Mentioned in Classifications (A) or (B) Above and All Other Off-Highway/Severe Applications:**
- Within six (6) months after date of delivery of the original equipment manufacturer's end product to the original retail purchaser.
- II. REMEDY:** Customer's sole remedy under the foregoing warranty is limited to correction by means of repair, replacement or issuance of credit, at the option of CSS, of any product which is:
- (A) Returned to CSS within the specified warranty time period, with prior notice to, and the written consent of, CSS, with transportation and handling charges prepaid, together with a statement describing the alleged defect, the part number, model number and application, and mileage or hours of use of such product; and
- (B) Upon examination, determined by CSS not to conform to the warranty.
- III.** Any product which is repaired or replaced under this warranty will be returned to customer prepaid. Disposition of any product determined not to be covered by this warranty will be at the customer's expense.
- IV.** CSS will not be liable for any repairs, replacements, or adjustments to any product or any cost of labor performed by or at the request of customer without the express prior written consent of CSS.
- V. EXCEPTIONS:** The provision of this warranty shall not apply to any CSS product which is used for a purpose for which it is not designed, or which shall have been repaired or altered in any way, or which has been subject to misuse, negligence or accident, neglect of normal maintenance services, so as, in the judgement of CSS to adversely affect its performance and reliability. In no case will the CSS warranty exceed the standard published warranty of its customer in terms of time and/or distance. In all events, the CSS warranty will expire thirty (30) months after the date of manufacture as stamped on the Product. In the case of hydraulic equipment, operation with unapproved fluid or temperatures voids this warranty.
- VI. EXCLUSION OF ALL OTHER REMEDIES AND LIMITATION OF LIABILITY:** Customer's sole and exclusive remedy under the foregoing warranty shall be for the repair, replacement or issuance of credit with respect to a defective product, as set forth and described above. Other provisions hereof notwithstanding, CSS shall not be liable to Customer, or any successor in interest, beneficiary or assignee of Customer, based upon any claim against CSS, whether in contract, warranty, negligence, strict liability, indemnity or otherwise, for any special, consequential, incidental or other damages relating in any way to the design, manufacture, sale, installation or other use of any product purchased from CSS.
- VII. EXCLUSION OF ALL OTHER WARRANTIES: THE FOREGOING WARRANTY IS THE EXCLUSIVE WARRANTY BY CSS AND IS IN LIEU OF AND EXCLUDES ALL OTHER WARRANTIES AND REPRESENTATIONS, WHETHER ORAL, WRITTEN, EXPRESSED, IMPLIED OR STATUTORY, INCLUDING BUT NOT LIMITED TO ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.**



Fire and Rescue Apparatus

Five (5) Year Material and Workmanship - Transmission Oil Cooler Three (3) Year Collateral Damage Coverage

Limited Warranty

1. LIMITED WARRANTY

Subject to the limitations and exclusions set forth below, Pierce Manufacturing provides the following warranty to the Buyer:

Coverage:	The transmission cooler shall be free from component or structural failures caused by defects in material and/or workmanship. Collateral damage up to \$10,000 per occurrence is available for the first three (3) years.
Warranty Begins:	The date of delivery to the first retail purchaser.
Warranty Period Ends After:	Five (5) Years on Oil Cooler and three (3) years on collateral damage coverage
Conditions and Exclusions: See Also Paragraphs 2 thru 4	<p>This warranty does not cover repair due to accidents, misuse, and excessive vibration, flying debris, storage damage (freezing), negligence or modification. This warranty is void if any modification or repairs are performed without authorization. This also voids any future warranty.</p> <p>This warranty does not cover cost of maintenance or repairs due to lack of required maintenance services as recommended. Performance of the required maintenance and use of proper fluids are the responsibility of the owner.</p> <p>Towing is covered to the nearest distributor or authorized dealer only when necessary to prevent further damage to your transmission.</p> <p>Labor costs for the removal and reinstallation of goods may be covered when necessary to make repairs. Please contact your OEM for authorization.</p> <p>Replacement of cooler during the warranty period is limited to 100% of reasonable labor costs up to a maximum of \$700 to remove, replace, or repair the oil cooler.</p>

This limited warranty shall apply only if the product is properly maintained in accordance with Pierce's maintenance instructions and manuals and is used in service which is normal to the particular model. Normal service means service which does not subject the product to stresses or impacts greater than normally result from careful use. If the Buyer discovers a defect or nonconformity, it must notify Pierce in writing within thirty (30) days after the date of discovery, but in any event prior to the expiration of the warranty period. THIS LIMITED WARRANTY MAY NOT BE ASSIGNED OR OTHERWISE TRANSFERRED BY THE BUYER TO ANY SUBSEQUENT USER OR PURCHASER OR TO ANY OTHER PERSON OR ENTITY.

Notwithstanding anything to the contrary herein, Pierce makes no warranty whatsoever as to:

(a) any integral parts, components, attachments or trade accessories of or to the product that are not manufactured by Pierce, including but not limited to engines, transmissions, drivelines, axles, water pumps and generators; with respect to all such parts, components, attachments and accessories, Pierce shall assign to Buyer the applicable warranties, if any, made by the respective manufacturers thereof;

(b) any vehicle, chassis, or component, part, attachment or accessory damaged by misuse, neglect, fire, exposure to severe environmental or chemical conditions, acidic environment, improper maintenance, accident, crash, or force majeure such as natural disaster, lightning, earthquake, windstorm, hail, flood, war or riot;

(c) any vehicle, chassis or component, part, attachment or accessory that has been repaired, altered or assembled in any way by any person or entity other than Pierce which, in the sole judgment of Pierce, adversely affects the performance, stability or purpose for which it was manufactured; or

(d) products or parts which may in the ordinary course wear out and have to be replaced during the warranty period, including, but not limited to, tires, fluids, gaskets and light bulbs. Pierce assumes no responsibility for the assembly of its parts or subassemblies into finishing products or vehicles unless the assembly is performed by Pierce.

The original purchaser may void this warranty in part or in its entirety if the product is repaired or replaced (a) without prior written approval of the Pierce Customer Service Department; or (b) at a facility which has not been approved by Pierce as to technical capability. Any repairs, modifications, alterations or aftermarket parts added after manufacture without the authorization of Pierce may void this warranty.

2. DISCLAIMERS OF WARRANTIES

THE WARRANTY SET FORTH IN PARAGRAPH 1 IS THE SOLE AND EXCLUSIVE WARRANTY GIVEN BY PIERCE. PIERCE HEREBY DISCLAIMS AND EXCLUDES ALL OTHER WARRANTIES, WHETHER EXPRESS, IMPLIED OR STATUTORY, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY, ANY WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.

3. BUYER'S EXCLUSIVE REMEDY

If the product fails to conform to the warranty set forth in paragraph 1 during the warranty period, and such nonconformity is not due to misuse, neglect, accident or improper maintenance, Buyer must notify Pierce within the time period specified in paragraph 1, and shall make the product available for inspection by Pierce or its designated agent. At the request of Pierce, any allegedly defective product shall be returned to Pierce by Buyer for examination and/or repair. Buyer shall be responsible for the cost of such transportation, and for risk of loss of or damage to the product during transportation. Within a reasonable time, Pierce shall repair or replace (at Pierce's option and expense) any nonconforming or defective parts. Repair or replacement shall be made only by a facility approved in advance in writing by Pierce. THIS REMEDY SHALL BE THE EXCLUSIVE AND SOLE REMEDY FOR ANY BREACH OF WARRANTY.

4. EXCLUSION OF CONSEQUENTIAL AND INCIDENTAL DAMAGES


Notwithstanding anything to the contrary herein or in any agreement between Pierce and Buyer, IN NO EVENT SHALL PIERCE BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, SPECIAL, INDIRECT, OR PUNITIVE DAMAGES WHATSOEVER, WHETHER ARISING OUT OF BREACH OF CONTRACT, WARRANTY, TORT (INCLUDING NEGLIGENCE AND STRICT LIABILITY) OR OTHER THEORY OF LAW OR EQUITY, WITH RESPECT TO VEHICLES OR OTHER PRODUCTS SOLD BY PIERCE, OR THEIR OPERATION OR FAILURE TO OPERATE, OR ANY DEFECTS THEREIN, OR ANY UNDERTAKINGS, ACTS OR OMISSIONS RELATED THERETO, REGARDLESS OF WHETHER PIERCE HAS BEEN INFORMED OF THE POSSIBILITY OF ANY SUCH DAMAGES. Without limiting the generality of the foregoing, Pierce specifically disclaims any liability for property or personal injury damages, penalties, damages for lost profits or revenues, loss of vehicles or products or any associated equipment, cost of substitute vehicles or products, down-time, delay damages, any other types of economic loss, or for any claims by any third party for any such damages.

Note: Any Surety Bond, if a part of the sale of the vehicle as to which this limited warranty is provided, applies only to this Pierce Basic One Year Limited Warranty for such vehicle, and not to other warranties made by Pierce in a separate document (if any) or to the warranties (if any) made by any manufacturer (other than Pierce) of any part, component, attachment or accessory that is incorporated into or attached to the vehicle.



Certification Document CD0098 Power Steering System

Pierce Manufacturing, Inc. certifies that the power steering system as installed in our custom chassis meets the requirements of the component supplier, the NFPA 1901 and NFPA 1906 guidelines as applicable, and Pierce internal design standards.



VALIDATION TEST: RD1987, RD2055
RD2056, RD2057, RD2058, RD2059

Pierce Manufacturing, Inc.

A handwritten signature in black ink, appearing to read "David W. Archer".

David W. Archer
Director of Engineering
June 03, 2011

 **UNITED PLASTIC FABRICATING, INC.**
WARRANTY
FOR: POLY-TANK®, POLYSIDE®, INTEGRATOR™, ELLIPSE™, ELLIP-T-TANK™ & DEFENDER™

LIFETIME SERVICE WARRANTY

United Plastic Fabricating, Inc. (hereinafter called "UPF") warrants each POLY-TANK®, Booster/Foam Tank POLYSIDE® Wetside Tank, Integrator Tank/Body, ELLIPSE™ Elliptical Tank, Ellip-T-Tank Tank and DEFENDER™ Skid Tank to be free from defects in material and workmanship for the service life of the original vehicle (vehicle must be actively used in an emergency response for fire suppression). All UPF Tanks must be installed and operated in accordance with the UPF Installation and Operating Guidelines. Failure to do so can void the warranty.

Every UPF Tank is inspected and tested before leaving our facility. Should your UPF Tank require service, please notify UPF via email, fax, in writing or by calling UPF at 1-978-975-4520. Please provide the serial number, a description of the service request, the location along with the phone number and name of the contact person. Our goal is to have scheduled work completed within a reasonable time period.

Under a valid warranty claim, UPF will cover the cost to repair the UPF Tank including the customary and reasonable costs to make the tank accessible such as the removal and reinstallation of the tank if authorized in advance (pre-approved) by UPF. The warranty will not cover tanks that have been improperly installed, operated, misused, abused, or modified from its intended or designed use. Serial number must not have been altered, defaced or removed. Tanks that are not stored or installed properly which results in the tank suffering UV damage will not be covered by this agreement.

Should UPF determine that the service claim is valid under this warranty for a tank located outside of the United States and Canada, UPF will assume the costs for labor and material for the warranty repair as described above plus all travel costs to the U.S. port of embarkation. Costs for airline travel outside of the U.S. and Canada will not be the responsibility of UPF.

In the event the tank shall become stationed in an area of the world that is considered to be a war zone or where unsafe conditions exist for the safe passage of United States Nationals, as reported by the United States Department of State, (<http://www.state.gov>), and a request to perform service or warranty repairs, UPF reserves the right to refuse to honor such requests. It is the purchaser's responsibility to relocate the tank to an area where such repairs can be performed without undue risk to UPF employees or their designee. UPF will make every reasonable effort to support our products through alternative means.

For Ellipse™ elliptical tanks, a separate five year warranty provided by the subcontractor is applied to the sub-frames, chute linings (rubber isolation strips) and metal components. The stainless steel wrap provided by UPF shall be warranted by the subcontractor performing the wrap installation in accordance with their warranty in place at the time of the installation. UPF will not be liable for any warranty costs associated with the wrap, sub-frames, chute linings (rubber isolation strips) and metal components but will assist with all claims on behalf of its customer.

For PolySide® wetsided tanks and Integrator™ Tank/Body units, all polypropylene components related to the tank shall carry the standard UPF lifetime



UNITED PLASTIC FABRICATING, INC.

WARRANTY

FOR: POLY-TANK®, POLYSIDE®, INTEGRATOR™, ELLIPSE™, ELLIP-T-TANK™ & DEFENDER™

service warranty. Other polypropylene components, including but not limited to compartments, wheel wells, fenders and other body related components shall be warranted by UPF for a period of ten years. The warranty for the PolySide® and Integrator™ units excludes paint or hardware, which shall be covered by the manufacturer of the paint/hardware.

All UPF tanks 50 gallons or less utilized for non-fire applications and installed on specialty vehicles such as ATVs, trailers, boats, etc. are covered under a separate warranty policy available from UPF. Further, UPF Protector™ foam and water trailers are warranted under a separate warranty policy available from UPF.

This UPF warranty is transferable within the United States only with prior written approval by UPF (except an original apparatus manufacturer may assign this warranty to the first titled owner/lessee of the apparatus).

UPF will NOT reimburse any unnecessary work and/or work that has not been pre-approved. Any and all third party charges must be pre-authorized and approved in writing by UPF prior to commencing the work. Any unauthorized third party repairs, alterations, actions or modifications will not be covered and can void the warranty. UPF will be the sole determining authority as to whether a service claim will be valid and covered under this warranty.

In no event will UPF be liable for an amount in excess of the purchase price of the booster/foam tank at the time of manufacture or for any loss or damage, whether direct, indirect, incidental, consequential, or otherwise arising out of failure of its product. Loss of contents (water, foam, etc.) shall not be the responsibility of UPF. Further, UPF is not responsible for costs associated with service repairs to chassis, sub-frames, bodies, valves, dumps, hoses, pressure vacuum vents, and other components (i.e. liquid level transducers, etc.). Further, UPF will not cover the cost for travel of the vehicle to and from a repair facility.

This warranty contains the entire warranty. It is the sole warranty and price agreements or representation, whether oral or written, are either merged herein or expressly cancelled. UPF neither assumes, nor authorizes any person supposing to act on its behalf to change, nor assume for it, any warranty or liability concerning its product.

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. Some states do not allow exclusion or limitation or incidental or consequential damage, so the above limitation or exclusion may not apply to you. Since some states do not allow limitations on the length of an implied warranty, the above limitation may not apply to you.

THERE ARE NO WARRANTIES, EXPRESSED OR IMPLIED, WHICH EXTEND BEYOND THE DESCRIPTION OF THE FACE HEREOF. THERE IS NO EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR A WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE. ADDITIONALLY, THIS WARRANTY IS IN LIEU OF ALL OTHER OBLIGATION OR LIABILITIES ON THE PART OF UPF.



BULLETIN

TO: All Dealer Service Representatives
From: Kevin Hanegraaf
DATE: January 4, 2010
RE: UPF Tank Warranty Policy – Truck in Accident
Service Topic #292



To keep the UPF tank warranty valid on trucks that have been involved in a vehicular accident, it is UPF's policy that the customer must remove the tank from the truck and send it back to one of UPF's facilities for inspection. In the event that this does not take place, the warranty will be considered null and void.

The customer must remove and send the tank back to UPF for inspection in order to maintain the original warranty coverage, at which time it will be:

- Filled with water
- Visually inspected
- Ultraviolet spark tested on articulating test stand in the dark
- Recommendation for repairs if necessary provided by UPF
- Fully evaluated and repaired by UPF

If your customer chooses to leave the tank on the truck and wants a technician to inspect and/or repair the tank in the field, then **the warranty is no longer in effect.** This direction is upheld by UPF because the technician cannot inspect the entire tank when it is still installed on the truck.

Note: This memo is intended to relay the information Pierce has received on UPF's tank warranty for trucks that are in a vehicular accident. In the event of an actual claim, we direct you to consult with UPF's service Manager Maura Watts (800-638-8265 x253)



AMDOR Inc. TERMS OF BUSINESS AND GENERAL INFORMATION

Warranty:

All AMDOR Inc. roll-up door products are warranted for a period of 10 years from the date of delivery (with the exception of wet paint adhesion - please see below). AMDOR Inc. liability covers the replacement or repair of any component that fails due to defects in material and / or workmanship during the coverage period. We accept no liability for claims made for damages to any part (or parts) of a vehicle and / or machine (of any type) or injury claims by a person or persons assumed or alleged to have been brought about by the use or misuse of any product supplied by AMDOR Inc. Warranty coverage does not extend to door attachments including (but not limited to) decals, emblems, stripes and adhesives.

In order to initiate the claims process please contact your authorized representative of AMDOR Inc. Warranty claims must be accompanied by a written description providing full and reasonable details as to the nature of the defect. Upon receipt of your claim arrangements will be made to inspect the defective product (if necessary). Justified warranty claims will be repaired, exchanged, or credited to the customer's account at AMDOR Inc.'s discretion. All warranty claims must be approved in writing by the Customer Service Manager for AMDOR Inc. There are no exceptions to this clause.

Limited warranty coverage includes the labor associated with the disassembly and assembly of products deemed to be defective by AMDOR Inc. Labor allowances are based on a set time schedule as determined by AMDOR Inc. The maximum allowable hourly labor rate is \$ 50. All warranty labor claims must be approved in writing by an authorized representative of AMDOR Inc. prior to commencement of work. Allowances for removal and installation:

Curtain replacement:	3/4 hour
Balancer replacement:	1 hour
Door ajar switch	3/4 hour
Bottom Panel Assembly:	1/2 hour
Slat replacement:	3/4 hour
Door removal and replacement	1 1/2 hours

Items authorized for return must be accompanied by a Return Goods Authorization (RGA) number. We will accept collect shipments of items deemed to be defective provided that they are returned via the most economical carrier. Should items be

returned by means other than the most economical carrier the difference will be charged back to the sender.

AMDOR Inc. reserves the right to reject any claim when a product has been opened, interfered with or modified. Claims may also be rejected when damage to the product (or any sub-assembly) has been brought about by accident, misuse, abuse, vandalism, incorrect installation, temperature extremes, chemical exposure or any factor other than regular operating conditions.

Limited Wet Paint Match Adhesion Warranty

AMDOR Inc. warrants wet paint finishes applied by AMDOR utilizing our approved factory paint specification. All wet paint match colors must be approved in writing by an authorized OEM representative. AMDOR Inc. will provide a color spray out for this purpose. The time required for shipping and consideration of initial color spray outs will be considered over and above stated lead times. Warranty coverage will extend for a period of not less than 5 years from the date of delivery as determined by AMDOR Inc.'s Packing Slip. AMDOR reserves the right to determine whether individual units will be replaced and / or repaired by an AMDOR approved vendor. An allowance will be made for labor associated with the disassembly and assembly of individual units at the prescribed hourly rate of \$ 50 per hour. Compensation for labor will not exceed the maximum time allowance permitted for door removal and replacement. Written approval including specified allowance for time must be obtained from AMDOR prior to initiating work. Warranty coverage will extend to the following visible paint system defects:

- 1./ Loss of mechanical adhesion as evidenced by peeling, cracking or blistering which exposes the substrate material.
- 2./ Corrosion of the substrate due to paint system failure.
- 3./ Fading which results in a substantial departure from the primary AMDOR approved body color.

Wet paint adhesion limited warranty coverage will be excluded when damages to the system are determined by AMDOR Inc. to be a result of the following:

- 1./ Damage caused through the use of attachments including (but not limited to) decals, labels, adhesives, non factory approved coatings.
- 2./ Loss of gloss, discoloration or damage due to improper maintenance (including but not limited to) mechanical wash systems, pressure washers, steam cleaners, non approved wash or polishing agents.
- 3./ Abuse, acts of nature, excessive heat / cold, chemical exposure, vandalism and / or accidents.
- 4./ Scratches, chips, abrasions, or dents from any source.

This document supercedes all previous written and / or verbal warranties provided by AMDOR Inc. and / or it's affiliates.



Fire and Rescue Apparatus

54 Months Material and Workmanship

Camera System

Limited Warranty

1. LIMITED WARRANTY

Subject to the limitations and exclusions set forth below, Pierce Manufacturing provides the following warranty to the Buyer:

Coverage:	This limited warranty covers repairs to correct any defect related to materials or workmanship of the Sharpvision camera system installed on the apparatus occurring during the warranty period.
Warranty Begins:	The date of delivery.
Warranty Period Ends After:	Fifty - Four (54) months
Conditions and Exclusions: See Also Paragraphs 2 thru 4	This limited warranty does not apply to related wire harnesses, cables, and connectors, which are covered by the Pierce one (1) year basic apparatus limited warranty.

This limited warranty shall apply only if the product is properly maintained in accordance with Pierce's maintenance instructions and manuals and is used in service which is normal to the particular model. Normal service means service which does not subject the product to stresses or impacts greater than normally result from careful use. If the Buyer discovers a defect or nonconformity, it must notify Pierce in writing within thirty (30) days after the date of discovery, but in any event prior to the expiration of the warranty period. THIS LIMITED WARRANTY MAY NOT BE ASSIGNED OR OTHERWISE TRANSFERRED BY THE BUYER TO ANY SUBSEQUENT USER OR PURCHASER OR TO ANY OTHER PERSON OR ENTITY.

Notwithstanding anything to the contrary herein, Pierce makes no warranty whatsoever as to:

(a) any integral parts, components, attachments or trade accessories of or to the product that are not manufactured by Pierce, including but not limited to engines, transmissions, drivelines, axles, water pumps and generators; with respect to all such parts, components, attachments and accessories, Pierce shall assign to Buyer the applicable warranties, if any, made by the respective manufacturers thereof;

(b) any vehicle, chassis, or component, part, attachment or accessory damaged by misuse, neglect, fire, exposure to severe environmental or chemical conditions, acidic environment, improper maintenance, accident, crash, or force majeure such as natural disaster, lightning, earthquake, windstorm, hail, flood, war or riot;

(c) any vehicle, chassis or component, part, attachment or accessory that has been repaired, altered or assembled in any way by any person or entity other than Pierce which, in the sole judgment of Pierce, adversely affects the performance, stability or purpose for which it was manufactured; or

(d) products or parts which may in the ordinary course wear out and have to be replaced during the warranty period, including, but not limited to, tires, fluids, gaskets and light bulbs. Pierce assumes no responsibility for the assembly of its parts or subassemblies into finishing products or vehicles unless the assembly is performed by Pierce.

The original purchaser may void this warranty in part or in its entirety if the product is repaired or replaced (a) without prior written approval of the Pierce Customer Service Department; or (b) at a facility which has not been approved by Pierce as to technical capability. Any repairs, modifications, alterations or aftermarket parts added after manufacture without the authorization of Pierce may void this warranty.

2. DISCLAIMERS OF WARRANTIES

THE WARRANTY SET FORTH IN PARAGRAPH 1 IS THE SOLE AND EXCLUSIVE WARRANTY GIVEN BY PIERCE. PIERCE HEREBY DISCLAIMS AND EXCLUDES ALL OTHER WARRANTIES, WHETHER EXPRESS, IMPLIED OR STATUTORY, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY, ANY WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.

3. BUYER'S EXCLUSIVE REMEDY

If the product fails to conform to the warranty set forth in paragraph 1 during the warranty period, and such nonconformity is not due to misuse, neglect, accident or improper maintenance, Buyer must notify Pierce within the time period specified in paragraph 1, and shall make the product available for inspection by Pierce or its designated agent. At the request of Pierce, any allegedly defective product shall be returned to Pierce by Buyer for examination and/or repair. Buyer shall be responsible for the cost of such transportation, and for risk of loss of or damage to the product during transportation. Within a reasonable time, Pierce shall repair or replace (at Pierce's option and expense) any nonconforming or defective parts. Repair or replacement shall be made only by a facility approved in advance in writing by Pierce. THIS REMEDY SHALL BE THE EXCLUSIVE AND SOLE REMEDY FOR ANY BREACH OF WARRANTY.

4. EXCLUSION OF CONSEQUENTIAL AND INCIDENTAL DAMAGES

Notwithstanding anything to the contrary herein or in any agreement between Pierce and Buyer, IN NO EVENT SHALL PIERCE BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, SPECIAL, INDIRECT, OR PUNITIVE DAMAGES WHATSOEVER, WHETHER ARISING OUT OF BREACH OF CONTRACT, WARRANTY, TORT (INCLUDING NEGLIGENCE AND STRICT LIABILITY) OR OTHER THEORY OF LAW OR EQUITY, WITH RESPECT TO VEHICLES OR OTHER PRODUCTS SOLD BY PIERCE, OR THEIR OPERATION OR FAILURE TO OPERATE, OR ANY DEFECTS THEREIN, OR ANY UNDERTAKINGS, ACTS OR OMISSIONS RELATED THERETO, REGARDLESS OF WHETHER PIERCE HAS BEEN INFORMED OF THE POSSIBILITY OF ANY SUCH DAMAGES. Without limiting the generality of the foregoing, Pierce specifically disclaims any liability for property or personal injury damages, penalties, damages for lost profits or revenues, loss of vehicles or products or any associated equipment, cost of substitute vehicles or products, down-time, delay damages, any other types of economic loss, or for any claims by any third party for any such damages.


Note: Any Surety Bond, if a part of the sale of the vehicle as to which this limited warranty is provided, applies only to this Pierce Basic One Year Limited Warranty for such vehicle, and not to other warranties made by Pierce in a separate document (if any) or to the warranties (if any) made by any manufacturer (other than Pierce) of any part, component, attachment or accessory that is incorporated into or attached to the vehicle.



Cummins Warranty

Worldwide

Fire Apparatus/Crash Trucks



Coverage

Products Warranted

This Warranty applies to new diesel Engines sold by Cummins and delivered to the first user on or after April 1, 2007, that are used in fire apparatus truck and crash truck* applications Worldwide.

Base Engine Warranty

The Base Engine Warranty covers any failures of the Engine which result, under normal use and service, from a defect in material or factory workmanship (Warrantable Failure). This Coverage begins with the sale of the Engine by Cummins and ends five years or 100,000 miles (160,935 kilometers), whichever occurs first, after the date of delivery of the Engine to the first user.

Engine aftertreatment components included in the Cummins Critical Parts List (CPL) and marked with a Cummins part number are covered under Base Engine Warranty.

Additional Coverage is outlined in the Emission Warranty section.

These Warranties are made to all Owners in the chain of distribution and Coverage continues to all subsequent Owners until the end of the periods of Coverage.

Cummins Responsibilities

Cummins will pay for all parts and labor needed to repair the damage to the Engine resulting from a Warrantable Failure.

Cummins will pay for the lubricating oil, antifreeze, filter elements, belts, hoses and other maintenance items that are not reusable due to the Warrantable Failure.

Cummins will pay for reasonable labor costs for Engine removal and reinstallation when necessary to repair a Warrantable Failure.

Cummins will pay reasonable costs for towing a vehicle disabled by a Warrantable Failure to the nearest authorized repair location. In lieu of the towing expense, Cummins will pay reasonable costs for mechanics to travel to and from the location of the vehicle, including meals, mileage and lodging when the repair is performed at the site of the failure.

Owner Responsibilities

Owner is responsible for the operation and maintenance of the Engine as specified in Cummins Operation and Maintenance Manuals. Owner is also responsible for providing proof that all recommended maintenance has been performed.

Before the expiration of the applicable Warranty, Owner must notify a Cummins distributor, authorized dealer or other repair location approved by Cummins of any Warrantable Failure and make the Engine available for repair by such facility. Except for Engines disabled by a Warrantable Failure, Owner must also deliver the Engine to the repair facility.

Service locations are listed on the Cummins Worldwide Service Locator at cummins.com.

Owner is responsible for the cost of lubricating oil, antifreeze, filter elements and other maintenance items provided during Warranty repairs unless such items are not reusable due to the Warrantable Failure.

Owner is responsible for communication expenses, meals, lodging and similar costs incurred as a result of a Warrantable Failure.

Owner is responsible for non-Engine repairs and for "downtime" expenses, cargo damage, fines, all applicable taxes, all business costs and other losses resulting from a Warrantable Failure.

Owner is responsible for a \$100 (U.S. Dollars) deductible per each service visit under this plan in the 3rd, 4th and 5th years of Base Engine Warranty. The deductible will not be charged during the first 2 years of the Base Engine Warranty.

Limitations

Cummins is not responsible for failures or damage resulting from what Cummins determines to be abuse or neglect, including, but not limited to: operation without adequate coolants or lubricants; overfueling; overspeeding; lack of maintenance of lubricating, cooling or intake systems; improper storage, starting, warm-up, run-in or shutdown practices; unauthorized modifications of the Engine.

Any unauthorized modifications to the aftertreatment could negatively effect emissions certification and void Warranty.

Cummins is also not responsible for failures caused by incorrect oil, fuel or diesel exhaust fluid or by water, dirt or other contaminants in the fuel, oil or diesel



exhaust fluid.

This Warranty does not apply to accessories supplied by Cummins which bear the name of another company. Such non-warranted accessories include, but are not limited to: alternators, starters, fans, air conditioning compressors, clutches, filters, transmissions, torque converters, vacuum pumps, power steering pumps, fan drives and air compressors. Cummins branded alternators and starters are covered for the first two years from the date of delivery of the Engine to the first user, or the expiration of the Base Engine Warranty, whichever occurs first.

Failures resulting in excessive oil consumption are not covered beyond the duration of the Coverage or 100,000 miles (160,935 kilometers) or 7,000 hours from the date of delivery of the Engine to the first user, whichever of the three occurs first. Before a claim for excessive oil consumption will be considered, Owner must submit adequate documentation to show that consumption exceeds Cummins published standards.

Failures of belts and hoses supplied by Cummins are not covered beyond the first year from the date of delivery of the Engine to the first user or the duration of the Warranty, whichever occurs first.

Parts used to repair a Warrantable Failure may be new Cummins parts, Cummins approved rebuilt parts or repaired parts. Cummins is not responsible for failures resulting from the use of parts not approved by Cummins.

A new Cummins or Cummins approved rebuilt part used to repair a Warrantable Failure assumes the identity of the part it replaced and is entitled to the remaining Coverage hereunder.

Cummins Inc. reserves the right to interrogate Electronic Control Module (ECM) data for purposes of failure analysis.

CUMMINS DOES NOT COVER WEAR OR WEAROUT OF COVERED PARTS.

CUMMINS IS NOT RESPONSIBLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES.

THIS WARRANTY AND THE EMISSION WARRANTY SET FORTH HEREINAFTER ARE THE SOLE WARRANTIES MADE BY CUMMINS IN REGARD TO THESE ENGINES. CUMMINS MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OR OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

This Warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Emission Warranty

Products Warranted

This Emission Warranty applies to new Engines marketed by Cummins that are used in the United States** in vehicles designed for transporting persons or property on a street or highway. This Warranty applies to Engines delivered to the first user on or after September 1, 1992.

Coverage

Cummins warrants to the first user and each subsequent purchaser that the Engine is designed, built and equipped so as to conform at the time of sale by Cummins with all U.S. federal emission regulations applicable at the time of manufacture and that it is free from defects in material or factory workmanship which would cause it not to meet these regulations within the longer of the following periods: (A) Five years or 100,000 miles (160,935 kilometers) of operation, whichever occurs first, as measured from the date of delivery of the Engine to the first user or (B) The Base Engine Warranty.

If the vehicle in which the Engine is installed is registered in the state of California, a separate California Emission Warranty also applies.

Limitations

Failures, other than those resulting from defects in material or factory workmanship, are not covered by this Warranty.

Cummins is not responsible for failures or damage resulting from what Cummins determines to be abuse or neglect, including, but not limited to: operation without adequate coolants or lubricants; overfueling; overspeeding; lack of maintenance of lubricating, cooling or intake systems; improper storage, starting, warm-up, run-in or shutdown practices; unauthorized modifications of the Engine.

Any unauthorized modifications to the aftertreatment could negatively effect emissions certification and void Warranty.

Cummins is also not responsible for failures caused by incorrect oil, fuel or diesel exhaust fluid or by water, dirt or other contaminants in the fuel, oil or diesel exhaust fluid.

Cummins is not responsible for non-Engine repairs, "downtime" expenses, cargo damage, fines, all applicable taxes, all business costs or other losses resulting from a Warrantable Failure.

**CUMMINS IS NOT RESPONSIBLE FOR INCIDENTAL
OR CONSEQUENTIAL DAMAGES.**

* Airport operated crash trucks and fire department
operated trucks employed to respond to fires,
hazardous material releases, rescue and other
emergency-type situations.

** United States includes American Samoa, the
Commonwealth of Northern Mariana Islands, Guam,
Puerto Rico and the U.S. Virgin Islands.



Cummins Inc.
Box 3005
Columbus, IN 47202-3005
U.S.A.

Bulletin 3381161
Printed in U.S.A. Rev. 08/09
©2001 Cummins Inc.



Fire and Rescue Apparatus

Two (2) Year Material and Workmanship Meritor Axles

Limited Warranty

1. LIMITED WARRANTY

Subject to the limitations and exclusions set forth below, Pierce Manufacturing provides the following warranty to the Buyer:

Coverage:	The Meritor axle shall be covered by Meritor as indicated in the attached Meritor warranty coverage description
Warranty Begins:	The date of the original purchase invoice (issued when the product ships from the factory).
Warranty Period Ends After:	Two (2) Year
Conditions and Exclusions: See Also Paragraphs 2 thru 4	The exclusions listed in the attached Meritor warranty description shall apply.

Notwithstanding anything to the contrary herein, Pierce makes no warranty whatsoever as to:

(a) any integral parts, components, attachments or trade accessories of or to the product that are not manufactured by Pierce, including but not limited to engines, transmissions, drivelines, axles, water pumps and generators; with respect to all such parts, components, attachments and accessories, Pierce shall assign to Buyer the applicable warranties, if any, made by the respective manufacturers thereof;

(b) any vehicle, chassis, or component, part, attachment or accessory damaged by misuse, neglect, fire, exposure to severe environmental or chemical conditions, acidic environment, improper maintenance, accident, crash, or force majeure such as natural disaster, lightning, earthquake, windstorm, hail, flood, war or riot;

(c) any vehicle, chassis or component, part, attachment or accessory that has been repaired, altered or assembled in any way by any person or entity other than Pierce which, in the sole judgment of Pierce, adversely affects the performance, stability or purpose for which it was manufactured; or

(d) products or parts which may in the ordinary course wear out and have to be replaced during the warranty period, including, but not limited to, tires, fluids, gaskets and light bulbs. Pierce assumes no responsibility for the assembly of its parts or subassemblies into finishing products or vehicles unless the assembly is performed by Pierce.

The original purchaser may void this warranty in part or in its entirety if the product is repaired or replaced (a) without prior written approval of the Pierce Customer Service Department; or (b) at a facility which has not been approved by Pierce as to technical capability. Any repairs, modifications, alterations or aftermarket parts added after manufacture without the authorization of Pierce may void this warranty.

2. DISCLAIMERS OF WARRANTIES

THE WARRANTY SET FORTH IN PARAGRAPH 1 IS THE SOLE AND EXCLUSIVE WARRANTY GIVEN BY PIERCE. PIERCE HEREBY DISCLAIMS AND EXCLUDES ALL OTHER WARRANTIES, WHETHER EXPRESS, IMPLIED OR STATUTORY, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY, ANY WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.

3. BUYER'S EXCLUSIVE REMEDY.

If the product fails to conform to the warranty set forth in paragraph 1 during the warranty period, and such nonconformity is not due to misuse, neglect, accident or improper maintenance, Buyer must notify Pierce within the time period specified in paragraph 1, and shall make the product available for inspection by Pierce or its designated agent. At the request of Pierce, any allegedly defective product shall be returned to Pierce by Buyer for examination and/or repair. Buyer shall be responsible for the cost of such transportation, and for risk of loss of or damage to the product during transportation. Within a reasonable time, Pierce shall repair or replace (at Pierce's option and expense) any nonconforming or defective parts. Repair or replacement shall be made only by a facility approved in advance in writing by Pierce. THIS REMEDY SHALL BE THE EXCLUSIVE AND SOLE REMEDY FOR ANY BREACH OF WARRANTY.

4. EXCLUSION OF CONSEQUENTIAL AND INCIDENTAL DAMAGES.

Notwithstanding anything to the contrary herein or in any agreement between Pierce and Buyer, IN NO EVENT SHALL PIERCE BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, SPECIAL, INDIRECT, OR PUNITIVE DAMAGES WHATSOEVER, WHETHER ARISING OUT OF BREACH OF CONTRACT, WARRANTY, TORT (INCLUDING NEGLIGENCE AND STRICT LIABILITY) OR OTHER THEORY OF LAW OR EQUITY, WITH RESPECT TO VEHICLES OR OTHER PRODUCTS SOLD BY PIERCE, OR THEIR OPERATION OR FAILURE TO OPERATE, OR ANY DEFECTS THEREIN, OR ANY UNDERTAKINGS, ACTS OR OMISSIONS RELATED THERETO, REGARDLESS OF WHETHER PIERCE HAS BEEN INFORMED OF THE POSSIBILITY OF ANY SUCH DAMAGES. Without limiting the generality of the foregoing, Pierce specifically disclaims any liability for property or personal injury damages, penalties, damages for lost profits or revenues, loss of vehicles or products or any associated equipment, cost of substitute vehicles or products, down-time, delay damages, any other types of economic loss, or for any claims by any third party for any such damages.

This limited warranty shall apply only if the product is properly maintained in accordance with Pierce's maintenance instructions and manuals and is used in service which is normal to the particular model. Normal service means service which does not subject the product to stresses or impacts greater than normally result from careful use. If the Buyer discovers a defect or nonconformity, it must notify Pierce in writing within thirty (30) days after the date of discovery, but in any event prior to the expiration of the warranty period. THIS LIMITED WARRANTY MAY NOT BE ASSIGNED OR OTHERWISE TRANSFERRED BY THE BUYER TO ANY SUBSEQUENT USER OR PURCHASER OR TO ANY OTHER PERSON OR ENTITY.

Note: Any Surety Bond, if a part of the sale of the vehicle as to which this limited warranty is provided, applies only to this Pierce Basic One Year Limited Warranty for such vehicle, and not to other warranties made by Pierce in a separate document (if any) or to the warranties (if any) made by any manufacturer (other than Pierce) of any part, component, attachment or accessory that is incorporated into or attached to the vehicle.

MERITOR® COMMERCIAL VEHICLE SYSTEMS

WARRANTY/MODEL YEAR 2018 VEHICLES



MERITOR





WARRANTY INFORMATION CONTENTS

Effective Model Year 2018 Vehicles

Linehaul	3-4
General Service	5-6
Heavy Service.....	7-8
Off-Highway Service.....	9
Terms and Conditions.....	10

How to Read Warranty Coverage

Number of Years	Mileage (in thousands) Unl=Unlimited	P=Parts Only P&L=Parts & Labor
-----------------	---	-----------------------------------

Notice:

Models or components that are approved for use by Meritor’s vocational guidelines contained in Meritor Publication TP-9441 for axles, SP-8320 for trailer axles, TP-12126 for drivelines, which are not specifically listed, are warranted for one year, unlimited miles, parts only (1/Unl/P).

Products purchased on an incomplete vehicle (glider) are limited to one year, unlimited miles parts only (1/Unl/P).

Advantage Program

Purchasing additional coverage on select components will continue to safeguard your investment against major repair costs after the initial base coverage expires. You can find out more about the Advantage Program by visiting www.meritor.com or by contacting Meritor at 866-OnTrac1 (866-668-7221).



LINEHAUL WARRANTY INFORMATION

Linehaul Vehicles

- Auto Hauler
- Bulk Hauler
- Chip Hauler (Truck)*
- Doubles
- Flatbed
- General Freight
- Grain Hauler
- Livestock Hauler
- Moving Van
- Pipe Hauler
- Refrigerated Freight
- Tanker
- Triples

* Chip Hauler vehicles require specific axle models listed below and Linehaul condition to be eligible for Linehaul warranty consideration.

Linehaul Typically Is

- High mileage operation (over 60,000 miles/year)
- Well maintained major highways of concrete or asphalt construction
- Greater than 30 miles between starting and stopping

Coverage under Meritor's warranty require that the application of products be properly approved pursuant to OEM and Meritor approvals. Refer to TP-9441 for axles, SP-8320 for trailer axles, TP-12126 for drivelines, and/or contact Meritor regarding specific application approval questions on any product line.

Front Non-Drive Steer Axles – 5/750/P&L

FD-965	FF-966	MFS-10-144A-N	MFS-12-132C-N	MFS-13-122C-N	MFS-14-143A-N
FF-941	FF-967	MFS-12-122A-N	MFS-12-143A-N	MFS-13-132B-N	
FF-942	FG-941	MFS-12-122B-N	MFS-12E-143A-N	MFS-13-132C-N	
FF-943	FG-943	MFS-12-122C-N	MFS-12-144A-N	MFS-13-143A-N	
FF-944	MFS-10-122A	MFS-12E-122A-N	MFS-13-122A-N	MFS-13-144A-N	
FF-961	MFS-10-143A-N	MFS-12-132B-N	MFS-13-122B-N	MFS-14-122A-N	

Rear Drive Single Axles – 5/750/P&L

RS-19-144/145/A	RS-21-160
MS-19-14X	RS-23-160
MS-21-144	RS-23-161
RS-21-145	RS-23-186

Rear Drive Tandem/Tridem Axles – 5/750/P&L

RT-34-144/P/A	MA-40-165	MT-40-943
RT-40-145/A	MA-40-175	MT-40-943-SP
RT-40-160/P ^{1,2}	MT-34-14X/P	RZ-166 ²
RT-46-160/P ^{1,2}	MT-40-14X/P	RZ-188
RT-46-164EH/P ^{1,2}	MT-40-14X/P	
RT-50-160/P ^{1,2}	MT-40-144/P	

Drivelines

RPL	5/500/P, 1/Unl/P&L
MXL	3/350/P, 1/Unl/P&L
155N	1/Unl/P
92N	1/Unl/P

¹ These models required for Chip Hauler and Linehaul warranty consideration.
² Each vehicle must have a Request for Application Recommendation (RAR) approved by Meritor prior to vehicle build. All RARs must identify the chassis number or VIN. Refer to Product Information Letter #303 and #396 for further details.



LINEHAUL WARRANTY INFORMATION

Brake Components

Cam Q Series Trailer Brakes	5/500/P, 1/100/L
LX500 Feature ¹	5/750/P&L
Q+ Drum Brake™	5/500/P, 1/Unl/P&L
ASA	5/500/P, 1/Unl/P&L
Hubs/Cast Drums and Other Wheel-end Components	1/Unl/P
Hydraulic Disc Brakes	1/Unl/P
All Other Brakes	1/Unl/P
STEELite X30 Drum Brake™ ²	12-Years or Wearable Life/P
EX+ Air Disc Brake™	5/500/P, 1/Unl/L

¹ Includes: bushing, seal, cam, ASA lubrication and wear coverage of 3/500/P&L.

² Based on stamped wear diameter max.

Trailer Axles

Beam and Brackets	5/500/P, 1/100/L
Wheel End Systems ¹	
Standard System ²	1/100/P&L
PreSet by Meritor ³	5/500/P&L
AxlePak ⁴	5P/L
AxlePak ⁵	7P/L

¹ Includes hub, wheel seals and wheel bearings—all systems require annual inspections and proper documentation to ensure full coverage.

² When installed by Meritor.

³ Requires approved hubcap stating PreSet by Meritor on hubcap face.

⁴ When specified with AxlePak5 wheel end system, coverage on MTIS thru-tee and stator is 5/500P, 3/500L.

⁵ When specified with AxlePak7 wheel end system, coverage on MTIS thru-tee and stator is 7/750P, 3/500L.

(For brake components and ABS coverage, refer to appropriate product warranties.)

TAG/Pusher Axles¹

TQ, TQD, TR, TRD Beam and Brackets	5/750/P&L
------------------------------------	-----------

¹ For brake components and ABS Coverage, refer to appropriate product warranties.

Meritor Tire Inflation System by PSI

MTIS Components	3/500/P&L
-----------------	-----------

Trailer Air Suspension Systems

MPA38/40 (Tandem Axle Parallelogram) ¹	
Major Structural Components	5/500/P, 1/100/L
Curbing Damage Warranty ²	5/500/P, 1/100/L
Height Control Valve	1/100/P&L
Shock Absorbers	2/200/P&L
Air Springs	2/200/P, 1/100/L
Bushings	7/700/P, 5/500/L
PinLoc Air Controls	1/100/P&L
PinLoc Actuator	3/300/P&L
MPA20 (Single Axle Parallelogram)	
Major Structural Components	5/500/P, 1/100/L
Height Control Valve	1/100/P&L
Shock Absorbers	2/200/P&L
Air Springs	2/200/P, 1/100/L
Bushings	7/700/P, 5/500/L
MTA (Trailing Arm)	
Major Structural Components	5/500/P, 1/100/L
Height Control Valve	1/100/P&L
Shock Absorbers	2/200/P&L
Air Springs & Rebound Straps	2/200/P, 1/100/L
Bushings	5/500/P, 3/300/L

¹ Fastener torque coverage is limited to 2/Unl P&L when torqued by Meritor (For axle and ABS coverage, refer to appropriate product warranties.)

² "Curbing damage" is defined as deformation (bending, buckling, or breakage), caused by sudden impact with a curb or similar fixed object. Damage to the RideSentry slider box (the suspension sliding subframe, consisting of the frame rails, crossmembers, and central A-frame assembly), caused by accidental trailer impact with a curb or similar fixed object, is eligible for warranty coverage. Damage to other components or damage resulting from collision with another vehicle, rollover or fire is not covered under this provision. Warranty is not transferrable to another trailer VIN, and coverage does not apply if the trailer is deemed to be a total loss, scrapped, or otherwise not salvageable.



GENERAL SERVICE WARRANTY INFORMATION

General Service Vehicles

- Aerial Ladder Truck
- Aerial Platform
- Ambulance
- Auto Hauler
- Beverage Truck
- Chip Hauler
- Cross Country Coach
- Flatbed
- Front Engine Commercial Chassis
- Front Engine Integral Coach
- General Freight
- Intercity Coach
- Intermodal Chassis
- Livestock Hauler
- Meat Packer
- Moving Van
- Municipal Truck
- Newspaper Delivery
- Pick-Up and Delivery
- Pipe Hauler
- Platform Auto Hauler
- Pumper
- Rear Engine Integral Coach
- Recreational Vehicles
- Refrigerated Freight
- School Bus
- Stake Truck
- Tanker
- Tanker Truck
- Tour Bus
- Wrecker

General Service Typically Is

- Lower mileage operations (less than 60,000 miles/year)
- Generally, on-road service (less than 10% off-road)
- An average of three (3) miles between starting and stopping

Coverage under Meritor's warranty require that the application of products be properly approved pursuant to OEM and Meritor approvals. Refer to TP-9441 for axles, SP-8320 for trailer axles, TP-12126 for drivelines, and/or contact Meritor regarding specific application approval questions on any product line.

Front Drive/Non-Drive Steer Axles – 2/Uni/P&L

FD-965	FH-941	MFS-7-153C-N	MFS-12E-122A-N	MFS-13-122C-N	MFS-18-135A-N
FF-941	FH-946 ¹	MFS-7-163C-N	MFS-12-122B-N	MFS-13-132B-N	MFS-18-193A-N
FF-942	FL-941	MFS-8-113B-N	MFS-12-122C-N	MFS-13-132C-N	MFS-20-133A-N
FF-943	FL-943	MFS-8-143A-N	MFS-12-132B-N	MFS-13-143A-N	MFS-20-135A-N
FF-944	MFS-6-151A-N	MFS-8-153B-N	MFS-12-132C-N	MFS-13-144A-N	MFS-20H-193A-N
FF-946	MFS-6-153B-N	MFS-8-163B-N	MFS-12-143A-N	MFS-14-122A-N	MFS-22H-135A-N
FF-961	MFS-6-162B-N	MFS-10-122A	MFS-12-144A-N	MFS-14-143A-N	MFS-22H-193A-N
FF-966	MFS-6-153C-N	MFS-10-143A-N	MFS-12E-143A-N	MFS-16-122A-N	
FF-967	MFS-6-162C-N	MFS-10-144A-N	MFS-13-122A-N	MFS-16-143A-N	
FG-941	MFS-7-113C-N	MFS-12-122A-N	MFS-13-122B-N	MFS-18-133A-N	

¹ Can also be used with reduced steer angles in tag position in Coach Applications.

Rear Drive Single Axles – 2/Uni/P&L

MS-17-13X	MS-21-144	RC-23-162 ¹	MS-26-616	79163
MS-17-14X	MS-23-17X	RC-23-165 ¹	MS-26-616-SP	
MS-19-13X	RS-21-145/A	RS-23-160	RS-30-185	
MS-19-14X	RS-21-160	RS-23-161	MS-30-616	
RS-17-144/145/A	RC-22-145	RS-23-186	MS-30-616-SP	
RS-19-144/145/A	RC-22-145/A	RS-24-160	RS-35-380	
MS-21-13X	RC-23-160	RC-25-160	71162	
MS-21-14X	RC-23-161	RS-26-185	71163	

¹ 3/Uni/P&L if PreSet by Meritor.

Rear Drive Tandem – 3/Uni/P&L

RT-40-160/P	RT-46-164EH/P
RT-46-160/P	RT-50-160/P

Drivelines

RPL	4/400/P, 1/Uni/P&L
MXL	3/350/P, 1/Uni/P&L
155N	1/Uni/P
92N	1/Uni/P

Rear Drive Tandem/Tridem Axles – 2/Uni/P&L

MT-34-14X/P	MT-44-14X/P	MT-58-616
RT-34-144/P/A	RT-44-145/P	RT-58-185 ¹
MT-40-14X/P	RT-46-169	MT-70-380
MT-40-144/P	MT-52-616	RZ-166
RT-40-145/A	RT-52-185 ¹	RZ-188

¹ Each vehicle must have a Request for Application Recommendation (RAR) approved by Meritor prior to vehicle build. All RARs must identify the chassis number or VIN. Refer to Product Information Letter #303 and #396 for further details.



GENERAL SERVICE WARRANTY INFORMATION

Brake Components

Cam Q Series Trailer Brakes	3/Unl/P, 1/Unl/L
LX500 Feature ¹	3/Unl/P&L
Cam P ³	2/200/P
Cam	3/Unl/P
Q+ Drum Brake™	3/Unl/P&L
Q+ Drum Brake™ ³	2/200/P&L
ASA	3/Unl/P
ASA ³	2/200/P
Hubs/Cast Drums and Other Wheel-end Components	1/Unl/P
Hydraulic Disc Brakes	1/Unl/P
All Other Brakes	1/Unl/P
STEELite X30 Drum Brake™ ²	12-Years or Wearable Life/P
EX+ Air Disc Brake™	2/Unl/P&L

¹ Includes: bushing, seal, cam, ASA lubrication and wear coverage of 1/Unl/P.
² Based on stamped wear diameter max.
³ Applies to Tour Bus and Cross Country Coach only.

Trailer Axles

Beam and Brackets ¹	5/Unl/P, 1/Unl/L
Wheel End Systems ²	
Standard System ³	1/Unl/P&L
AxlePak ⁴	5P/L
AxlePak ⁵	7P/L

¹ 9000 Series is 3/Unl/P, 1/Unl/L
² Includes hub, wheel seals and wheel bearings—all systems require annual inspections and proper documentation to ensure full coverage.
³ When installed by Meritor.
⁴ When specified with AxlePak5 wheel end system, coverage on MTIS thru-tee and stator is 5/500P, 3/500L.
⁵ When specified with AxlePak7 wheel end system, coverage on MTIS thru-tee and stator is 7/750P, 3/500L.

(For brake components and ABS coverage, refer to appropriate product warranties.)

Chassis Axles (2000 Series/ChassiPak)

Beam & Brackets	6/Unl/P, 1/Unl/L
Wheel End Systems ¹	
Standard System	1/Unl/P&L
AxlePak7	7P/L
Beam and Brackets	7P/1L

¹ Includes hub, wheel seals and wheel bearings—all systems require annual inspections and proper documentation to ensure full coverage.

Trailer Air Suspension Systems

MPA38/40 (Tandem Axle Parallelogram) ¹	
Major Structural Components	5/Unl/P, 1/Unl/L
Curbing Damage Warranty ²	5/500/P, 1/100/L
Height Control Valve	1/Unl/P&L
Shock Absorbers	2/Unl/P&L
Air Springs	2/Unl/P, 1/Unl/L
Bushings	7/700/P, 5/500/L
PinLoc Air Controls	1/Unl/P&L
PinLoc Air Actuator	3/Unl/P&L
MPA20 (Single Axle Parallelogram)	
Major Structural Components	5/Unl/P, 1/Unl/L
Height Control Valve	1/Unl/P&L
Shock Absorbers	2/Unl/P&L
Air Springs	2/Unl/P, 1/Unl/L
Bushings	7/700/P, 5/500/L
MTA (Trailing Arm)	
Major Structural Components	5/Unl/P, 1/Unl/L
Height Control Valve	1/Unl/P&L
Shock Absorbers	2/Unl/P&L
Air Springs and Rebound Straps	2/Unl/P, 1/Unl/L
Bushings ³	5/Unl/P, 3/Unl/L

(For axle and ABS coverage, refer to appropriate product warranties.)
¹ Fastener torque coverage is limited to 2/Unl P&L when torqued by Meritor
² "Curbing damage" is defined as deformation (bending, buckling, or breakage), caused by sudden impact with a curb or similar fixed object. Damage to the RideSentry slider box (the suspension sliding subframe, consisting of the frame rails, crossmembers, and central A-frame assembly), caused by accidental trailer impact with a curb or similar fixed object, is eligible for warranty coverage. Damage to other components or damage resulting from collision with another vehicle, rollover or fire is not covered under this provision. Warranty is not transferrable to another trailer VIN, and coverage does not apply if the trailer is deemed to be a total loss, scrapped, or otherwise not salvageable.
³ Raw wood applications 3/Unl/P, 1/Unl/L

TAG/Pusher Axles

TQ, TQD, TR, TRD Beam and Brackets ¹	3/Unl/P, 1/Unl/L
MC12002, MC14002, MC16003, FH946	2/Unl/P&L

(For brake components and ABS coverage, refer to appropriate product warranties.)

¹ 3/UNL/P&L if sold with PreSet by Meritor.

Meritor® Tire Inflation System by PSI

MTIS Components	3/500/P&L
-----------------	-----------



HEAVY SERVICE WARRANTY INFORMATION

Heavy Service Vehicles

- Airport Rescue Fire (ARF)
- Airport Shuttle
- Asphalt Truck
- Block Truck
- Bottom Dump Trailer Combination
- Cementing Vehicle
- City Bus
- Commercial Pick-Up
- Concrete Pumper
- Construction Material Hauler
- Crash Fire Rescue (CFR)
- Mixer
- Demolition
- Drill Rig
- Dump
- Emergency Service
- Equipment Hauling
- Flatbed Trailer Hauler
- Flatbed Truck
- Fracturing Truck
- Front Loader
- Geophysical Exploration
- Hopper Trailer Combinations
- Landscaping Truck
- Liquid Waste Hauler
- Log Hauling
- Lowboy
- Michigan Special Gravel Trains
- Michigan Special Log Hauler
- Michigan Special Steel Hauler
- Michigan Special Waste Vehicle
- Municipal Dump
- Rapid Intervention Vehicle (RIV)
- Rear Loader (Refuse)
- Recycling Truck
- Residential Pick-Up (Refuse)
- Rigging Truck
- Roll-Off
- Scrap Truck
- Semi-End Dump
- Sewer/Septic Vacuum
- Shuttle Bus
- Side Loader
- Snowplow/Snowblower
- Steel Hauling
- Tanker
- Tank Truck
- Tractors with Pole Trailers
- Tractor/Trailer with Jeeps
- Transfer Dump
- Transfer Vehicle
- Transit Bus
- Trolley
- Utility Truck
- Winch Truck

Heavy Service Typically Is

- Moderate mileage operation (less than 60,000 miles per year)
- On/Off road vocations (10% or more off-road)
- Moderate to frequent stops/starts (up to 10 stops per mile)

Coverage under Meritor's warranty require that the application of products be properly approved pursuant to OEM and Meritor approvals. Refer to TP-9441 for axles, SP-8320 for trailer axles, TP-12126 for drivelines, and/or contact Meritor regarding specific application approval questions on any product line.

Front Drive/Non-Drive Steer Axles – 2/Unl/P&L

FD-965	FH-941	MFS-8-113B-N	MFS-12-132C-N	MFS-13-155	MFS-22H-135A-N	MX-17-140
FF-941	FH-946	MFS-8-153B-N	MFS-12-143A-N	MFS-14-122	MFS-22H-193A-N	MX-19-140
FF-942	FL-941	MFS-8-163B-N	MFS-12-144A-N	MFS-14-143A-N	RF-16-145	MX-21-140
FF-943	FL-943	MFS-10-122A	MFS-12-155	MFS-16-122A-N	RF-21-160	MX-21-160
FF-944	MFS-6-151A-N	MFS-10-143A-N	MFS-13-122	MFS-16-143A-N	MX-10-120	MX-23-160
FF-946	MFS-6-153B	MFS-10-144A-N	MFS-13-122B-N	MFS-18-133A-N	MX-10-120 EVO	MX-810
FF-961	MFS-6-162B	MFS-12-122	MFS-13-122C-N	MFS-18-135A-N	MX-12-120	
FF-966	MFS-6-162C	MFS-12-122B-N	MFS-13-132B-N	MFS-18-193A-N	MX-12-120 EVO	
FF-967	MFS-7-113C-N	MFS-12-122C-N	MFS-13-132C-N	MFS-20-133A-N	MX-14-120	
FG-941	MFS-7-153C-N	MFS-12E-122	MFS-13-143A-N	MFS-20-135A-N	MX-16-120	
FG-943	MFS-7-163C-N	MFS-12-132B-N	MFS-13-144A-N	MFS-20H-193A-N	MX-18-120	

Drivelines

RPL	3/Unl/P, 1/Unl/P&L
92N	1/Unl/P&L
MXL	1/Unl/P&L

Rear Drive Single Axles – 2/Unl/P&L

MS-17-14X	RS-23-160	MS-30-616-SP
RS-17-144/145/A	RC-23-161	RS-30-185/380
MS-19-14X	RS-23-161	MS-35-380
RS-19-144	RS-23-186/380	RS-38-380
MS-21-114	RC-23-162	RC-25-160
MS-21-14X	RC-23-165	RC-26-633
RS-21-145	RS-24-160	MT-58-616
RS-21-145/A	RS-25-160	MT-58-616-SP
RS-21-160	MS-26-616	71162
RC-22-145	MS-26-616-SP	71163
RC-23-160	RS-26-185/380	79163
RH-23-160	MS-30-616	



HEAVY SERVICE WARRANTY INFORMATION

Rear Drive Tandem/Tridem Axles – 2/Unl/P&L

MT-34-14X/P	RT-44-145/P	MT-58-616	RZ-166
RT-34-144/P/A	RT-46-169	MT-58-616-SP	RZ-188
MT-40-14X/P	MT-52-616	RT-58-185/380 ^{1,2}	
RT-40-145/A	MT-52-616-SP	RT-70-380	
MT-44-14X/P	RT-52-185/380 ^{1,2}	MT-70-380	

¹ Axle model designated will vary according to options and variations specified on these axles. Contact Meritor Axle Applications Engineering for details.

² Each vehicle must have a Request for Application Recommendation (RAR) approved by Meritor prior to vehicle build. All RARs must identify the chassis number or VIN. Refer to Product Information Letter #303 and #396 for further details.

Brake Components

Cam P	3/Unl/P
Cam P ³	2/100/P
Cam Cast Plus™	2/100/P&L
Q+ Drum Brake™	3/Unl/P&L
Q+ Drum Brake™ ²	2/100/P&L
ASA	3/Unl/P
ASA ²	2/100/P
Hubs/Cast Drums and Other Wheel-end Components	1/Unl/P
Hydraulic Disc Brakes	1/Unl/P
All Other Brakes	1/Unl/P
EX+ Air Disc Brake	2/100/P&L

¹ Based on stamped wear diameter max.

² Applies to City Bus, Trolley, Shuttle Bus and Airport Shuttle only.

³ Warranty for all non-Meritor ASAs supplied by Meritor for all Heavy Service vocations is 1/100/P.

Transfer Cases – 1/Unl/P

MTC-4208	MTC-4213	T-2119
MTC-4210	T-2111	

Rear Drive Tandem – 3/Unl/P&L

RT-40-160/P/A ³
RT-46-160/P/A ^{1,3}
RT-46-164EH/P/A ^{2,3}
RT-50-160/P/A ³

¹ U.S. only. Canadian warranty = 1/Unl/P for combination vehicles only.

² Axle model designated will vary according to options and variations specified on these axles. Contact Meritor Axle Applications Engineering for details.

³ Each vehicle must have a Request for Application Recommendation (RAR) approved by Meritor prior to vehicle build. All RARs must identify the chassis number or VIN. Refer to Product Information Letter #303 and #396 for further details.

Meritor Tire Inflation System by PSI

MTIS Components	3/500/P&L
-----------------	-----------

Trailer Air Suspension Systems

MTA (Trailing Arm)	
Major Structural Components ¹	5/Unl/P, 1/Unl/L
Height Control Valve	1/Unl/P&L
Shock Absorbers	2/Unl/P&L
Air Springs	2/Unl/P, 1/Unl/L
Bushings ¹	5/Unl/P, 3/Unl/L

¹ Raw wood applications 3/Unl/P, 1/Unl/L

(For axle and ABS coverage, refer to appropriate product warranties.)

Center Non-drive Axles – 2/Unl/P&L

MC26000
71063
79063

Trailer Axles

Beam and Brackets ¹	5/Unl/P, 1/Unl/L
Wheel End Systems ²	
Standard System ³	1/Unl/P&L

¹ 9000 Series is 3/Unl/P, 1/Unl/L.

² Includes hub, wheel seals and wheel bearings—all systems require annual inspections and proper documentation to ensure full coverage.

³ When installed by Meritor.

(For brake components and ABS coverage, refer to appropriate product warranties.)



OFF-HIGHWAY SERVICE WARRANTY INFORMATION

Industrial And Off-Highway Service Vehicles

- Load-On/Load-Off
- Port Tractor
- Rail Yard Spotter
- Roll-On/Roll-Off
- Stevedoring Tractor
- Trailer Spotter
- Yard Jockey
- All-Terrain Crane
- Rough Terrain Crane
- Forestry
- Material Handling
- Specialized Heavy Haul
- Specialized Mining
- Excavator
- Compactor
- Fertilizer Spreader
- Snow Blower
- Mining
- Rail Car Mover
- Loader
- Tow Tractor
- Pushback Tractor

Industrial And Off-Highway Service Typically Is

- Low mileage operation
- Low speed vehicle speed restriction
- Vehicles are **not** typically licensed for highway use
- Six (6) starts/stops per mile (typical)

Coverage under Meritor's warranty require that the application of products be properly approved pursuant to OEM and Meritor approvals. Refer to TP-9441 for axles, TP-12126 for drivelines, and/or contact Meritor regarding specific application approval questions on any product line.

Drive Steer Axles – 1/Unl/P

MOR	MOX	MOC
-----	-----	-----

Front Non-Drive Steer Axles – 1/Unl/P

FF - 941	MFS-12-143A-N	MFS-18-135A-N
FF - 943	MFS-12-144A-N	MFS-18-193A-N
FF - 961	MFS-13-143A-N	MFS-20-133A-N
FF - 966	MFS-13-144A-N	MFS-20-135A-N
FG - 941	MFS-14-143A-N	MFS-20H-193A-N
FG - 943	MFS-16-122A-N	MFS-22H-135A-N
FL - 941	MFS-16-143A-N	MFS-22H-193A-N
FL - 943	MFS-18-133A-N	MON-ZO FAMILY

Planetary Axles – 1/Unl/P

MOR	MOX	MOC	MOT
-----	-----	-----	-----

Rear Drive Single Axles – 1/Unl/P

RS-23-186	RS-24-160-SP	RS-30-185
RS-23-380	MS-30-616	RS-30-380
RS-24-160	MS-30-616-SP	MS-35-380

Drivelines – 1/Unl/P

RPL	MXL
-----	-----

Rear Drive Tandem Axles – 2/Unl/P

MT-44-14X/P	MT-58-616	RT-44-145/P	RT-50-160/P
MT-52-616	MT-58-616-SP	RT-46-160/P	RZ-166
MT-52-616-SP	MT-70-380	RT-46-164EH/P	

Brake Components

Cam P	3/Unl/P
Q+ Drum Brake™	3/Unl/P&L
ASA	3/Unl/P
Hubs/Cast Drums and Other Wheel-end Components	1/Unl/P
Hydraulic Disc Brakes	1/Unl/P
All Other Brakes	1/Unl/P



TERMS AND CONDITIONS

Coverage Exclusions

Product Description

All

The cost of any repairs, replacements or adjustments to a covered component (1) associated with noise; (2) resulting from the use or installation of non-genuine Meritor components or materials; (3) due to vibration associated with improper operation or misapplication of drivetrain components; and (4) damage resulting from corrosion.

For axle assemblies supplied by Meritor with suspension and interface brackets designed and/or attached by non-Meritor parties, Meritor warranty coverage does not apply to the brackets, bracket attachment methods, and field issues caused by brackets or bracket attachments to any covered component unless specified in a separate OEM agreement.

Front Axles

King Pin Bushings.

Rear Axles

Self-contained traction equalizers and oil filters. The use of NoSPIN differentials will result in the exclusion of axle shafts from warranty considerations. NoSPIN is a product of Eaton.

ASA

Boot and bushing. Bent, broken, over-torqued, missing or otherwise damaged pawl assemblies.

Cam Brake

Brake lining wear and brake shoe “rust-jacking.”

Disc Brake

Pad wear, rotor wear.

Coverage Limitations

Product Description

All

Any claim beyond 60 days from date of repair will not be accepted or honored under this warranty program. Products purchased on an incomplete vehicle (glider) are limited to one year, unlimited miles parts only (1/Unl/P).

Front Axles

Tie rod and tie rod ends limited to 3-year/300,000-mile or published vocational coverage, whichever is less. Wheel seals, gaskets and wheel bearings are covered for 1 year/unlimited miles if the wheel end equipment is supplied and assembled by Meritor.

Rear Axles

Pinion and through shaft seals limited to 3-year/300,000-mile or published vocational coverage, whichever is less, if yoke is installed by Meritor. If yoke is not installed by Meritor, then Meritor does not warrant pinion seals. Wheel seals, gaskets and wheel bearings are covered for 1 year/unlimited miles if the wheel end equipment is supplied and assembled by Meritor.

Rear Axles

The Meritor® breather part number A-2297-C-8765 with A-3196-J-1336 hose must be used for eligibility of any potential warranty consideration relating to contamination and/or loss of lube in axles.

Cam Brake

Limited to bracket, brake spider and camshaft structural integrity.

STEELite X30

Wearable life is up to the discard diameter of the drum.

Disc Brake

Warranty coverage for boots, seals, bushings and pins is 2/200/P. Warranty coverage for pads is 1/100/P.

Warranty coverage on vehicles with 1,850 lb-ft engine torque and over may be reduced on individual drivetrain components. Contact your Meritor representative for specific details.

TERMS AND CONDITIONS

(1) What is Covered by this Commercial Warranty?

Meritor Inc. warrants to the owner ("Owner") that the components listed in this publication, which have been installed by an Original Equipment Manufacturer ("OEM") as original equipment in vehicles licensed for on-highway use, will be free from defects in material and workmanship. This warranty coverage begins only after the expiration of the OEM's vehicle warranty for the applicable covered components. Warranty coverage ends at the expiration of the applicable time period from the date of vehicle purchase by the first Owner, or, the applicable mileage limitation, whichever occurs first. Duration of coverage varies by component and vocation as detailed elsewhere in this warranty statement.

Some components are warranted for parts only and the Owner must pay any labor costs associated with the repair or replacement of the component. Other components are warranted for both parts and reasonable labor to repair or replace the subject component. Components (whether new, used or remanufactured) installed as replacements under this warranty are warranted only for the remainder of the original period of time or mileage under the original warranty.

For certain components, coverage requires the use of specific extended drain interval or synthetic lubricants. For further information about lubrication and maintenance, see Meritor publication Maintenance Manual Number 1 and the applicable Meritor maintenance manual for the product in question. Other conditions and limitations applicable to this warranty are detailed below.

(2) Designation of Vocational Use Required.

To obtain warranty coverage, each Owner must notify Meritor through the OEM new truck and/or trailer dealer of the intended vocational use of the vehicle into which the Meritor components have been incorporated prior to the vehicle in-service date. This notification may be accomplished by registering the vehicle through your OEM new truck and/or trailer dealer or with Meritor directly. Failure to notify Meritor of (I) the intended vocational use of the vehicle or (II) a change in vocational use from that which was originally designated, will result in the application of a one year, unlimited mileage, parts only warranty (1/Unl/P) from the initial in-service date.

A second Owner and each subsequent Owner must also notify Meritor as to the intended vocational use of the vehicle. This notification can be sent directly to Meritor or through the OEM new truck and/or trailer dealer. The duration and mileage coverage of this warranty cannot exceed the coverage extended to the first Owner after his or her initial designation of vocational use.

Coverage under Meritor's warranty requires that the application of products be properly approved pursuant to OEM and Meritor approvals. Refer to TP-9441 for axles, SP-8320 for trailer axles, TP-12126 for drivelines, and/or contact Meritor regarding specific application approval questions on any product line.

(3) What is the Cost of this Warranty?

There is no charge to the Owner for this warranty.

(4) What is not Covered by this Warranty?

This warranty does not cover normal wear and tear; nor does it cover a component that fails, malfunctions or is damaged as a result of (I) improper installation, adjustment, repair or modification (including the use of unauthorized attachments or changes or modification in the vehicle's configuration, usage, or vocation from that which was originally approved by Meritor), (II) accident, natural disaster, abuse, or improper use (including loading beyond the specified maximum vehicle weight or altering engine power settings to exceed the axle and/or driveline capacity), or (III) improper or insufficient maintenance (including deviation from approved lubricants, change intervals, or lube levels). This warranty does not cover any component or part that is not sold by Meritor. For vehicles that operate full or part time outside of the United States and Canada, a one year, unlimited mileage, parts only warranty (1/Unl/P) will apply.

(5) Remedy.

The exclusive remedy under this warranty shall be the repair or replacement of the defective component at Meritor's option. Meritor reserves the right to require that all applicable failed materials are available and/or returned to Meritor for review and evaluation.

(6) Disclaimer of Warranty.

THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES OR CONDITIONS, EXPRESSED, IMPLIED OR STATUTORY INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE.

(7) Limitation of Remedies.

In no event shall Meritor be liable for special, incidental, indirect, or consequential damages of any kind or under any legal theory, including, but not limited to, towing, downtime, lost productivity, cargo damage, taxes, or any other losses or costs resulting from a defective covered component.

(8) To Obtain Service.

If the Owner discovers within the applicable coverage period a defect in material or workmanship, the Owner must promptly give notice to either Meritor or the dealer from which the vehicle was purchased. To obtain service, the vehicle must be taken to any participating OEM new truck and/or trailer dealer or authorized Meritor service location. The dealer will inspect the vehicle and contact Meritor for an evaluation of the claim. When authorized by Meritor, the dealer will repair or replace during the term of this warranty any defective Meritor component covered by this warranty.

(9) Entire Agreement.

This is the entire agreement between Meritor and the Owner about warranty and no Meritor employee or dealer is authorized to make any additional warranty on behalf of Meritor. This agreement allocates the responsibilities for component failure between Meritor and the Owner.

Vehicle models, brands and names depicted herein are the property of their respective owners, and are not in any way associated with Meritor, Inc., or its affiliates.



Meritor Heavy Vehicle Systems, LLC
2135 West Maple Road
Troy, Michigan 48084 USA

For more information:
call Ontrac at 866-668-7221
or visit meritor.com

©2017 Meritor, Inc.
Litho in USA, SP-95155
Revised 01-17 (47865/11900)



Fire and Rescue Apparatus

Two (2) Year Material and Workmanship

Meritor Axles

Limited Warranty

1. LIMITED WARRANTY

Subject to the limitations and exclusions set forth below, Pierce Manufacturing provides the following warranty to the Buyer:

Coverage:	The Meritor axle shall be covered by Meritor as indicated in the attached Meritor warranty coverage description
Warranty Begins:	The date of the original purchase invoice (issued when the product ships from the factory).
Warranty Period Ends After:	Two (2) Year
Conditions and Exclusions: See Also Paragraphs 2 thru 4	The exclusions listed in the attached Meritor warranty description shall apply.

Notwithstanding anything to the contrary herein, Pierce makes no warranty whatsoever as to:

(a) any integral parts, components, attachments or trade accessories of or to the product that are not manufactured by Pierce, including but not limited to engines, transmissions, drivelines, axles, water pumps and generators; with respect to all such parts, components, attachments and accessories, Pierce shall assign to Buyer the applicable warranties, if any, made by the respective manufacturers thereof;

(b) any vehicle, chassis, or component, part, attachment or accessory damaged by misuse, neglect, fire, exposure to severe environmental or chemical conditions, acidic environment, improper maintenance, accident, crash, or force majeure such as natural disaster, lightning, earthquake, windstorm, hail, flood, war or riot;

(c) any vehicle, chassis or component, part, attachment or accessory that has been repaired, altered or assembled in any way by any person or entity other than Pierce which, in the sole judgment of Pierce, adversely affects the performance, stability or purpose for which it was manufactured; or

(d) products or parts which may in the ordinary course wear out and have to be replaced during the warranty period, including, but not limited to, tires, fluids, gaskets and light bulbs. Pierce assumes no responsibility for the assembly of its parts or subassemblies into finishing products or vehicles unless the assembly is performed by Pierce.

The original purchaser may void this warranty in part or in its entirety if the product is repaired or replaced (a) without prior written approval of the Pierce Customer Service Department; or (b) at a facility which has not been approved by Pierce as to technical capability. Any repairs, modifications, alterations or aftermarket parts added after manufacture without the authorization of Pierce may void this warranty.

2. DISCLAIMERS OF WARRANTIES

THE WARRANTY SET FORTH IN PARAGRAPH 1 IS THE SOLE AND EXCLUSIVE WARRANTY GIVEN BY PIERCE. PIERCE HEREBY DISCLAIMS AND EXCLUDES ALL OTHER WARRANTIES, WHETHER EXPRESS, IMPLIED OR STATUTORY, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY, ANY WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.

3. BUYER'S EXCLUSIVE REMEDY.

If the product fails to conform to the warranty set forth in paragraph 1 during the warranty period, and such nonconformity is not due to misuse, neglect, accident or improper maintenance, Buyer must notify Pierce within the time period specified in paragraph 1, and shall make the product available for inspection by Pierce or its designated agent. At the request of Pierce, any allegedly defective product shall be returned to Pierce by Buyer for examination and/or repair. Buyer shall be responsible for the cost of such transportation, and for risk of loss of or damage to the product during transportation. Within a reasonable time, Pierce shall repair or replace (at Pierce's option and expense) any nonconforming or defective parts. Repair or replacement shall be made only by a facility approved in advance in writing by Pierce. THIS REMEDY SHALL BE THE EXCLUSIVE AND SOLE REMEDY FOR ANY BREACH OF WARRANTY.

4. EXCLUSION OF CONSEQUENTIAL AND INCIDENTAL DAMAGES.

Notwithstanding anything to the contrary herein or in any agreement between Pierce and Buyer, IN NO EVENT SHALL PIERCE BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, SPECIAL, INDIRECT, OR PUNITIVE DAMAGES WHATSOEVER, WHETHER ARISING OUT OF BREACH OF CONTRACT, WARRANTY, TORT (INCLUDING NEGLIGENCE AND STRICT LIABILITY) OR OTHER THEORY OF LAW OR EQUITY, WITH RESPECT TO VEHICLES OR OTHER PRODUCTS SOLD BY PIERCE, OR THEIR OPERATION OR FAILURE TO OPERATE, OR ANY DEFECTS THEREIN, OR ANY UNDERTAKINGS, ACTS OR OMISSIONS RELATED THERETO, REGARDLESS OF WHETHER PIERCE HAS BEEN INFORMED OF THE POSSIBILITY OF ANY SUCH DAMAGES. Without limiting the generality of the foregoing, Pierce specifically disclaims any liability for property or personal injury damages, penalties, damages for lost profits or revenues, loss of vehicles or products or any associated equipment, cost of substitute vehicles or products, down-time, delay damages, any other types of economic loss, or for any claims by any third party for any such damages.

Note: Any Surety Bond, if a part of the sale of the vehicle as to which this limited warranty is provided, applies only to this Pierce Basic One Year Limited Warranty for such vehicle, and not to other warranties made by Pierce in a separate document (if any) or to the warranties (if any) made by any manufacturer (other than Pierce) of any part, component, attachment or accessory that is incorporated into or attached to the vehicle.

This limited warranty shall apply only if the product is properly maintained in accordance with Pierce's maintenance instructions and manuals and is used in service which is normal to the particular model. Normal service means service which does not subject the product to stresses or impacts greater than normally result from careful use. If the Buyer discovers a defect or nonconformity, it must notify Pierce in writing within thirty (30) days after the date of discovery, but in any event prior to the expiration of the warranty period. THIS LIMITED WARRANTY MAY NOT BE ASSIGNED OR OTHERWISE TRANSFERRED BY THE BUYER TO ANY SUBSEQUENT USER OR PURCHASER OR TO ANY OTHER PERSON OR ENTITY.

MERITOR® COMMERCIAL VEHICLE SYSTEMS

WARRANTY/MODEL YEAR 2018 VEHICLES



MERITOR





WARRANTY INFORMATION CONTENTS

Effective Model Year 2018 Vehicles

Linehaul	3-4
General Service	5-6
Heavy Service.....	7-8
Off-Highway Service.....	9
Terms and Conditions.....	10

How to Read Warranty Coverage

Number of Years	Mileage (in thousands) Unl=Unlimited	P=Parts Only P&L=Parts & Labor
-----------------	---	-----------------------------------

Notice:

Models or components that are approved for use by Meritor’s vocational guidelines contained in Meritor Publication TP-9441 for axles, SP-8320 for trailer axles, TP-12126 for drivelines, which are not specifically listed, are warranted for one year, unlimited miles, parts only (1/Unl/P).

Products purchased on an incomplete vehicle (glider) are limited to one year, unlimited miles parts only (1/Unl/P).

Advantage Program

Purchasing additional coverage on select components will continue to safeguard your investment against major repair costs after the initial base coverage expires. You can find out more about the Advantage Program by visiting www.meritor.com or by contacting Meritor at 866-OnTrac1 (866-668-7221).



LINEHAUL WARRANTY INFORMATION

Linehaul Vehicles

- Auto Hauler
- Bulk Hauler
- Chip Hauler (Truck)*
- Doubles
- Flatbed
- General Freight
- Grain Hauler
- Livestock Hauler
- Moving Van
- Pipe Hauler
- Refrigerated Freight
- Tanker
- Triples

* Chip Hauler vehicles require specific axle models listed below and Linehaul condition to be eligible for Linehaul warranty consideration.

Linehaul Typically Is

- High mileage operation (over 60,000 miles/year)
- Well maintained major highways of concrete or asphalt construction
- Greater than 30 miles between starting and stopping

Coverage under Meritor's warranty require that the application of products be properly approved pursuant to OEM and Meritor approvals. Refer to TP-9441 for axles, SP-8320 for trailer axles, TP-12126 for drivelines, and/or contact Meritor regarding specific application approval questions on any product line.

Front Non-Drive Steer Axles – 5/750/P&L

FD-965	FF-966	MFS-10-144A-N	MFS-12-132C-N	MFS-13-122C-N	MFS-14-143A-N
FF-941	FF-967	MFS-12-122A-N	MFS-12-143A-N	MFS-13-132B-N	
FF-942	FG-941	MFS-12-122B-N	MFS-12E-143A-N	MFS-13-132C-N	
FF-943	FG-943	MFS-12-122C-N	MFS-12-144A-N	MFS-13-143A-N	
FF-944	MFS-10-122A	MFS-12E-122A-N	MFS-13-122A-N	MFS-13-144A-N	
FF-961	MFS-10-143A-N	MFS-12-132B-N	MFS-13-122B-N	MFS-14-122A-N	

Rear Drive Single Axles – 5/750/P&L

RS-19-144/145/A	RS-21-160
MS-19-14X	RS-23-160
MS-21-144	RS-23-161
RS-21-145	RS-23-186

Rear Drive Tandem/Tridem Axles – 5/750/P&L

RT-34-144/P/A	MA-40-165	MT-40-943
RT-40-145/A	MA-40-175	MT-40-943-SP
RT-40-160/P ^{1,2}	MT-34-14X/P	RZ-166 ²
RT-46-160/P ^{1,2}	MT-40-14X/P	RZ-188
RT-46-164EH/P ^{1,2}	MT-40-14X/P	
RT-50-160/P ^{1,2}	MT-40-144/P	

Drivelines

RPL	5/500/P, 1/Unl/P&L
MXL	3/350/P, 1/Unl/P&L
155N	1/Unl/P
92N	1/Unl/P

¹ These models required for Chip Hauler and Linehaul warranty consideration.
² Each vehicle must have a Request for Application Recommendation (RAR) approved by Meritor prior to vehicle build. All RARs must identify the chassis number or VIN. Refer to Product Information Letter #303 and #396 for further details.



LINEHAUL WARRANTY INFORMATION

Brake Components

Cam Q Series Trailer Brakes	5/500/P, 1/100/L
LX500 Feature ¹	5/750/P&L
Q+ Drum Brake™	5/500/P, 1/Unl/P&L
ASA	5/500/P, 1/Unl/P&L
Hubs/Cast Drums and Other Wheel-end Components	1/Unl/P
Hydraulic Disc Brakes	1/Unl/P
All Other Brakes	1/Unl/P
STEELite X30 Drum Brake™ ²	12-Years or Wearable Life/P
EX+ Air Disc Brake™	5/500/P, 1/Unl/L

¹ Includes: bushing, seal, cam, ASA lubrication and wear coverage of 3/500/P&L.

² Based on stamped wear diameter max.

Trailer Axles

Beam and Brackets	5/500/P, 1/100/L
Wheel End Systems ¹	
Standard System ²	1/100/P&L
PreSet by Meritor ³	5/500/P&L
AxlePak ⁴	5P/L
AxlePak ⁵	7P/L

¹ Includes hub, wheel seals and wheel bearings—all systems require annual inspections and proper documentation to ensure full coverage.

² When installed by Meritor.

³ Requires approved hubcap stating PreSet by Meritor on hubcap face.

⁴ When specified with AxlePak5 wheel end system, coverage on MTIS thru-tee and stator is 5/500P, 3/500L.

⁵ When specified with AxlePak7 wheel end system, coverage on MTIS thru-tee and stator is 7/750P, 3/500L.

(For brake components and ABS coverage, refer to appropriate product warranties.)

TAG/Pusher Axles¹

TQ, TQD, TR, TRD Beam and Brackets	5/750/P&L
------------------------------------	-----------

¹ For brake components and ABS Coverage, refer to appropriate product warranties.

Meritor Tire Inflation System by PSI

MTIS Components	3/500/P&L
-----------------	-----------

Trailer Air Suspension Systems

MPA38/40 (Tandem Axle Parallelogram) ¹	
Major Structural Components	5/500/P, 1/100/L
Curbing Damage Warranty ²	5/500/P, 1/100/L
Height Control Valve	1/100/P&L
Shock Absorbers	2/200/P&L
Air Springs	2/200/P, 1/100/L
Bushings	7/700/P, 5/500/L
PinLoc Air Controls	1/100/P&L
PinLoc Actuator	3/300/P&L
MPA20 (Single Axle Parallelogram)	
Major Structural Components	5/500/P, 1/100/L
Height Control Valve	1/100/P&L
Shock Absorbers	2/200/P&L
Air Springs	2/200/P, 1/100/L
Bushings	7/700/P, 5/500/L
MTA (Trailing Arm)	
Major Structural Components	5/500/P, 1/100/L
Height Control Valve	1/100/P&L
Shock Absorbers	2/200/P&L
Air Springs & Rebound Straps	2/200/P, 1/100/L
Bushings	5/500/P, 3/300/L

¹ Fastener torque coverage is limited to 2/Unl P&L when torqued by Meritor (For axle and ABS coverage, refer to appropriate product warranties.)

² “Curbing damage” is defined as deformation (bending, buckling, or breakage), caused by sudden impact with a curb or similar fixed object. Damage to the RideSentry slider box (the suspension sliding subframe, consisting of the frame rails, crossmembers, and central A-frame assembly), caused by accidental trailer impact with a curb or similar fixed object, is eligible for warranty coverage. Damage to other components or damage resulting from collision with another vehicle, rollover or fire is not covered under this provision. Warranty is not transferrable to another trailer VIN, and coverage does not apply if the trailer is deemed to be a total loss, scrapped, or otherwise not salvageable.



GENERAL SERVICE WARRANTY INFORMATION

General Service Vehicles

- Aerial Ladder Truck
- Aerial Platform
- Ambulance
- Auto Hauler
- Beverage Truck
- Chip Hauler
- Cross Country Coach
- Flatbed
- Front Engine Commercial Chassis
- Front Engine Integral Coach
- General Freight
- Intercity Coach
- Intermodal Chassis
- Livestock Hauler
- Meat Packer
- Moving Van
- Municipal Truck
- Newspaper Delivery
- Pick-Up and Delivery
- Pipe Hauler
- Platform Auto Hauler
- Pumper
- Rear Engine Integral Coach
- Recreational Vehicles
- Refrigerated Freight
- School Bus
- Stake Truck
- Tanker
- Tanker Truck
- Tour Bus
- Wrecker

General Service Typically Is

- Lower mileage operations (less than 60,000 miles/year)
- Generally, on-road service (less than 10% off-road)
- An average of three (3) miles between starting and stopping

Coverage under Meritor's warranty require that the application of products be properly approved pursuant to OEM and Meritor approvals. Refer to TP-9441 for axles, SP-8320 for trailer axles, TP-12126 for drivelines, and/or contact Meritor regarding specific application approval questions on any product line.

Front Drive/Non-Drive Steer Axles – 2/Uni/P&L

FD-965	FH-941	MFS-7-153C-N	MFS-12E-122A-N	MFS-13-122C-N	MFS-18-135A-N
FF-941	FH-946 ¹	MFS-7-163C-N	MFS-12-122B-N	MFS-13-132B-N	MFS-18-193A-N
FF-942	FL-941	MFS-8-113B-N	MFS-12-122C-N	MFS-13-132C-N	MFS-20-133A-N
FF-943	FL-943	MFS-8-143A-N	MFS-12-132B-N	MFS-13-143A-N	MFS-20-135A-N
FF-944	MFS-6-151A-N	MFS-8-153B-N	MFS-12-132C-N	MFS-13-144A-N	MFS-20H-193A-N
FF-946	MFS-6-153B-N	MFS-8-163B-N	MFS-12-143A-N	MFS-14-122A-N	MFS-22H-135A-N
FF-961	MFS-6-162B-N	MFS-10-122A	MFS-12-144A-N	MFS-14-143A-N	MFS-22H-193A-N
FF-966	MFS-6-153C-N	MFS-10-143A-N	MFS-12E-143A-N	MFS-16-122A-N	
FF-967	MFS-6-162C-N	MFS-10-144A-N	MFS-13-122A-N	MFS-16-143A-N	
FG-941	MFS-7-113C-N	MFS-12-122A-N	MFS-13-122B-N	MFS-18-133A-N	

¹ Can also be used with reduced steer angles in tag position in Coach Applications.

Rear Drive Single Axles – 2/Uni/P&L

MS-17-13X	MS-21-144	RC-23-162 ¹	MS-26-616	79163
MS-17-14X	MS-23-17X	RC-23-165 ¹	MS-26-616-SP	
MS-19-13X	RS-21-145/A	RS-23-160	RS-30-185	
MS-19-14X	RS-21-160	RS-23-161	MS-30-616	
RS-17-144/145/A	RC-22-145	RS-23-186	MS-30-616-SP	
RS-19-144/145/A	RC-22-145/A	RS-24-160	RS-35-380	
MS-21-13X	RC-23-160	RC-25-160	71162	
MS-21-14X	RC-23-161	RS-26-185	71163	

¹ 3/Uni/P&L if PreSet by Meritor.

Rear Drive Tandem – 3/Uni/P&L

RT-40-160/P	RT-46-164EH/P
RT-46-160/P	RT-50-160/P

Drivelines

RPL	4/400/P, 1/Uni/P&L
MXL	3/350/P, 1/Uni/P&L
155N	1/Uni/P
92N	1/Uni/P

Rear Drive Tandem/Tridem Axles – 2/Uni/P&L

MT-34-14X/P	MT-44-14X/P	MT-58-616
RT-34-144/P/A	RT-44-145/P	RT-58-185 ¹
MT-40-14X/P	RT-46-169	MT-70-380
MT-40-144/P	MT-52-616	RZ-166
RT-40-145/A	RT-52-185 ¹	RZ-188

¹ Each vehicle must have a Request for Application Recommendation (RAR) approved by Meritor prior to vehicle build. All RARs must identify the chassis number or VIN. Refer to Product Information Letter #303 and #396 for further details.



GENERAL SERVICE WARRANTY INFORMATION

Brake Components

Cam Q Series Trailer Brakes	3/Unl/P, 1/Unl/L
LX500 Feature ¹	3/Unl/P&L
Cam P ³	2/200/P
Cam	3/Unl/P
Q+ Drum Brake™	3/Unl/P&L
Q+ Drum Brake™ ³	2/200/P&L
ASA	3/Unl/P
ASA ³	2/200/P
Hubs/Cast Drums and Other Wheel-end Components	1/Unl/P
Hydraulic Disc Brakes	1/Unl/P
All Other Brakes	1/Unl/P
STEELite X30 Drum Brake™ ²	12-Years or Wearable Life/P
EX+ Air Disc Brake™	2/Unl/P&L

¹ Includes: bushing, seal, cam, ASA lubrication and wear coverage of 1/Unl/P.

² Based on stamped wear diameter max.

³ Applies to Tour Bus and Cross Country Coach only.

Trailer Axles

Beam and Brackets ¹	5/Unl/P, 1/Unl/L
Wheel End Systems ²	
Standard System ³	1/Unl/P&L
AxlePak ⁴	5P/L
AxlePak ⁵	7P/L

¹ 9000 Series is 3/Unl/P, 1/Unl/L

² Includes hub, wheel seals and wheel bearings—all systems require annual inspections and proper documentation to ensure full coverage.

³ When installed by Meritor.

⁴ When specified with AxlePak5 wheel end system, coverage on MTIS thru-tee and stator is 5/500P, 3/500L.

⁵ When specified with AxlePak7 wheel end system, coverage on MTIS thru-tee and stator is 7/750P, 3/500L.

(For brake components and ABS coverage, refer to appropriate product warranties.)

Chassis Axles (2000 Series/ChassiPak)

Beam & Brackets	6/Unl/P, 1/Unl/L
Wheel End Systems ¹	
Standard System	1/Unl/P&L
AxlePak7	7P/L
Beam and Brackets	7P/1L

¹ Includes hub, wheel seals and wheel bearings—all systems require annual inspections and proper documentation to ensure full coverage.

Trailer Air Suspension Systems

MPA38/40 (Tandem Axle Parallelogram) ¹	
Major Structural Components	5/Unl/P, 1/Unl/L
Curbing Damage Warranty ²	5/500/P, 1/100/L
Height Control Valve	1/Unl/P&L
Shock Absorbers	2/Unl/P&L
Air Springs	2/Unl/P, 1/Unl/L
Bushings	7/700/P, 5/500/L
PinLoc Air Controls	1/Unl/P&L
PinLoc Air Actuator	3/Unl/P&L
MPA20 (Single Axle Parallelogram)	
Major Structural Components	5/Unl/P, 1/Unl/L
Height Control Valve	1/Unl/P&L
Shock Absorbers	2/Unl/P&L
Air Springs	2/Unl/P, 1/Unl/L
Bushings	7/700/P, 5/500/L
MTA (Trailing Arm)	
Major Structural Components	5/Unl/P, 1/Unl/L
Height Control Valve	1/Unl/P&L
Shock Absorbers	2/Unl/P&L
Air Springs and Rebound Straps	2/Unl/P, 1/Unl/L
Bushings ³	5/Unl/P, 3/Unl/L

(For axle and ABS coverage, refer to appropriate product warranties.)

¹ Fastener torque coverage is limited to 2/Unl P&L when torqued by Meritor

² "Curbing damage" is defined as deformation (bending, buckling, or breakage), caused by sudden impact with a curb or similar fixed object. Damage to the RideSentry slider box (the suspension sliding subframe, consisting of the frame rails, crossmembers, and central A-frame assembly), caused by accidental trailer impact with a curb or similar fixed object, is eligible for warranty coverage. Damage to other components or damage resulting from collision with another vehicle, rollover or fire is not covered under this provision. Warranty is not transferrable to another trailer VIN, and coverage does not apply if the trailer is deemed to be a total loss, scrapped, or otherwise not salvageable.

³ Raw wood applications 3/Unl/P, 1/Unl/L

TAG/Pusher Axles

TQ, TQD, TR, TRD Beam and Brackets ¹	3/Unl/P, 1/Unl/L
MC12002, MC14002, MC16003, FH946	2/Unl/P&L

(For brake components and ABS coverage, refer to appropriate product warranties.)

¹ 3/UNL/P&L if sold with PreSet by Meritor.

Meritor® Tire Inflation System by PSI

MTIS Components	3/500/P&L
-----------------	-----------



HEAVY SERVICE WARRANTY INFORMATION

Heavy Service Vehicles

- Airport Rescue Fire (ARF)
- Airport Shuttle
- Asphalt Truck
- Block Truck
- Bottom Dump Trailer Combination
- Cementing Vehicle
- City Bus
- Commercial Pick-Up
- Concrete Pumper
- Construction Material Hauler
- Crash Fire Rescue (CFR)
- Mixer
- Demolition
- Drill Rig
- Dump
- Emergency Service
- Equipment Hauling
- Flatbed Trailer Hauler
- Flatbed Truck
- Fracturing Truck
- Front Loader
- Geophysical Exploration
- Hopper Trailer Combinations
- Landscaping Truck
- Liquid Waste Hauler
- Log Hauling
- Lowboy
- Michigan Special Gravel Trains
- Michigan Special Log Hauler
- Michigan Special Steel Hauler
- Michigan Special Waste Vehicle
- Municipal Dump
- Rapid Intervention Vehicle (RIV)
- Rear Loader (Refuse)
- Recycling Truck
- Residential Pick-Up (Refuse)
- Rigging Truck
- Roll-Off
- Scrap Truck
- Semi-End Dump
- Sewer/Septic Vacuum
- Shuttle Bus
- Side Loader
- Snowplow/Snowblower
- Steel Hauling
- Tanker
- Tank Truck
- Tractors with Pole Trailers
- Tractor/Trailer with Jeeps
- Transfer Dump
- Transfer Vehicle
- Transit Bus
- Trolley
- Utility Truck
- Winch Truck

Heavy Service Typically Is

- Moderate mileage operation (less than 60,000 miles per year)
- On/Off road vocations (10% or more off-road)
- Moderate to frequent stops/starts (up to 10 stops per mile)

Coverage under Meritor's warranty require that the application of products be properly approved pursuant to OEM and Meritor approvals. Refer to TP-9441 for axles, SP-8320 for trailer axles, TP-12126 for drivelines, and/or contact Meritor regarding specific application approval questions on any product line.

Front Drive/Non-Drive Steer Axles – 2/Unl/P&L

FD-965	FH-941	MFS-8-113B-N	MFS-12-132C-N	MFS-13-155	MFS-22H-135A-N	MX-17-140
FF-941	FH-946	MFS-8-153B-N	MFS-12-143A-N	MFS-14-122	MFS-22H-193A-N	MX-19-140
FF-942	FL-941	MFS-8-163B-N	MFS-12-144A-N	MFS-14-143A-N	RF-16-145	MX-21-140
FF-943	FL-943	MFS-10-122A	MFS-12-155	MFS-16-122A-N	RF-21-160	MX-21-160
FF-944	MFS-6-151A-N	MFS-10-143A-N	MFS-13-122	MFS-16-143A-N	MX-10-120	MX-23-160
FF-946	MFS-6-153B	MFS-10-144A-N	MFS-13-122B-N	MFS-18-133A-N	MX-10-120 EVO	MX-810
FF-961	MFS-6-162B	MFS-12-122	MFS-13-122C-N	MFS-18-135A-N	MX-12-120	
FF-966	MFS-6-162C	MFS-12-122B-N	MFS-13-132B-N	MFS-18-193A-N	MX-12-120 EVO	
FF-967	MFS-7-113C-N	MFS-12-122C-N	MFS-13-132C-N	MFS-20-133A-N	MX-14-120	
FG-941	MFS-7-153C-N	MFS-12E-122	MFS-13-143A-N	MFS-20-135A-N	MX-16-120	
FG-943	MFS-7-163C-N	MFS-12-132B-N	MFS-13-144A-N	MFS-20H-193A-N	MX-18-120	

Drivelines

RPL	3/Unl/P, 1/Unl/P&L
92N	1/Unl/P&L
MXL	1/Unl/P&L

Rear Drive Single Axles – 2/Unl/P&L

MS-17-14X	RS-23-160	MS-30-616-SP
RS-17-144/145/A	RC-23-161	RS-30-185/380
MS-19-14X	RS-23-161	MS-35-380
RS-19-144	RS-23-186/380	RS-38-380
MS-21-114	RC-23-162	RC-25-160
MS-21-14X	RC-23-165	RC-26-633
RS-21-145	RS-24-160	MT-58-616
RS-21-145/A	RS-25-160	MT-58-616-SP
RS-21-160	MS-26-616	71162
RC-22-145	MS-26-616-SP	71163
RC-23-160	RS-26-185/380	79163
RH-23-160	MS-30-616	



HEAVY SERVICE WARRANTY INFORMATION

Rear Drive Tandem/Tridem Axles – 2/Unl/P&L

MT-34-14X/P	RT-44-145/P	MT-58-616	RZ-166
RT-34-144/P/A	RT-46-169	MT-58-616-SP	RZ-188
MT-40-14X/P	MT-52-616	RT-58-185/380 ^{1,2}	
RT-40-145/A	MT-52-616-SP	RT-70-380	
MT-44-14X/P	RT-52-185/380 ^{1,2}	MT-70-380	

¹ Axle model designated will vary according to options and variations specified on these axles. Contact Meritor Axle Applications Engineering for details.

² Each vehicle must have a Request for Application Recommendation (RAR) approved by Meritor prior to vehicle build. All RARs must identify the chassis number or VIN. Refer to Product Information Letter #303 and #396 for further details.

Brake Components

Cam P	3/Unl/P
Cam P ³	2/100/P
Cam Cast Plus™	2/100/P&L
Q+ Drum Brake™	3/Unl/P&L
Q+ Drum Brake™ ²	2/100/P&L
ASA	3/Unl/P
ASA ²	2/100/P
Hubs/Cast Drums and Other Wheel-end Components	1/Unl/P
Hydraulic Disc Brakes	1/Unl/P
All Other Brakes	1/Unl/P
EX+ Air Disc Brake	2/100/P&L

¹ Based on stamped wear diameter max.

² Applies to City Bus, Trolley, Shuttle Bus and Airport Shuttle only.

³ Warranty for all non-Meritor ASAs supplied by Meritor for all Heavy Service vocations is 1/100/P.

Transfer Cases – 1/Unl/P

MTC-4208	MTC-4213	T-2119
MTC-4210	T-2111	

Rear Drive Tandem – 3/Unl/P&L

RT-40-160/P/A ³
RT-46-160/P/A ^{1,3}
RT-46-164EH/P/A ^{2,3}
RT-50-160/P/A ³

¹ U.S. only. Canadian warranty = 1/Unl/P for combination vehicles only.

² Axle model designated will vary according to options and variations specified on these axles. Contact Meritor Axle Applications Engineering for details.

³ Each vehicle must have a Request for Application Recommendation (RAR) approved by Meritor prior to vehicle build. All RARs must identify the chassis number or VIN. Refer to Product Information Letter #303 and #396 for further details.

Meritor Tire Inflation System by PSI

MTIS Components	3/500/P&L
-----------------	-----------

Trailer Air Suspension Systems

MTA (Trailing Arm)	
Major Structural Components ¹	5/Unl/P, 1/Unl/L
Height Control Valve	1/Unl/P&L
Shock Absorbers	2/Unl/P&L
Air Springs	2/Unl/P, 1/Unl/L
Bushings ¹	5/Unl/P, 3/Unl/L

¹ Raw wood applications 3/Unl/P, 1/Unl/L

(For axle and ABS coverage, refer to appropriate product warranties.)

Center Non-drive Axles – 2/Unl/P&L

MC26000
71063
79063

Trailer Axles

Beam and Brackets ¹	5/Unl/P, 1/Unl/L
Wheel End Systems ²	
Standard System ³	1/Unl/P&L

¹ 9000 Series is 3/Unl/P, 1/Unl/L.

² Includes hub, wheel seals and wheel bearings—all systems require annual inspections and proper documentation to ensure full coverage.

³ When installed by Meritor.

(For brake components and ABS coverage, refer to appropriate product warranties.)



OFF-HIGHWAY SERVICE WARRANTY INFORMATION

Industrial And Off-Highway Service Vehicles

- Load-On/Load-Off
- Port Tractor
- Rail Yard Spotter
- Roll-On/Roll-Off
- Stevedoring Tractor
- Trailer Spotter
- Yard Jockey
- All-Terrain Crane
- Rough Terrain Crane
- Forestry
- Material Handling
- Specialized Heavy Haul
- Specialized Mining
- Excavator
- Compactor
- Fertilizer Spreader
- Snow Blower
- Mining
- Rail Car Mover
- Loader
- Tow Tractor
- Pushback Tractor

Industrial And Off-Highway Service Typically Is

- Low mileage operation
- Low speed vehicle speed restriction
- Vehicles are **not** typically licensed for highway use
- Six (6) starts/stops per mile (typical)

Coverage under Meritor's warranty require that the application of products be properly approved pursuant to OEM and Meritor approvals. Refer to TP-9441 for axles, TP-12126 for drivelines, and/or contact Meritor regarding specific application approval questions on any product line.

Drive Steer Axles – 1/Unl/P

MOR	MOX	MOC
-----	-----	-----

Front Non-Drive Steer Axles – 1/Unl/P

FF - 941	MFS-12-143A-N	MFS-18-135A-N
FF - 943	MFS-12-144A-N	MFS-18-193A-N
FF - 961	MFS-13-143A-N	MFS-20-133A-N
FF - 966	MFS-13-144A-N	MFS-20-135A-N
FG - 941	MFS-14-143A-N	MFS-20H-193A-N
FG - 943	MFS-16-122A-N	MFS-22H-135A-N
FL - 941	MFS-16-143A-N	MFS-22H-193A-N
FL - 943	MFS-18-133A-N	MON-ZO FAMILY

Planetary Axles – 1/Unl/P

MOR	MOX	MOC	MOT
-----	-----	-----	-----

Rear Drive Single Axles – 1/Unl/P

RS-23-186	RS-24-160-SP	RS-30-185
RS-23-380	MS-30-616	RS-30-380
RS-24-160	MS-30-616-SP	MS-35-380

Drivelines – 1/Unl/P

RPL	MXL
-----	-----

Rear Drive Tandem Axles – 2/Unl/P

MT-44-14X/P	MT-58-616	RT-44-145/P	RT-50-160/P
MT-52-616	MT-58-616-SP	RT-46-160/P	RZ-166
MT-52-616-SP	MT-70-380	RT-46-164EH/P	

Brake Components

Cam P	3/Unl/P
Q+ Drum Brake™	3/Unl/P&L
ASA	3/Unl/P
Hubs/Cast Drums and Other Wheel-end Components	1/Unl/P
Hydraulic Disc Brakes	1/Unl/P
All Other Brakes	1/Unl/P



TERMS AND CONDITIONS

Coverage Exclusions

Product Description

All

The cost of any repairs, replacements or adjustments to a covered component (1) associated with noise; (2) resulting from the use or installation of non-genuine Meritor components or materials; (3) due to vibration associated with improper operation or misapplication of drivetrain components; and (4) damage resulting from corrosion.

For axle assemblies supplied by Meritor with suspension and interface brackets designed and/or attached by non-Meritor parties, Meritor warranty coverage does not apply to the brackets, bracket attachment methods, and field issues caused by brackets or bracket attachments to any covered component unless specified in a separate OEM agreement.

Front Axles

King Pin Bushings.

Rear Axles

Self-contained traction equalizers and oil filters. The use of NoSPIN differentials will result in the exclusion of axle shafts from warranty considerations. NoSPIN is a product of Eaton.

ASA

Boot and bushing. Bent, broken, over-torqued, missing or otherwise damaged pawl assemblies.

Cam Brake

Brake lining wear and brake shoe “rust-jacking.”

Disc Brake

Pad wear, rotor wear.

Coverage Limitations

Product Description

All

Any claim beyond 60 days from date of repair will not be accepted or honored under this warranty program. Products purchased on an incomplete vehicle (glider) are limited to one year, unlimited miles parts only (1/Unl/P).

Front Axles

Tie rod and tie rod ends limited to 3-year/300,000-mile or published vocational coverage, whichever is less. Wheel seals, gaskets and wheel bearings are covered for 1 year/unlimited miles if the wheel end equipment is supplied and assembled by Meritor.

Rear Axles

Pinion and through shaft seals limited to 3-year/300,000-mile or published vocational coverage, whichever is less, if yoke is installed by Meritor. If yoke is not installed by Meritor, then Meritor does not warrant pinion seals. Wheel seals, gaskets and wheel bearings are covered for 1 year/unlimited miles if the wheel end equipment is supplied and assembled by Meritor.

Rear Axles

The Meritor® breather part number A-2297-C-8765 with A-3196-J-1336 hose must be used for eligibility of any potential warranty consideration relating to contamination and/or loss of lube in axles.

Cam Brake

Limited to bracket, brake spider and camshaft structural integrity.

STEELite X30

Wearable life is up to the discard diameter of the drum.

Disc Brake

Warranty coverage for boots, seals, bushings and pins is 2/200/P. Warranty coverage for pads is 1/100/P.

Warranty coverage on vehicles with 1,850 lb-ft engine torque and over may be reduced on individual drivetrain components. Contact your Meritor representative for specific details.

TERMS AND CONDITIONS

(1) What is Covered by this Commercial Warranty?

Meritor Inc. warrants to the owner ("Owner") that the components listed in this publication, which have been installed by an Original Equipment Manufacturer ("OEM") as original equipment in vehicles licensed for on-highway use, will be free from defects in material and workmanship. This warranty coverage begins only after the expiration of the OEM's vehicle warranty for the applicable covered components. Warranty coverage ends at the expiration of the applicable time period from the date of vehicle purchase by the first Owner, or, the applicable mileage limitation, whichever occurs first. Duration of coverage varies by component and vocation as detailed elsewhere in this warranty statement.

Some components are warranted for parts only and the Owner must pay any labor costs associated with the repair or replacement of the component. Other components are warranted for both parts and reasonable labor to repair or replace the subject component. Components (whether new, used or remanufactured) installed as replacements under this warranty are warranted only for the remainder of the original period of time or mileage under the original warranty.

For certain components, coverage requires the use of specific extended drain interval or synthetic lubricants. For further information about lubrication and maintenance, see Meritor publication Maintenance Manual Number 1 and the applicable Meritor maintenance manual for the product in question. Other conditions and limitations applicable to this warranty are detailed below.

(2) Designation of Vocational Use Required.

To obtain warranty coverage, each Owner must notify Meritor through the OEM new truck and/or trailer dealer of the intended vocational use of the vehicle into which the Meritor components have been incorporated prior to the vehicle in-service date. This notification may be accomplished by registering the vehicle through your OEM new truck and/or trailer dealer or with Meritor directly. Failure to notify Meritor of (I) the intended vocational use of the vehicle or (II) a change in vocational use from that which was originally designated, will result in the application of a one year, unlimited mileage, parts only warranty (1/Unl/P) from the initial in-service date.

A second Owner and each subsequent Owner must also notify Meritor as to the intended vocational use of the vehicle. This notification can be sent directly to Meritor or through the OEM new truck and/or trailer dealer. The duration and mileage coverage of this warranty cannot exceed the coverage extended to the first Owner after his or her initial designation of vocational use.

Coverage under Meritor's warranty requires that the application of products be properly approved pursuant to OEM and Meritor approvals. Refer to TP-9441 for axles, SP-8320 for trailer axles, TP-12126 for drivelines, and/or contact Meritor regarding specific application approval questions on any product line.

(3) What is the Cost of this Warranty?

There is no charge to the Owner for this warranty.

(4) What is not Covered by this Warranty?

This warranty does not cover normal wear and tear; nor does it cover a component that fails, malfunctions or is damaged as a result of (I) improper installation, adjustment, repair or modification (including the use of unauthorized attachments or changes or modification in the vehicle's configuration, usage, or vocation from that which was originally approved by Meritor), (II) accident, natural disaster, abuse, or improper use (including loading beyond the specified maximum vehicle weight or altering engine power settings to exceed the axle and/or driveline capacity), or (III) improper or insufficient maintenance (including deviation from approved lubricants, change intervals, or lube levels). This warranty does not cover any component or part that is not sold by Meritor. For vehicles that operate full or part time outside of the United States and Canada, a one year, unlimited mileage, parts only warranty (1/Unl/P) will apply.

(5) Remedy.

The exclusive remedy under this warranty shall be the repair or replacement of the defective component at Meritor's option. Meritor reserves the right to require that all applicable failed materials are available and/or returned to Meritor for review and evaluation.

(6) Disclaimer of Warranty.

THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES OR CONDITIONS, EXPRESSED, IMPLIED OR STATUTORY INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE.

(7) Limitation of Remedies.

In no event shall Meritor be liable for special, incidental, indirect, or consequential damages of any kind or under any legal theory, including, but not limited to, towing, downtime, lost productivity, cargo damage, taxes, or any other losses or costs resulting from a defective covered component.

(8) To Obtain Service.

If the Owner discovers within the applicable coverage period a defect in material or workmanship, the Owner must promptly give notice to either Meritor or the dealer from which the vehicle was purchased. To obtain service, the vehicle must be taken to any participating OEM new truck and/or trailer dealer or authorized Meritor service location. The dealer will inspect the vehicle and contact Meritor for an evaluation of the claim. When authorized by Meritor, the dealer will repair or replace during the term of this warranty any defective Meritor component covered by this warranty.

(9) Entire Agreement.

This is the entire agreement between Meritor and the Owner about warranty and no Meritor employee or dealer is authorized to make any additional warranty on behalf of Meritor. This agreement allocates the responsibilities for component failure between Meritor and the Owner.

Vehicle models, brands and names depicted herein are the property of their respective owners, and are not in any way associated with Meritor, Inc., or its affiliates.



Meritor Heavy Vehicle Systems, LLC
2135 West Maple Road
Troy, Michigan 48084 USA

For more information:
call Ontrac at 866-668-7221
or visit meritor.com

©2017 Meritor, Inc.
Litho in USA, SP-95155
Revised 01-17 (47865/11900)



Proposal Option List

Customer: CARSON CITY NEVADA
Representative Kowatch, Thom
Organization: Superior Equipment
Requirements Manager: ,
Description: Carson City Quantum New Build
Body: Pumper, Medium, Aluminum, 2nd Gen
Chassis: Quantum Chassis, 2010

Bid Number: 211
Job Number:
Number of Units: 1
Bid Date: 07-03-2017
Stock Number:
Price Level: 37 (Current: 37)

Line	Option	Type	Option Description	Qty
1	0671399		Boiler Plates, Pumper Fire Department/Customer - Carson City Operating/In conjunction W-Service Center - In Conjunction Miles - 500 Miles Number of Fire Dept/Municipalities - 5 Bidder/Sales Organization - Superior Equipment Delivery - Delivery representative Dealership/Sales Organization, Service - Superior Equipment	1
2	0661794		Single Source Compliance	1
3	0584456		Manufacture Location, Appleton, Wisconsin	1
4	0584452		RFP Location: Appleton, Wisconsin	1
5	0588609		Vehicle Destination, US	1
6	0610784		Comply NFPA 1901 Changes Effective Jan 1, 2016, With Exceptions	1
7	0533347		Pumper/Pumper with Aerial Device Fire Apparatus	1
8	0588611		Vehicle Certification, Pumper	1
9	0661778		Agency, Apparatus Certification, Pumper/Tanker, U.L.	1
10	0000000	STF	Weekly Photo Reports PUMPER *****	1
11	0007289		Delivery Location - Carson City Fleet Shop Fill in Blank - TBD	1
12	0000114		Inspection Trip(s) Qty, - 02 Fill in Blank - Two from CCFD plus salesperson.	2
13	0620362		Consortium, HGAC	1
14	0537375		Unit of Measure, US Gallons	1
15	0529326		Bid Bond, 10%, Pierce Built Chassis	1
16	0582697		Performance Bond, 100 Percent w/Warranty Bond, 1 Yr, and Payment Bond Percentage, Contract - 100	1
17	0000007		Approval Drawing	1
18	0002928		Electrical Diagrams	1
19	0559980		Quantum Chassis, 2010	1
20	0000110		Wheelbase Wheelbase - 181.50	1
21	0000070		GVW Rating GVW rating - 48,500	1
22	0000203		Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF	1
23	0020018		Frame Liner Not Req'd	1
24	0530446		Axle, Front, Meritor FL-943, 21,500#, w/assist, Qtm/AXT	1
25	0000549		Suspension, Front Spring, 21,500 lb, FL-943/MFS Axle/Dana	1
26	0000319		Shock Absorbers on Front Axle, Qtm/AXT/Imp/Vel	1
27	0000322		Oil Seals, Front Axle	1
28	0664500		Tires, Front, Goodyear, G296 MSA, 425/65R22.50, 20 ply, Fire Service Speed Rtnng	1
29	0660547		Wheels, Front, Accuride, 22.50" x 12.25", Aluminum, Hub Pilot	1
30	0530472		Axle, Rear, Meritor RS26-185, 27,000 lb	1
31	0544253		Top Speed of Vehicle, 68 MPH	1
32	0515564		Suspen, Rear, Standens, Spring, 27,000 lb	1
33	0000485		Oil Seals, Rear Axle	1
34	0677173		Tires, Rear, Goodyear, G291, 315/80R22.50, 20 ply, Single, Fire Service Spd Rtg	1
35	0654750		Wheels, Rear, Alcoa-Accuride, 22.50" x 9.00", Aluminum-Steel, Hub Pilot, Single	1
36	0568081		Tire Balancing, Counteract Beads	1
37	0602747		No Tire Pressure Indicator, Fire Department Omits, Non-NFPA 2016 Compliant	1

Line	Option	Type	Option Description	Qty
38	0003245		Axle Hub Covers w/center hole, S/S, Front Axle	1
39	0001960		Axle Hub Covers, Rear, S/S, High Hat (Pair)	1
40	0002000		Chains, Onspot, Automatic Tire, Custom	1
41	0052332		Covers, Lug Nut, Stainless Steel	1
42	0544802		Chocks, Wheel, SAC-44-E, Folding	1
			Qty, Pair - 01	
43	0544806		Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal	1
			Qty, Pair - 01	
			Location, Wheel Chocks - Left Side Rear Compt	
44	0010670		ABS Wabco Brake System, Single rear axle	1
45	0508676		Brakes, Meritor, EX225, 17", Disc Plus, Front	1
46	0509206		Brakes, Meritor, EX225, Disc Plus, Rear, Single Axle	1
47	0020784		Air Compressor, Brake, Cummins/Wabco 18.7 CFM	1
48	0000785		Brake Reservoirs, Three	1
49	0568012		Air Dryer, Wabco System Saver 1200, Heater, 2010	1
50	0000790		Brake Lines, Nylon	1
51	0000855		Air Inlet, w/Disconnect Coupling, Quantum	1
			Location, Air Coupling(s) - aa) DS Cab Corner	
			Qty, Air Coupling (s) - 1	
52	0610760		Engine, Cummins ISX12, 500 hp, 1645 lb-ft, W/OBD, EPA 2016, Qtm	1
53	0001244		High Idle w/Electronic Engine, Custom	1
54	0687994		Engine Brake, Jacobs Compression Brake, Cummins Engine	1
			Switch, Engine Brake - e) ISC/ISM/ISL9/ISX Hi Med Lo	
55	0691245		Air Intake, w/Ember separator, Qtm 2010	1
			Finish, Air Intake Grille - Bright Finish	
56	0565965		Exhaust System, 5", 2010 DD13, ISX engine, Horizontal, Right Side	1
57	0584204		Radiator, Quantum 2010	1
58	0001090		Cooling Hoses, Rubber	1
59	0001125		Fuel Tank, 65 Gallon, Left Side Fill	1
60	0001129		Lines, Fuel	1
61	0595087		DEF Tank, 4.5 Gallon, DS Fill, Forward of Rear Axle	1
			Door, Material & Finish, DEF Tank - Polished Stainless	
62	0552793		Not Required, Fuel Priming Pump	1
63	0552712		Not Required, Shutoff Valve, Fuel Line	1
64	0553019		Cooler, Engine Fuel, Imp/Vel, AXT/Qtm/Sab/DCF/SFR/Enf	1
65	0578959		Fuel/Water Separator, Racor Inline	1
66	0642580		Trans, Allison 5th Gen, 4000 EVS P, w/Prognostics, Quantum	1
67	0625331		Transmission, Shifter, 6-Spd, Push Button, 4000 EVS	1
68	0684459		Transmission Oil Cooler, Modine, External	1
69	0001375		Driveline, Spicer 1810	1
70	0562365		Joints, Universal, Half Round	1
71	0669989		Steering, Ross TAS-85 w/tilt, Eaton Pump, w/ Cooler	1
72	0001545		Steering Assist Cylinder on Front Axle	1
73	0509230		Steering Wheel, 4 Spoke without Controls	1
74	0690274		Logo/Emblem, on Dash	1
			Text, Row (1) One - (BLANK) NO TEXT	
			Text, Row (2) Two - CARSON CITY	
			Text, Row (3) Three - FIRE DEPT.	
75	0596518		Mud Flaps, Front	1
76	0550058		Bumper, 19" Extended, Quantum	1
77	0640197		Tray, Hose, Center, 19" Bumper, Outside Air Horns	1
			Grating, Bumper extension - Grating, Rubber	
			Capacity, Bumper Tray - 20) 125' of 1.75"	
78	0630809		Cover, Aluminum Treadplate, One (1) D-Ring Latch, Hose Tray, Notched	1
			Stay arm, Tray Cover - b) Pneumatic Stay Arm	
79	0002270		Tow Hooks, Chrome	1
80	0559725		Cab, Quantum, 2010, 6700	1
81	0677477		Rear Wall, Exterior, Cab, Brushed Stainless Steel	1
82	0598633		Cab Lift, Quantum, 2010, Body, Manual Back-Up, No Remote	1
83	0002224		Scuffplates, S/S At Cab Door Jambs, 4-Door Cab	1
			Material Trim/Scuffplate - c) S/S, Polished	
84	0087357		Molding, Chrome on Side of Cab	1

Line	Option	Type	Option Description	Qty
85	0521669		Mirrors, Retractable, West Coast Style, Htd/Rmt, w/Htd/Rmt Convex	1
86	0599728		Door, Half-Height, Quantum 4-Door Cab, Flat Roof	1
87	0655496		Door Panel, Brushed Stainless Steel, Quantum 4-Door Cab	1
88	0528958		Not Required, Controls, Electric Window, AXT, Quantum, Saber, Enforcer, Dash CF	1
89	0638814		Key Pad, Electric Door locks, DS, QXS, AXT, SAB, Dash CF	1
90	0677758	SP	Steps, 4-Door Cab, Fixed, Quantum 2010	1
91	0598728		Not Required, Fixed Steps	1
92	0650036		Not Req'd, Lights, Cab Access Steps, Included With Cab Perimeter Lights, Qtm	1
93	0002140		Fenders, S/S on Cab	1
94	0002066		Window, Side of Crew Cab, Fixed, Quantum-S	1
95	0012094		Windows, Delete Rear of Crew Cab	1
96	0606282		Shelf, Equipment Mounting, Aluminum, Lip, Size Location - One on each side of the forward facing EMS cabinet to extend to the outer walls of the cab (DS/PS). Height of shelves shall allow for 45" of free space below. See drawing. Qty, - 02 Size - 8" deep (drawing shows 7" and customer requests 8"). Workflow 211-EP5078932-9 Material Finish, Cab Interior - Painted Lip - 2.00"	2
97	0002277		Cab Interior, Vinyl, Quantum, CARE Color, Cab Interior Vinyl/Fabric - b) Light Gray	1
98	0012430		Cab Interior, paint color Color, Cab Interior Paint - i) fire smoke gray	1
99	0002068		Floor, Quantum Cab, Rubber Matting	1
100	0002288		Heater/defroster, Quantum	1
101	0002301		Heater, Crew cab Sab/Qtm	1
102	0690000		Air Conditioning, 2010 Quantum, Non-Raised Roof Paint Color, A/C Condenser - Painted by OEM	1
103	0597302		Sun Visor, Smoked Lexan, Qtm Sun Visor Retention - Polished S/S Bracket	1
104	0512738		Grab Handles, Driver Side Low & Officer's Side Low, QTM	1
105	0583938		Lights, Engine Compt, Custom, Auto Sw, WIn 3SCOCDRCR, 3" LED, Trim Qty, - 01	1
106	0583042		Side Roll and Frontal Impact Protection	1
107	0622619		Seating Capacity, 4 Seats	1
108	0697005		Seat, Driver, Pierce PS6, Premium, Air Ride, High Back, Safety	1
109	0696988		Seat, Officer, Pierce PS6, Premium, Air Ride, SCBA, Safety, Qtm 2010	1
110	0002517		Not Required, Radio Compartment	1
111	0122183		Seat, Rear Facing C/C, DS Outboard, Pierce PS6, Premium, SCBA, Safety	1
112	0102783		Not Required, Seat, Rr Facing C/C, Center	1
113	0122186		Seat, Rear Facing C/C, PS Outboard, Pierce PS6, Premium, SCBA, Safety	1
114	0108189		Not Required, Seat, Forward Facing C/C, DS Outboard	1
115	0199879		Cabinet, EMS, Forward Facing, Center, 38 W x 52 H x 22.63 D, Roll, Qtm/Sab/AXT Door, EMS Cabinet - Amdor Roll Up Dr, No Lock Light, Tall EMS Compt - Pierce, Both Sides	1
116	0108190		Not Required, Seat, Forward Facing C/C, PS Outboard	1
117	0553149		Not Required, Change Rear Facing Center Seat Positions	1
118	0617407		Matting, Turtle Tile, EMS Compt Location - one for each EMS Cabinet shelf. Qty, - 04 Color - 1) black	4
119	0042264		Shelf, Adjustable, EMS Compt, 1.25" Lip Qty, Shelf - 04 Location, Shelf, EMS - (4) Ctr Fwd Fcng Cabinet	4
120	0566653		Upholstery, Seats In Cab, Turnout Tuff Color, Cab Interior Vinyl/Fabric - m) Gray	1
121	0511471		No SCBA Brackets Required In Cab Seats, Imp/Vel, AXT 2010, Qtm 2010, Dash CF	1
122	0603867		Seat Belt, ReadyReach Seat Belt Color - Red	1
123	0708700		Seat Belt Height Adjustment, QTM	1
124	0602464		Helmet Storage, Provided by Fire Department, NFPA 2016	1

Line	Option	Type	Option Description	Qty
125	0647647		Lights, Dome, FRP Dual LED 4 Lts Color, Dome Lt - Red & White Color, Dome Lt Bzl - Black Control, Dome Lt White - Door Switches and Lens Switch Control, Dome Lt Color - Lens Switch	1
126	0628472		Light, Map, Overhead, Peterson M371S LED, Rectangular w/Switch 2lts 12vdc power from - Battery switched	1
127	0515337		Spotlight, Jabsco, 60020-0000, 135SL Remote Controlled, Cab On ZBrkt Location - Centered over the lightbar Location, Spotlight Contr - o)within reach of the officer	1
128	0555813		Handlts, (4) Streamlight, Fire Vulcan, 44451, C4 LED, Tail Lts, 12v, Orange Location, Portable Hand Light - Rear Wall Cab, Each Side	1
129	0579899		Cab Instruments, Ivory Gauges, Black Bezels, D Series, Qtm 2010	1
130	0002544		Air Restriction Indicator - Pierce Chassis	1
131	0543751		Light, Do Not Move Apparatus Alarm, Do Not Move Truck - Pulsing Alarm	1
132	0509042		Messages, Open Door/Do Not Move Truck, MUX w/Color Display	1
133	0611681		Switching, Cab, Membrane, Impel/Velocity/Quantum, Dash CF, AXT WiFi MUX Location, Emerg Sw Pnls - Driver's Side Overhead	1
134	0610968		Wiring, Spare, 2.0 A 12V DC, USB Termination Blue Sea 1016 1st Qty, - 05 12vdc power from - Battery direct Location - TBD at Mid	5
135	0548004		Wiring, Spare, 15 A 12V DC 1st Qty, - 02 12vdc power from - Battery direct Wire termination - 15 amp power point plug Location, Spare Wiring - Officer Dash	2
136	0613326		Vehicle Information Center, 7" Color Display, Touchscreen, MUX, Quantum System Of Measurement - US Customary	1
137	0606249		Vehicle Data Recorder w/CZ and Overhead Display Seat Belt Monitor	1
138	0790651	SP	Intercom, Setcom 950, 4-Pos, 2-Radio, (D, O), 2C Location - TBD at Mid Inspection Location, Intercom, C Cab - 2) 2 rearward facing seats	1
139	0793667		Cable, Radio to Intercom Interface, Setcom 950, 1 Radio Radio, First Two-Way Model - Motorola XTL 2500	1
140	0620275		Radio, First Two-Way Make - Motorola Mid Power Headset, Setcom, CSB-901L-1 Under Helmet, Intercom Only, Left Cord, Gel Qty, - 01 Location - TBD at Mid	1
141	0619798		Headset, Setcom, CSB-900R-1 Under Helmet, Radio Transmit, Right Cord, Gel Qty, - 01 Location - TBD at Mid	1
142	0620273		Headset, Setcom, CSB-900L-1 Under Helmet, Radio Transmit, Left Cord, Gel Qty, - 01 Location - TBD at Mid	1
143	0620281		Headset, Setcom, CSB-901R-1 Under Helmet, Intercom Only, Right Cord, Gel Qty, - 01 Location - TBD at Mid.	1
144	0681408		Hangers For Headsets, NFPA, Each Qty, - 04 Location, Headset Hangers - Driver Seat, Officer Seat, DS Outbrd, Rear Fcng Seat and PS Outbrd, Rear Fcng Seat	4
145	0559156		Install Customer Provided Two-Way Radio(s) Location - TBD at Mid Inspection Qty, - 01	1
146	0640003		Install Customer Provided Modem Location - TBD at Mid Inspection Qty, - 01	1
147	0616382		Install Customer Provided GPS/Multimode Antenna(s) Qty, - 01	1
148	0663968		Install Customer Provided Drug Vault, Knox Model #2 With WiFi, in Cab Location - TBD at Mid Inspection	1

Line	Option	Type	Option Description	Qty
148			Qty, - 01	
149	0559503		Install Customer Provided Portable Radio Charger(s) Location - TBD at Mid Inspection	4
150	0562774		Qty, - 04 Install Customer Provided Thermal Camera(s), Charger Only Location - TBD at Mid Inspection	1
151	0696439		Qty, - 01 Antenna Mount, Custom Chassis, Cable Routed to Instrument Panel Area	1
152	0653526		Qty, - 01 Location, Antenna Mount - Right Side Camera, Pierce, Driver Mux, Rear Camera Only	1
153	0523921		Camera System Audio - Not Provided Recess, Rear Vision Camera	1
154	0615103		Location, Camera, Recessed - Center Rear Pierce Command Zone, Advanced Electronics & Control System, Diag LEDs, Qtm, WiFi	1
155	0624257		Electrical System, Quantum	1
156	0079166		Batteries, (4) Exide Grp 31, 950 CCA ea, Threaded Stud	1
157	0008621		Battery System, Single Start, All Custom Chassis	1
158	0042699		Battery Compartment, QX	1
159	0579436		Charger, Sngl Sys, Kussmaul, 1200, 091-187-12-Remote, 40 Amp	1
160	0012782		Location, Charger, Front Left Side Body Compartment Location, Battery Chrgr/Cmpr - High On Left Wall	1
161	0530949		Location, Battery Charger Indicator, Driver's Seat Riser	1
162	0016857		Shoreline, 20A 120V, Kussmaul Auto Eject, 091-55-20-120, Super Qty, - 01 Color, Kussmaul Cover - d) yellow Shoreline Connection - Battery Charger	1
163	0026800		Shoreline Location Location, Shoreline(s) - DS Extd Bumper	1
164	0647728		Alternator, 430 amp, Delco Remy 55SI	1
165	0075020		Load Manager/Sequencer, QX Enable/Disable Hi-Idle - e)High Idle enable	1
166	0613545		Headlights, Round LED, JW Speaker, 8630 Evolution, Polycarbonate Lens, Qtm	1
167	0648425		Light, Directional, WIn 600 LED Cmb, Cab Crn, Imp/Vel/AXT/Qtm/DCF Color, Lens, LED's - c)clear	1
168	0620054		Light, Directional/Marker, Intermediate, Weldon 9186-8580-29 LED 2lts	1
169	0648051		Lights, Clearance/Marker/ID, Front, Grote 47063 LED 5 Lts, Qtm	1
170	0647903		Lights, Directional/Marker, Cab Front Side, Truck-Lite 19036Y LED, Qtm	1
171	0627282		Lights, Clearance/Marker/ID, Rear, FRP LED Bar & P25 LED 4Lts	1
172	0564683		Lights, Tail, WIn M6BTT* Red LED Stop/Tail & M6T* Amber LED Dir Arw For Hsg Color, Lens - Clear	1
173	0561471		Lights, Backup, WIn M6BUW, LED, For Tail Lt Housing	1
174	0664481		Bracket, License Plate & Light, P25 LED	1
175	0556842		Bezels, WIn, (2) M6 Chrome Pierce, For mtg (4) WIn M6 lights	1
176	0589905		Alarm, Back-up Warning, PRECO 1040	1
177	0056200		Mounting, Light, Recess (each) Location - Both lights recessed on the DS and PS upper rear bulkheads. Qty, - 04	4
178	0543513		Lights, Perimeter Cab, Truck-Lite 6060C LED 4Dr, Qtm Z location -	1
179	0617866		Lights, Perimeter Pump House, Truck-Lite 6060C LED 2lts	1
180	0683575		Lights, Perimeter Body, Truck-Lite 6060C LED 2ts, Rear Step Control, Perimeter Lts - Parking Brake Applied	1
181	0556360		Lights, Step, P25 LED 4lts, Pump Pnl Sw	1
182	0698589		Lights, Side Scene, WIn M9LZC Gradient LED 1st Qty, - 04 Switch, Lt Control 1 DC,1 - a) DS Switch Panel Switch, Lt Control 2 DC,2 - e) No Control Switch, Lt Control 3 DC,3 - d) No Control Switch, Lt Control 4 DC,4 - d) No Control Location, Scene Lights - DS Body, Center, 1lt, PS Body, Center, 1lt and DS & PS Rear Of Cab Doors (FR Cab & Qtm Only) 2lts	4

Line	Option	Type	Option Description	Qty
183	0709438		Light, Walking Surface, FRP Flood, LED	1
184	0776357		Light, Visor, WIn, 12V P*H2* Pioneer, Cnt Feature, 1st Qty, - 01 Location, driver's/passenger's/center - centered Color, WIn Lt Housing - White Paint Control, Scene Lts - Cab Sw Panel DS Scene Light Optics - Flood/Spot	1
185	0532358		Not Required, Deck Lights, Other Hose Bed & Rear Lighting	1
186	0645877		Lights, Hose Bed, Sides, Dual LED Light Strips Control, Hose Bed Lts - Auto Cover Sw	1
187	0645682		Lights, Rear Scene, WIn, M9LZC LED, 30" - 102" High Control, Rear Scene Lts - Cab Switch Panel DS	1
188	0060115		Pumper, Medium, Aluminum, 2nd Gen	1
189	0554272		Body Skirt Height, 22", Quantum	1
190	0028245		Tank, Water, 750 Gallon, Poly, Med	1
191	0003405		Overflow, 4.00" Water Tank, Poly	1
192	0028104		Foam Cell Required	1
193	0024432		Modified Poly Tank for Single Full Depth Compt Qty, - 1	1
194	0633066		Sleeve through Tank Qty, Sleeve - 1 Water Tank Sleeve - Plumbing/Hydraulic Diameter - 3" Plumbing	1
195	0553729		Not Required, Restraint, Water Tank, Heavy Duty	1
196	0003429		Not Required, Direct Tank Fill	1
197	0003424		Not Required, Dump Valve	1
198	0048710		Not Required, Jet Assist	1
199	0030007		Not Required, Dump Valve Chute	1
200	0514778		Not Required, Switch, Tank Dump Master	1
201	0126633		Hose Bed, Aluminum, Pumper	1
202	0003482		Hose Bed Capacity, Additional Capacity, Hosebed - 800'-5", 600'-2.50", 400'-1.75", 200'-1.5" in poly tray, 200' of 1.5" in poly tray (400' total of 1.5" in two separate removable trays). 1 shelf above the trays to store two 100' 1.75" hose bundles. Described from Right-Left.	1
203	0003488		Divider, Hose Bed, Unpainted Qty, Hosebed Dividers - 3	3
204	0010133		Cross-Divider, Hose Bed	1
205	0097956		Hose Tray, Poly, Removable, Hose Bed, Deluxe Location - Left side of hose bed next to the other poly tray with removable shelf above for storage. Qty, - 02 Size - Must hold 200'-1.5" hose with nozzle in each tray. Two trays total.	2
206	0078606	SP	Removable Shelf In Hose Bed w/stops, Divider, Reno Fill in Blank - One removable flat shelf above the poly trays attached to an adjustable hosebed divider. Located on driver's side. Location, driver's/passenger's/center - driver's	1
207	0653470		Side Sheet, Special Height Size - sized to match the cab	1
208	0530804		Cover, Hose Bed, Alum Treadplate	1
209	0505155		Flap, Rear of Alum Hose Bed Cover, Two Piece, Vinyl Color, Vinyl Cover - c) black	1
210	0013512		Running Boards, 12.75" Deep	1
211	0689621		Tailboard, 16" Deep	1
212	0690037		Wall, Rear, Smooth Aluminum/Body Material Material, Rear Wall Inboard Facing Surfaces - Aluminum Diamondplate	1
213	0003531		Tow Bar, Under Tailboard	1
214	0590926		Hose Restraint, Running Board, Velcro Straps Location, Hose Tray, Running Board - a) both sides Qty, Tray, Hose - 2	2
215	0030078	SP	Tray, Hose, Running Board, Special Cap, "Floating" Tray Location, Hose Tray, Running Board - a) both sides Qty, Tray, Hose - 2 Capacity, Hose Tray - 35' of 5" with Storz couplings	2

Line	Option	Type	Option Description	Qty
216	0003561		Construction, Compt, Alum, Pumper	1
217	0063100		LS 152" Lap, Full Height & Depth Front, Full Height Rear, FDLER	1
218	0063624		RS 152" Lap, Full Height Front & Rear, FDLER	1
219	0063911		Doors, Lap w/ "D" Handles - Side Compartments	1
220	0083701		Rear, Rollup, 44.50" FF	1
221	0594003		Door, Amdor, Rollup, Rear Compartment	1
			Color, Roll-up Door - AMDOR Satin Aluminum	
			Latch, Roll-up Door - Non-Locking Liftbar	
222	0554995		No Body Modification Required	1
223	0625184		Guard, Drip Pan, S/S, Rollup Door, Pumper	1
			Qty, Door Accessory - 01	
			Location, Door Guard/Drip Pan - R1	
224	0003919		Reverse Hinge Compartment Door	1
			Qty, Door Accessory - 01	
			Location, Door Accessory - Location, Door Accessory -- Left Front Compartment	
225	0616670		Lights, Compt, Pierce LED, Dual Light Strips, Each Side of Door, Pumper/Tanker	7
			Qty, - 07	
			Location, Compartment Lights - All Body Compts	
226	0687146		Shelf Tracks, Painted	7
			Qty, Shelf Track - 07	
			Location, Shelf Track - D3, D2, D1, P1, P3, P1 Upper and D3 Upper	
227	0600350		Shelves, Adj, 500 lb Capacity, Full Width/Depth, Predefined Locations	8
			Qty, Shelf - 08	
			Material Finish, Shelf - Painted - Spatter Gray	
			Location, Shelves/Trays, Predefined - D1-At Transition Point, D3-Upper Third, P1-At Transition Point, P1-Upper Third, D2-Centered Floor to Ceiling, D3 -Upper Third - 2nd and P3-On Hyd Ladder Actuator Cover - Full Depth Sect	
228	0647091		Tray, Floor Mounted, Slide-Out, 500lb, 2.00" Sides	2
			Qty, - 02	
			Location, Tray Slide-Out, Floor Mounted - P1 and R1	
			Material Finish, Tray - Painted - Spatter Gray	
229	0540317		Toolboard, Swing-out, Alum, .188", Peg Board	1
			Qty - 1	
			Location, Pivot - Front	
			Mounting, Toolboard - Stationary	
			Finish, Pegboard/Toolboard - Painted - Spatter Gray	
			Location, Toolboard - P2	
230	0024016		Rub Rail, Aluminum Extruded, Side & Rear of Body	1
231	0784811		Fender Crowns, Rear, Stainless, w/Removable Liner	1
			Material Finish, Fender Liner - Brushed Stainless	
232	0519849		Not Required, Hose, Hard Suction	1
233	0626229		Handrails, Side Pump Panels, Per Print	1
234	0004126		Handrails, Beavertail, Standard	1
235	0004146		Handrail, Rear, Below Hose Bed, Full Width	1
236	0657651		Compt, Air Bottle, Double, Full Width Door, Fender Panel	2
			Qty, Air Bottle Comp - 2	
			Door Finish, Fender Compt - Polished	
			Location, Fender Compt - Double - DS Fwd and Double - PS Fwd	
			Latch, Air Bottle Compt - Southco C2, Chrome, Non-Locking	
			Insert, Air Bottle Compt - Rubber Matting	
237	0004225		Ladder, 24' Duo-Safety 900A 2-Section	1
238	0004230		Ladder, 14' Duo-Safety 775A Roof	1
239	0015036		Rack, Ladders, Hydraulic, Right Side, Air Clamps	1
			Ladder Rack Lock Enclosure/Light Mounting Bracket - PS Rear S/S Enclosure	
240	0014245		Ladder, 10' Duo-Safety Folding 585A, w/Mounting	1
			Location, Folding Ladder - Hydraulic Rack - Outboard	
241	0024499		Arm, Rear, Offset, HLR 2000, Recess Light	1
242	0049512		Cover, S/S, Over Ladder Rack Air Locks, Pair	1
			Finish - Polished	
243	0602877		Pike Pole, Pumper, Provided by Fire Department, NFPA 2016	1
			Pike Pole Make/Model - Duo-Safety 10' Pike Pole	

Line	Option	Type	Option Description	Qty
244	0602875		Pike Pole, 6', Pumper, Provided by Fire Department, NFPA 2016	1
			Pike Pole Make/Model - Duo-Safety 6' Pike Pole	
245	0785102		Steps, Folding, Front of Body, Cargo Bed Access, w/LED, Trident	1
			Coating, Step - luminescent	
			Location, Steps - Full Height Left, One (1) Right Side w/LED Light	
246	0592994		Steps, Folding, Rear of Body, w/LED, Trident	1
			Coating, Step - luminescent	
247	0083525		Step, Not Req'd, Qtm	1
248	0014387		Step, Corner Step - Extra	1
			Location, Additional Step - Corner step in cargo area per workflow message by Luke Steckel.	
			Qty, Corner Steps - 1	
249	0592990		Step, Folding - Extra, Body Only, Luminescent w/LED, Trident	4
			Qty, Folding Step - 04	
			Location, Additional Step - TBD at Mid Inspection	
250	0004425		Pump, Waterous, CSU, 1500 GPM, Single Stage	1
251	0004481		Seal, Grafoil, Waterous	1
252	0559769		Trans, Pump, Waterous C20 Series	1
253	0635600		Pumping Mode, Stationary Only	1
254	0605126		Pump Shift, Air w/Manual Override, Split Shaft, Interlocked, Waterous	1
255	0003148		Transmission Lock-up, EVS	1
256	0004547		Auxiliary Cooling System	1
257	0014486		Not Required, Transfer Valve, Stage Pump	1
258	0783096		Valve, Relief Intake, Trident Air Max, Control at Operator Panel	1
			Fill in Blank - TBD at Mid.	
259	0536322		Controller, Pressure, Pierce, Custom Chassis	1
260	0072153		Primer, Trident, Air Prime, Air Operated	1
261	0780364		Manuals, Pump, (2) Total, Electronic Copies	1
262	0602512		Plumbing, Stainless Steel and Hose, Single Stage Pump, Control Zone	1
263	0795135		Plumbing, Stainless Steel, w/Foam System	1
264	0004645		Inlets, 6.00" - 1250 GPM or Larger Pump	1
265	0699096		Not Required, Cap, Main Pump Inlet, Included w/Storz Adapter	1
266	0770450	SP	Valve, Piston Intake w/Relief, Harrington H500S-50-60NH, 5" Stz x 6" FNST-S, Man	2
			Location - One valve per side.	
			Qty - 2	
267	0014650		Short Suction Tube, Both Sides	1
268	0084610		Valves, Akron 8000 series- All	1
269	0004660		Inlet, Left Side, 2.50"	1
270	0004680		Inlet, Right Side, 2.50"	1
271	0016158		Valve, Inlet(s) Recessed, Side Cntrl, "Control Zone"	2
			Qty, Inlets - 2	
272	0004700		Control, Inlet, at Valve	1
273	0092569		No Rear Inlet (Large Dia) Requested	1
274	0092696		Not Required, Cap, Rear Inlet	1
275	0064116		No Rear Inlet Actuation Required	1
276	0009648		No Rear Intake Relief Valve Required on Rear Inlet	1
277	0092568		No Rear Auxiliary Inlet Requested	1
278	0563738		Valve, .75" Bleeder, Aux. Side Inlet, Swing Handle	1
279	0029043		Tank to Pump, (1) 3.00" Valve, 3.00" Plumbing	1
280	0004905		Outlet, Tank Fill, 1.50"	1
281	0004940		Outlet, Left Side, 2.50"	2
			Qty, Discharges - 02	
282	0092570		Not Required, Outlets, Left Side Additional	1
283	0004945		Outlet, Right Side, 2.50"	1
			Qty, Discharges - 01	
284	0092571		Not Required, Outlets, Right Side Additional	1
285	0005047		Outlet, 4.00" w/4.00" Right, Handwheel	1
			Valve, Brand - Akron	
286	0649939		Outlet, Front, 1.50" w/2.00" Plumbing	1
			Fitting, Outlet - 1.50" NST with 90 degree swivel	
			Drain, Front Outlet - Automatic	
			Location, Front, Single - top of right bumper	

Line	Option	Type	Option Description	Qty
287	0004995		Outlet, Rear, 2.50"	1
			Qty, Discharges - 01	
			Location, Outlet - b) driver's side	
288	0092574		Not Required, Outlet, Rear, Additional	1
289	0092573		Not Required, Outlet, Hose Bed/Running Board Tray	1
290	0085076		Caps for 1.50" to 3.00" Discharge, VLH	1
291	0563739		Valve, 0.75" Bleeder, Discharges, Swing Handle	1
292	0005091		Elbow, Left Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH	1
293	0035094		Not Required, Elbow, Left Side Outlets, Additional	1
294	0025091		Elbow, Right Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH	1
295	0089584		Not Required, Elbow, Right Side Outlets, Additional	1
296	0045091		Elbow, Rear Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH	1
297	0085695		Not Required, Elbow, Rear Outlets, Large, Additional	1
298	0005097		Elbow, Large Dia Outlet, 30 Deg, 4.00" FNST x 5.00" Storz	1
			Qty, - 01	
299	0062133		Control, Outlets, Manual, Pierce HW if applicable	1
300	0005065		Outlet, 3.00" Deluge Riser	1
301	0543547		Monitor, Akron 3416, 5" Storz Inlet	1
			Monitor Finish - Painted by OEM	
302	0501504		Nozzle, Akron 2499, Quad Tips, 3488 and 5160 Manual fog	1
303	0005070		Deluge Mount, NPT	1
304	0029210		Crosslays Sngl Sheet, (2+) 1.50", Spl. Cap/Arrangement	2
			Capacity, Special Xlay - Both crosslay dividers to be 28" tall and each to hold 200' of 1.75" double jacket hose, double stacked. Height of crosslay dividers to match top of deluge/dunnage area above pump house. Total front to rear for all 3 crosslays to be 22" if possible.	
			Qty, Crosslays - 2	
305	0558463		Crosslay, 2.50", Special Cap or Single Stack	1
			Capacity, Special Xlay - Crosslay divider to be 28" tall and to hold 200' of 2.5" double jacket hose single stacked. Height of crosslay dividers to match top of deluge/dunnage area above pump house. Total front to rear for all 3 crosslays to be 22" if possible.	
			Qty, Crosslays - 1	
306	0029260		Not Required, Speedlays	1
307	0591138		Hose Restraint, Crosslay/Deadlay, Vinyl, Strap Fasteners, Each Side, Ends	3
			Color, Vinyl Cover - c) black	
			Qty, - 03	
			Type of fastener - spring clip and hook	
			Restraint Location - Bottom (towards the ground)	
308	0615255		Cover, Crosslay, 3/16" Alum Treadplate, Front Hinge	1
			Stay arm, Tray Cover - f) Rubber Latch	
309	0007795		Divider, Crosslay, .25" Single Sheet, Unpainted	2
			Location - Both transverse crosslay dividers above the pump house.	
			Height to be 28" and match height of top of dunnage area above pump house.	
			Qty, - 02	
310	0624939		Foam Sys, Husky 3, Single Agent, Multi Select Feature	1
			Discharge, Foam Locations - Front Bumper Center, Rear Outlet Left Side, Crosslay Front, Crosslay Center, Crosslay Rear and Left Side Outlet	
			Discharge, Foam Locations - Front Bumper Center, Rear Outlet Left Side, Crosslay Front, Crosslay Center, Crosslay Rear and Left Side Outlet	
311	0012126		Not Required, CAF Compressor	1
312	0592527		Refill, Foam Tank, Integral, Husky 3	1
313	0031896		Demonstration, Foam System, Dealer Provided	1
314	0085446		Foam Cell, 25 Gallon, Not Reduce Water	1
			Type of Foam - Class "A"	
315	0697589		Drain, 1.00", Foam Tank #1, Husky 3 Foam System, Quarter Turn	1
316	0091079		Not Required, Foam Tank #2	1
317	0091112		Not Required, Foam Tank #2 Drain	1
318	0007545		Pump House, Side Control, 45", Control Zone	1
319	0594577		Pump Panel Configuration, Match Previous Unit, as Close as Possible	1
			Fill in Blank - See job # 18853 2007 Quantum pumper Carson City FD Nevada	
320	0635355		Material, Pump Panels, Side Control Painted FormCoat Black	1
			Material Finish, Pump Panel, Side Control - Painted FormCoat Black	

Line	Option	Type	Option Description	Qty
320			Material, Pump Panel, Side Control - Aluminum	
321	0005578		Panel, Pump Access - Pass Side Only	1
322	0035501		Pump House Structure, Std Height	1
323	0583824		Light, Pump Compt, WIn 3SC0CDCR LED White	1
			Qty, - 01	
324	0586382		Gauges, Engine, Included With Pressure Controller	1
325	0005601		Throttle Included w/ Pressure Controller	1
326	0549333		Indicators, Engine, Included with Pressure Controller	1
327	0005780		Control, Air Horn At Pump Panel w/Button	1
328	0511078		Gauges, 4.00" Master, Class 1, 30"-0-600psi	1
329	0511100		Gauge, 2.00" Pressure, Class 1, 30"-0-400psi	1
330	0536428		Gauge, Water Level, Pierce, In pressure Controller	1
331	0060753		Water Level Gauge, WIn PSTANK, LED 1-Light, 4-Level	2
			Qty, - 02	
			Activation, Water Level G - pg) pump in gear	
			Location, Water Level Gauge - Each Side Custom Cab	
332	0062992		Gauge, Foam Level, (1) Tank, Class 1, 5lt	1
333	0593161		Light Shield, S/S LED	1
334	0682488		Light Shield, S/S, PS LED	1
335	0606697		Air Horns, (2) Grover, In Bumper	1
336	0606835		Location, Air Horns, Bumper, Each Side, Outside Frame, Outboard (Pos #1 & #7)	1
337	0769232	SP	Control, Air Horn, Horn Ring, DS Foot Sw, Location Feature	1
			location - DS TBD at Mid	
338	0525667		Siren, WIn 295SLSA1, 100 or 200 Watt	1
339	0510206		Location, Elect Siren, Recessed Overhead In Console	1
			Location, Elec Siren - Overhead, DS Inside Sw Pnl	
340	0076156		Control, Elec Siren, Head Only	1
341	0601306		Speaker, (1) WIn, SA315P, w/Pierce Polished Stainless Steel Grille, 100 watt	1
			Connection, Speaker - siren head	
342	0601565		Location, Speaker, Frt Bumper, Recessed, Center (Pos 4)	1
343	0016080		Siren, Federal Q2B	1
344	0006095		Siren, Mechanical, Mounted Above Deckplate	1
			Location, Siren, Mech - a) Left	
345	0026161		Control, Mech Siren, DS Foot Sw	1
346	0607632		Lightbar, WIn, Freedom IV-Q, 81", RRRRWRRROptRRRWRRRR	1
			Opticom Priority - b) High	
			Opticom Activation - E-Master	
			Momentary Opticom Activation - DS Switch	
			Filter, Whl Freedom Ltbrs - No Filters	
347	0540460		Light, Front Zone, WIn M6*C LED, Clear Lens, 4lts Q Bezel	1
			Color, Lt DS Frnt Outside - DS Front Outside Red	
			Color, Lt PS Frnt Outside - PS Front Outside Red	
			Color, Lt DS Front Inside - b) DS Front Inside Blue	
			Color, Lt PS Front Inside - b) PS Front Inside Blue	
348	0653937		Flasher, Headlight Alternating	1
			Headlt flash deactivation - a)w/high beam	
349	0540692		Lights, Side Zone Lower, WIn M6*C LED, Clear Lens, 3pr, Ovr 25	1
			Location, Lights Front Side - b)each side bumper	
			Color, Lt Side Front - Red	
			Color, Lt Side Middle - Red	
			Color, Lt Side Rear - Red	
			Location, Lights Mid Side - Rearward of Crew Cab Doors	
			Location, Lights Rear Side - Over Rear Wheels	
350	0587935		Lights, Side, WIn RS*02ZCR, Horizontally Mntd/Rec in Rub Rail, 1st	1
			Location, Lights - One mounted in the rub rail forward of the rear axle on both sides of the apparatus.	
			Qty, - 01	
			Color, Lights, Warning - d) blue	
			Control, Light - b) side warning	
351	0587929		Lights, Side, WIn RS*02ZCR, Horizontally Mounted in Rub Rail, 2nd	2
			Location, Lights - One mounted in the rub rail rearward of the rear axle on both sides of the apparatus.	
			Qty, - 02	

Line	Option	Type	Option Description	Qty
351			Color, Lights, Warning - gla) red	
			Control, Light - b) side warning	
352	0564655		Lights, Rear Zone Lower, Wln M6*C LED, Clear Lens, For Tail Lt Housing	1
			Color, Lt DS Rear - r) DS Rear Lt Red	
			Color, Lt PS Rear - r) PS Rear Lt Red	
353	0633730		Lights, Rear/Side Up Zone, Wln M6*C LED, Split Color Clear Lens 4lts	1
			Color, Lt Side Rear Split - Red and Blue	
			Color, Lt DS Rear Splt - a) Red and Blue	
			Color, Lt PS Rear Splt - a) Red and Blue	
354	0006551		Not Required, Lights, Rear Upper Zone Blocking	1
355	0537807		Mtg, Rear Warn Lts, Side Sheets & Rear of Body Bulkheads	1
356	0780309		Receptacle, 15/20A 120V 3-Pr 3-Wr SB Dup, 4 place, Interior Cab	3
			Qty, - 03	
			Location 1 - One 4-place receptacle to be located above each shelf DS & PS (option# 0606282) mounted facing forward on back wall. One 4-place receptacle located inside EMS cabinet (option# 0199879) above top shelf on DS.	
			AC Power Source - Shoreline	
			Cover, Receptacle - Interior SS Wall Plate(s)	
357	0779700		Receptacle, 15/20A 120V 3-Pr 3-Wr SB Dup, GFI, Interior Body	1
			Qty, - 01	
			Location 1 - Mounted horizontally in D1 as high as possible. Must be at least _____" above the floor to allow for electric fan storage.	
			AC Power Source - Shoreline	
			Cover, Receptacle - Interior SS Wall Plate(s)	
358	0519934		Not Required, Brand, Hydraulic Tool System	1
359	0649753		Not Required, PTO Driven Hydraulic Tool System	1
360	0649750		Not Required, Hydraulic Reels	1
361	0007150		Bag of Nuts and Bolts	1
			Qty, Bag Nuts and Bolts - 1	
362	0602516		NFPA Required Loose Equipment, Pumper, NFPA 2016, Provided by Fire Department	1
363	0519913		Not Required, Soft Suction Hose	1
364	0027023		No Strainer Required	1
365	0602538		Extinguisher, Dry Chemical, Pumper NFPA 2016 Class, Provided by Fire Department	1
366	0602360		Extinguisher, 2.5 Gal. Pressurized Water, Pumper NFPA 2016, Provided by Fire Dept	1
367	0602679		Axe, Flathead, Pumper NFPA 2016 Classification, Provided by Fire Department	1
368	0602667		Axe, Pickhead, Pumper NFPA 2016 Classification, Provided by Fire Department	1
369	0559682		Paint, Two Tone, Cab, w/Shield, Custom Cab	1
			Paint Color, Predefined - CCFD Yellow #419	
			Paint Color, Upper Area, Predefined - #10 White	
370	0646897		Paint Chassis Frame Assy, E-Coat, Standard	1
			Paint Color, Frame Assembly, Predefined - Standard Black	
371	0693797		No Paint Required, Aluminum Front Wheels	1
372	0687653		Paint, Rear Wheels, Single Axle, Alum-Stl	1
			Paint, Wheels - Black #101	
373	0007230		Compartment, Painted, Spatter Gray	1
374	0544099		Reflective Band, 8"	1
			Color, Reflect Band - A - d) blue	
375	0075552		Reflective across Cab Face, QX	1
376	0602763		Stripe, Chevron, Rear, Reflective, Non-NFPA 2016 Colors, Pumper	1
			Color, Reflect Band - A - g) yellow	
			Color, Reflect Band - B - o) blue	
377	0027341		Jog, In Reflective Stripe, Single or Multiple	1
			Qty, - 1	
378	0065738		Stripe, Reflective, Cab Doors Interior, Qtm	1
			Color, Reflective - d) blue	
379	0027286		Not Required, Lettering Specs	1
380	0007472		[Lettering not Requested]	1
381	0017268		Decals, Customer furnished, Pierce installed, Per Pair	2
			Qty, - 02	
382	0002838		Undercoating, Cab & Body, Ziebart	1

Line	Option	Type	Option Description	Qty
383	0073192		Undercoating, Fuel Tank, Complete Before Installation, Ziebart	1
384	0772003		Manual, Fire Apparatus Parts, USB Flash Drive, Custom	1
			Qty, - 01	
385	0772037		Manual, Chassis Service, USB Flash Drive, Custom	1
			Qty, - 01	
386	0773381		Manual, Chassis Operation, One (1) USB Flash Drive, Custom	1
387	0030008		Warranty, Basic, 1 Year, Apparatus, WA0008	1
388	0595239		(No Pick Required)	1
389	0696698		Warranty, Engine, Cummins, 5 Year, WA0181	1
390	0684952		Warranty, Steering Gear, TRW Ross TAS, 1 Year WA0202	1
391	0596017		Warranty, Frame, 50 Year, Custom Chassis, WA0013	1
392	0777373		Warranty, Axle, 2 Year, Meritor, General Service, WA0328	1
393	0777368		Warranty, Axle, 2 Year, Meritor, General Service, WA0328	1
394	0652758		Warranty, ABS Brake System, 3 Year, Meritor Wabco, WA0232	1
395	0019914		Warranty, Structure, 10 Year, Custom Cab, WA0012	1
396	0595813		Warranty, Paint, 10 Year, Cab, Pro-Rate, WA0055	1
397	0524627		Warranty, Electronics, 5 Year, MUX, WA0014	1
398	0695416		Warranty, Pierce Camera System, WA0188	1
399	0647720		Warranty, Pierce LED Strip Lights, WA0203	1
400	0046369		Warranty, 5-year EVS Transmission, Standard Custom, WA0187	1
401	0685945		Warranty, Transmission Cooler, WA0216	1
402	0688798		Warranty, Water Tank, Lifetime, UPF, Poly Tank, WA0195	1
403	0596025		Warranty, Structure, 10 Year, Body, WA0009	1
404	0693126		Warranty, AMDOR, Roll-up Door, 10 Year/5 Year Painted, WA0185	1
405	0063510		Warranty, Pump, Waterous, 5 Year Parts, WA0225	1
406	0648675		Warranty, 10 Year S/S Pumbing, WA0035	1
407	0657990		Warranty, Foam System, Husky 3, WA0231	1
408	0595820		Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057	1
409	0593921		Not Required, Warranty, No Lettering	1
410	0683627		Certification, Vehicle Stability, CD0156	1
411	0610737		Certification, Engine Installation, Quantum, Cummins ISX12, 2016, CD0110	1
412	0686786		Certification, Power Steering, CD0098	1
413	0543949		Certification, Cab Integrity, Quantum, CD0010	1
414	0556828		Certification, Electric Window, Not Available	1
415	0600925		Certification, Seat Belt Anchors and Mounting, Quantum, CD0138	1
416	0609767		Certification, Cab Air Conditioning Performance, Quantum, CD0045	1
417	0545073		Amp Draw Report, NFPA Current Edition	1
418	0002758		Amp Draw, NFPA/ULC Radio Allowance	1
419	0799248		Appleton/Florida BTO	1
420	0000018		PUMPER, 2ND GEN	1
421	0000012		PIERCE CHASSIS	1
422	0004713		ENGINE, OTHER	1
423	0046396		EVS 4000 Series TRANSMISSION	1
424	0020011		WATEROUS PUMP	1
425	0020009		POLY TANK	1
426	0028048		FOAM SYSTEM	1
427	0020006		SIDE CONTROL	1
428	0020007		AKRON VALVES	1
429	0020015		ABS SYSTEM	1
430	0658751		Manufacturing Attribute	1