



108 E. Proctor Street
Carson City, Nevada 89701
(775) 887-2105
Hearing Impaired: 711

MEMORANDUM

Liquor License Hearing - Friday, August 18, 2023, 1:30pm

TO: The Hearings Officer
FROM: Erin Lewis, Business License Assistant
DATE: August 14, 2023

AGENDA ITEM 4.A: For Possible Action: Discussion and possible action regarding applications to approve a change in Liquor Manager to Matthew Wetzel for Combination Package and "on premise" Liquor Licenses (LIQUOR-004692-2020 and LIQUOR-004005-202) for Carson Gaming Hotels LLC dba Courtyard by Marriott & Casino Fandango LLC located at 3870 S Carson Street, Carson City, NV 89703, and 3800 S Carson Street, Carson City, NV 89703, respectively.

Recommendation: To approve applications for Combination Package and "on premise" Liquor Licenses with Matthew Wetzel as the Liquor Manager for Carson Gaming Hotels LLC dba Courtyard by Marriott & Casino Fandango LLC located at 3870 S Carson Street, Carson City, NV 89703, and 3800 S Carson Street, Carson City, NV 89703 subject to the following approval:

1. The applicant must sign a sworn affidavit consistent with Carson City Municipal Code (CCMC) 4.13.060 regarding a server training course.
2. The holder of the Liquor License must maintain on the premises, evidence of employee server training certification for all employees that serve or sell alcohol.

Per Carson City Municipal Code (CCMC) 4.13, all Liquor License requests are to be reviewed by the Hearings Officer. The Hearings Officer may grant or deny the application for a Liquor License or place conditions on a license to ensure compliance with the Municipal Code.

The subject request is for Carson Gaming Hotels LLC dba Courtyard by Marriott & Casino Fandango LLC to change the Liquor Manager to Matthew Wetzel on the existing Combination Package and "on premise" Liquor Licenses.

The Sheriff's Office did a background investigation and did not find any disqualifying information based on CCMC 4.13.125.

This request has been reviewed by the Health Department. The Health Department inspected the premises and is recommending approval. Comments provided by the Health Department in the attached memo have been incorporated as conditions of approval where appropriate.